VISION RESEARCH



Author and Subject Index

VOLUMES 18–22, 1978–1982

PERGAMON PRESS

OXFORD · NEW YORK · TORONTO · SYDNEY
PARIS · FRANKFURT

VISION RESEARCH

Founded by THORNE SHIPLEY

BOARD OF EDITORS

Distributing Editor for North and South American Continents:*

C. D. B. BRIDGES
Department of Ophthalmology
Baylor College of Medicine
Texas Medical Center
Houston, Texas 77030
U.S.A.

*Including Canada

Distributing Editor for Europe, Africa, Asia* and Australasia:

H. SPEKREIJSE
The Netherlands Ophthalmic Research Institute and
The Laboratory of Medical Physics
University of Amsterdam
P.O. Box 6484, 1005 EL Amsterdam
The Netherlands

*Including Japan

BOYNTON R. M. (Chairman), La Jolla CA, U.S.A.
BARMACK N., PORTLAND OR, U.S.A.
BISHOP P. O., Canberra, Australia
BRADDICK O. J., Cambridge, U.K.
BRIDGES C. D. B., Houston TX, U.S.A.
BYZOV A. L., Moscow, U.S.S.R.
COLLEWIJN H., Rotterdam, The Netherlands
DOWLING J. E., Cambridge MA, U.S.A.
EASTER S. S., Ann Arbor MI, U.S.A.
ERNST W., London, U.K.
FOX R., Nashville TN, U.S.A.
GOURAS P., New York NY, U.S.A.
GRAHAM N., New York NY, U.S.A.
HOLLYFIELD J., Houston TX, U.S.A.
KOENDERINK J. J., Utrecht, The Netherlands
KOLB H., Salt Lake City UT, U.S.A.
KRAUSKOPF J., Murray Hill NJ, U.S.A.
LENNIE P., Rochester NY, U.S.A.
MACLEOD D. I. A., La Jolla CA, U.S.A.
SEKULER R., Evanston IL, U.S.A.
SKAVENSKI A. A., Boston MA, U.S.A.
SPEAR P., Madison WI, U.S.A.
SPEKREIJSE H., Amsterdam, The Netherlands
SPERLING H. G., Houston TX, U.S.A.

Publishing Office: Journals Production Unit, Hennock Road, Marsh Barton, Exeter, Devon EX2 8RP, England (*Tel.* Exeter (0392) 51558; *Telex* 42749)

Subscription and Advertising Offices: Headington Hill Hall, Oxford OX3 0BW, England (*Tel.* Oxford (0865) 64881)
Maxwell House, Fairview Park, Elmsford, NY 10523, U.S.A.

Published monthly

Annual Subscription Rates (1983): For libraries, university departments, government laboratories, industrial and other multiple-reader institutions: US$360.00 per annum or US$684.00 for 2-yr subscription (including postage and insurance). *Specially reduced rates to individuals:* In the interests of maximizing the dissemination of the research results published in this important international journal we have established a two-tier price structure. Any individual whose institution takes out a library subscription may purchase a second or additional subscription for personal use at a much reduced rate of US$55.00. Subscriptions enquiries from customers in North America should be sent to: Pergamon Press Inc., Maxwell House, Fairview Park, Elmsford, NY 10523, U.S.A., and for the remainder of the world to: Pergamon Press Ltd, Headington Hill Hall, Oxford OX3 0BW, England.

Microform Subscriptions and Back Issues

Back issues of all previously published volumes are available in the regular editions and on microfilm and microfiche. Current subscriptions are available on microfiche simultaneously with the paper edition, and on microfilm on completion of the annual index at the end of the subscription year.

Copyright © 1983 Pergamon Press Ltd

It is a condition of publication that manuscripts submitted to this journal have not been published and will not be simultaneously submitted or published elsewhere. By submitting a manuscript, the authors agree that the copyright for their article is transferred to the publisher if and when the article is accepted for publication. However, assignment of copyright is not required from authors who work for organizations which do not permit such assignment. The copyright covers the exclusive rights to reproduce and distribute the article, including reprints, photographic reproductions, microform or any other reproductions of similar nature and translations. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, electrostatic, magnetic tape, mechanical, photocopying, recording or otherwise, without permission in writing from the copyright holder.

U.S. Copyright Law applicable to users in the U.S.A. The Article Fee Code on the first page of an article in this journal indicates the copyright owner's consent that, in the U.S.A., copies may be made for personal or internal use provided the stated fee for copying beyond that permitted by Section 107 or 108 of the United States Copyright Law is paid. The appropriate remittance should be forwarded with a copy of the first page of the article to the Copyright Clearance Center Inc., 21 Congress Street, Salem, MA 01970, U.S.A. If a code does not appear, copies of the article may be made without charge, provided permission is obtained from the publisher. The copyright owner's consent does not extend to copying for general distribution, for promotion, for creating new works or for resale. Specific written permission must be obtained from the publisher for such copying. In case of doubt please contact your nearest Pergamon office.

PERGAMON PRESS

HEADINGTON HILL HALL, OXFORD
OX3 0BW, ENGLAND

MAXWELL HOUSE, FAIRVIEW PARK
ELMSFORD, NY 10523, U.S.A.

Author/Subject Indexes for Volumes 18–22 (1978–1982)

AUTHOR INDEX

ABADI, R.V.
Abadi, R.V., Carden, D. and Simpson, J. Controlling abnormal eye movements 19: 961.
Abadi, R.V. and King-Smith, P.E. Congenital nystagmus modifies orientational detection 19: 1409.

ABEL, L.A.
Abel, L.A. and Quick, R.F. Jr. Wiener analysis of grating contrast judgments 18: 1031.

ABRAHAMSON, E.W.
Fager, R.S., Gentilcore, P.C. and Abrahamson, E.W. Kinetics of cyanoborohydride reduction of bovine rhodopsin 18: 483.

ADAMCZAK, W.
Adamczak, W. The amacrine cells as an important processing site of pattern-induced flicker colors 21: 1639.

ADAMS, B.D.
Hallett, P.E. and Adams, B.D. The predictability of saccadic latency in a novel voluntary oculomotor task 20: 329.

ADELSON, E.H.
Adelson, E.H. Looking at the world through a rose-colored ganzfeld 21: 749.
Adelson, E.H. Saturation and adaptation in the rod system 22: 1299.
Adelson, E.H. The delayed rod afterimage 22: 1313.

ADLER,B.
Adler,B., Bock, O. and Grusser, O.-J. Alpha-stripes: a spatial periodicity appearing in stroboscopically illuminated moving random dot patterns 21: 913.

AGAMY, G.
May, J.G., Agamy, G. and Matteson, H.H. The range of spatial frequency contingent color aftereffects 18: 917.

AKIMOTO, T.
Akimoto, T. Light-induced transmission changes in isolated vertebrate retinas 22: 1093.

ALBANI, C.
Niemeyer, G., Albani, C. and Schuurmans, R.P. Transmitter-related studies in the isolated perfused eye of the cat 21: 1661.

ALBRECHT, D.G.
De Valois, R.L., Albrecht, D.G. and Thorell, L.G. Spatial frequency selectivity of cells in macaque visual cortex 22: 545.

ALBUS, K.
Heggelund, P. and Albus, K. Orientation selectivity of single cells in striate cortex of cat: the shape of orientation tuning curves 18: 1067.
Albus, K. The detection of movement direction and effects of contrast reversal in the cat's striate cortex 20: 289.
Albus, K. and Fries, W. Inhibitory sidebands of complex receptive fields in the cat's striate cortex 20: 369.

ALEXANDER, K.R.
Alexander, K.R. and Barry, S.H. Visual masking and the contrast-flash effect 21: 301.
Hamer, R.D., Alexander, K.R. and Teller, D.Y. Rayleigh discriminations in young human infants 22: 575.

ALLEN, D.M.
Allen, D.M. and Cristy, M. Thiourea does not block visual pigment responses to prolactin in trout 18: 859.

ALLEN, J.L.
Teller, D.Y., Mayer, D.L., Makous, W.L. and Allen, J.L. Do preferential looking techniques underestimate infant visual acuity? 22: 1017.

ALLIK, J.
Allik, J., Dzhafarov, E. and Rauk, M. Position discrimination may be better than detection 22: 1079.

ALLMAN, J.M.
Miezin, F.M., Myerson, J., Julesz, B. and Allman, J.M. Evoked potentials to dynamic random-dot correlograms in monkey and man: a test for cyclopean perception 21: 177.

ALPERN, M.
Alpern, M. and Zwas, F. The wavelength variation of the directional sensitivity of the Stiles Pi u 19: 1077.
Alpern, M., Bastian, B. and Moeller, J. In search of the elusive long-wave fundamental 22: 627.

ALVARADO, J.A.
Polansky, J.R., Weinreb, R. and Alvarado, J.A. Studies on human trabecular cells propagated in vitro 21: 155.

ALVAREZ, R.A.
Bridges, C.D.B., Fong, S.-L. and Alvarez, R.A. Separation by programmed-gradient high-pressure liquid chromatography of vitamin A isomers, their esters, aldehydes, oximes and vitamin A_2: presence of retinyl ester in dark-adapted goldfish pigment epithelium 20: 355.
Liou, G.I., Bridges, C.D.B., Fong, S.-L., Alvarez, R.A. and Gonzalez-Fernandez, F. Vitamin A transport between retina and pigment epithelium - an interstitial protein carrying endogenous retinol (interstitial retinol-binding protein) 22: 1457.

AMBROSE, J.M.
Ambrose, J.M. and Hayhoe, M.M. Surround configuration and cone dark adaptation 20: 883.

AMURE, B.O.
Amure, B.O. Nicotine and the decay of the McCollough effect 18: 1449.

ANDERSON, D.H.
Steinberg, R.H., Fisher, S.K. and Anderson, D.H. Disc morphogenesis in vertebrate photoreceptors 21: 1725.

ANDERSON, M.L.
Rosenblum, K., Anderson, M.L. and Purple, R.L. Normal and color defective perception of Fechner-Benham colors: implications for color vision theory 21: 1483.

ANDERSON, P.
Anderson, P., Mitchell, D.E. and Timney, B. Residual binocular interaction in stereoblind humans 20: 603.

ANDERSON, P.A.
Arditi, A.R., Anderson, P.A. and Movshon, J.A. Monocular and binocular detection of moving sinusoidal gratings 21: 329.

ANDERSON, P.J.
Epstein, D.L. and Anderson, P.J. In vitro biochemistry of trabecular meshwork 21: 161.

ANDREWS, B.W.
Feldon, S.E., Andrews, B.W. and Pollen, D.A. Periodic complex cells in cortical area 19 of the cat 18: 347.
Pollen, D.A., Andrews, B.W. and Feldon, S.E. Spatial frequency selectivity of periodic complex cells in the visual cortex of the cat 18: 665.

ANDREWS, D.P.
Andrews, D.P. A stimulus sequence with uniform frequency of ordered pairs 18: 339.
Andrews, D.P. and Miller, D.T. Acuity for spatial separation as a function of stimulus size 18: 615.
Watt, R.J. and Andrews, D.P. Contour curvature analysis: hyperacuities in the discrimination of detailed shape 22: 449.

ANSTIS, S.M.
Anstis, S.M., Howard, I.P. and Rogers, B. A Craik-O'Brien-Cornsweet illusion for visual depth 18: 213.
Anstis, S.M., Rogers, B. and Henry, J. Interactions between simultaneous contrast and coloured afterimages 18: 899.

VAN ANTWERPEN, G.
Duwaer, A.L., van den Brink, G., van Antwerpen, G. and Keemink, C.J. Comparison of subjective and objective measurements of ocular alignment in the vertical direction 22: 983.

APKARIAN, P.A.
Tyler, C.W., Nakayama, K., Apkarian, P.A. and Levi, D.M. VEP assessment of visual function 21: 607.

ARDITI, A.R.
Arditi, A.R. and Kaufman, L. Singleness of vision and the initial appearance of binocular disparity 18: 117.
Arditi, A.R., Anderson, P.A. and Movshon, J.A. Monocular and binocular detection of moving sinusoidal gratings 21: 329.
Arditi, A.R., Kaufman, L. and Movshon, J.A. A simple explanation of the induced size effects 21: 755.
Arditi, A.R. The dependence of the induced effect on orientation and a hypothesis concerning disparity computations in general 22: 247.

ARECHIGA, H.
Rodriguez-Sosa, L. and Arechiga, H. Range of modulation of light sensitivity by accessory pigments in the crayfish compound eye 22: 1515.

AREND, L.E. JR.
Arend, L.E. Jr. and Lange, R.V. Influence of exposure duration on the tuning of spatial channels 19: 195.
Arend, L.E. Jr. and Lange, R.V. Phase-dependent interaction of widely separated spatial frequencies in pattern discrimination 19: 1089.
Arend, L.E. Jr. and Skavenski, A.A. Free scanning of gratings produces

patterned retinal exposure 19: 1413.
Arend, L.E. Jr. and Lange, R.V. Narrow-band spatial mechanisms in apparent contrast matching 20: 143.

ARGOS, P.
Hargrave, P.A., McDowell, J.H., Siemiatkowski-Juszczak, E.C., Fong, S.-L., Kuhn, H., Wang, J.K., Curtis, D.R., Rao, J.K.M., Argos, P. and Feldmann, R.J. The carboxyl-terminal one-third of bovine rhodopsin: its structure and function 22: 1429.

ARIEL, M.
Daw, N.W. and Ariel, M. Effect of synaptic transmitter drugs on receptive fields of rabbit retinal ganglion cells 21: 1643.

ARKHIPENKO, Y.V.
Kagan, V.E., Arkhipenko, Y.V., Belousova, L.V., Tyurin, V.A., Shvedova, A.A., Shukolyukov, S.A. and Kozlov, Y.P. Effects of products of phospholipid hydrolysis by phospholipases on rhodopsin thermal stability in photoreceptor membranes 21: 1029.

ASHMORE, J.F.
Ashmore, J.F. and Falk, G. Transmission of visual signals to bipolar cells near absolute threshold 19: 419.

ATKINSON, J.
Atkinson, J. and French, J. Astigmatism and orientation preference in human infants 19: 1315.
Braddick, O.J., Atkinson, J., French, J. and Howland, H.C. A photorefractive study of infant accommodation 19: 1319.
Atkinson, J., Braddick, O.J. and French, J. Infant astigmatism: its disappearance with age 20: 891.
Braddick, O.J., Ayling, L., Sawyer, R. and Atkinson, J. A photorefractive study of dark focus and refraction 21: 1761.

ATON, B.
Litman, B.J., Aton, B. and Hartley, J.B. Functional domains of rhodopsin 22: 1439.

AUERBACH, E.
Kaitz, M. and Auerbach, E. Retinal degeneration in RCS rats raised under ambient light levels 19: 79.
Kaitz, M. and Auerbach, E. Action spectrum for light-induced retinal degeneration in dystrophic rats 19: 1041.

AYAMA, M.
Ikeda, M. and Ayama, M. Additivity of opponent chromatic valence 20: 995.

AYLING, L.
Braddick, O.J., Ayling, L., Sawyer, R. and Atkinson, J. A photorefractive study of dark focus and refraction 21: 1761.

AZUMA, K.
Azuma, M. and Azuma, K. The increase in sensitivity following light illumination in frog photoreceptors 19: 1171.
Azuma, M. and Azuma, K. The action of phosphodiesterase inhibitors on the hypersensitivity of frog photoreceptor 22: 151.

AZUMA, M.
Azuma, M. and Azuma, K. The increase in sensitivity following light illumination in frog photoreceptors 19: 1171.
Azuma, M. and Azuma, K. The action of phosphodiesterase inhibitors on the hypersensitivity of frog photoreceptor 22: 151.

BADCOCK, D.
Lovegrove, W. and Badcock, D. The effect of spatial frequency on colour selectivity in the tilt illusion 21: 1235.

BADER, C.R.
Bader, C.R., Baumann, F., Bertrand, D., Carreras, J. and Fuortes, G. Diffuse and local effects of light adaptation in photoreceptors of the honey bee drone 22: 311.

BAGIROV, I.G.
Ratner, V.L., Bagirov, I.G. and Fesenko, E.E. Metarhodopsin I can react with hydroxylamine 21: 251.

BAHILL, A.T.
Bahill, A.T., Iandolo, M.J. and Troost, B.T. Smooth pursuit eye movements in response to unpredictable target waveforms 20: 923.

BAKER, C.L. JR.
Baker, C.L. Jr. and Braddick, O.J. Does segregation of differently moving areas depend on relative or absolute displacement? 22: 851.
Baker, C.L. Jr. and Braddick, O.J. The basis of area and dot number effects in random dot motion perception 22: 1253.

BAKER, H.D.
Baker, H.D. and Donovan, W.J. Early dark adaptation, the receptor potential and lateral effects on the retina 22: 645.

BALESTRERY, F.
Johnson, C.A., Keltner, J.L. and Balestrery, F. Effects of target size and eccentricity on visual detection and resolution 18: 1217.

BANKS, M.S.
Green, D.G., Powers, M.K. and Banks, M.S. Depth of focus, eye size and visual acuity 20: 827.
Banks, M.S. and Stephens, B.R. The contrast sensitivity of human infants to gratings differing in duty cycle 22: 739.
Banks, M.S., Stephens, B.R. and Dannemiller, J.L. A failure to observe negative preference in infant acuity testing 22: 1025.

BARBEITO, R.
Barbeito, R. Sighting dominance: an explanation based on the processing of visual direction in tests of sightin dominance 21: 855.

BARBUR, J.L.
Barbur, J.L. Subthreshold addition of real and apparent motion 21: 557.

BARFIELD, L.P.
Tolhurst, D.J. and Barfield, L.P. Interactions between spatial frequency channels 18: 951.

BARISHAK, Y.-T.R.
Yinon, U., Urinowsky, E. and Barishak, Y.-T.R. Paradoxical pupillary constriction in dark reared chicks 21: 1319.

BARLOW, H.B.
Barlow, H.B. The efficiency of detecting changes of density in random dot patterns 18: 637.
Barlow, H.B. and Reeves, B.C. The versatility and absolute efficiency of detecting mirror symmetry in random dot displays 19: 783.
van Meeteren, A. and Barlow, H.B. The statistical efficiency for detecting sinusoidal modulation of average dot density in random figures 21: 765.
Barlow, H.B. What causes trichromacy? A theoretical analysis using comb-filtered spectra 22: 635.

BARLOW, R.B. JR.
Chamberlain, S.C. and Barlow, R.B. Jr. Innervation patterns of single optic nerve fibers in the Limulus brain: a modification of the cobalt staining technique for cut axons 18: 1427.

BARON, W.S.
Baron, W.S., Boynton, R.M. and van Norren, D. Primate cone sensitivity to flicker during light and dark adaptation as indicated by the foveal local electroretinogram 19: 109.
Baron, W.S., Boynton, R.M. and Hammon, R.W. Component analysis of the foveal local electroretinogram elicited with sinusoidal flicker 19: 479.
Boynton, R.M. and Baron, W.S. Field sensitivity of the "red" mechanism derived from primate local electroretinogram 22: 869.

BARRIS, M.C.
Barris, M.C. and Frumkes, T.E. Rod-cone interaction in human scotopic vision-IV. Cones stimulated by contrast flashes influence rod threshold 18: 801.

BARRY, S.H.
Alexander, K.R. and Barry, S.H. Visual masking and the contrast-flash effect 21: 301.

BASINGER, S.F.
Basinger, S.F. and Matthes, M.T. The effect of long-term constant light on the frog pigment epithelium 20: 1143.
Hollyfield, J.G. and Basinger, S.F. RNA metabolism in the retina in relation to cyclic lighting 20: 1151.
Rapp, L.M. and Basinger, S.F. The effects of local anaesthetics on retinal function 22: 1097.
Basinger, S.F. and Gordon, W.C. Local stimulation induces shedding throughout the frog retina 22: 1533.

BASTIAN, B.
Alpern, M., Bastian, B. and Moeller, J. In search of the elusive long-wave fundamental 22: 627.

BATTELLE, B.-A.
Battelle, B.-A. Neurotransmitter candidates in the visual system of Limulus polyphemus: synthesis and distribution of octopamine 20: 911.
Kaupp, U.B., Malbon, C.C., Battelle, B.-A. and Brown, J.E. Octopamine stimulated rise of cAMP in Limulus ventral photoreceptors 22: 1503.

BAUER, B.
Bauer, B., Ehinger, B. and Tornqvist, K. Release of some neurotransmitters from the retina 21: 1665.

BAUER, J.A. JR.
Wolfe, J.M., Held, R. and Bauer, J.A. Jr. A binocular contribution to the production of optokinetic nystagmus in normal and stereoblind subjects

21: 587.
BAUM, J.L.
Yue, B.Y.J.T. and Baum, J.L. Studies of corneas in vivo and in vitro 21: 41.
BAUMANN, F.
Bader, C.R., Baumann, F., Bertrand, D., Carreras, J. and Fuortes, G. Diffuse and local effects of light adaptation in photoreceptors of the honey bee drone 22: 311.
BAYLOR, D.A.
Lamb, T.D., Baylor, D.A. and Yau, K.-W. The membrane current of single rod outer segments 19: 385.
Yau, K.-W., Lamb, T.D., Matthews, G. and Baylor, D.A. Current fluctuations across single rod outer segments 19: 387.
BAZAN, N.G.
Bazan, N.G. Metabolism of phospholipids in the retina 22: 1539.
BEATTY, D.D.
Tsin, A.T.C. and Beatty, D.D. Goldfish rhodopsin: $P499_1$ 18: 1453.
Tsin, A.T.C., Liebman, P.A., Beatty, D.D. and Drzymala, R. Rod and cone visual pigments in the goldfish 21: 943.
BEAUCHAMP, R.D.
Beauchamp, R.D., Rowe, J.S. and O'Reilly, L.A. Goldfish spectral sensitivity: identification of the three cone mechanisms in heart-rate conditioned fish using colored adapting backgrounds 19: 1295.
BEAZLEY, L.D.
Beazley, L.D., O'Conner, W.M. and Illingworth, D.J. Adult levels of meridional anisotropy and contrast threshold in 5-year-olds 22: 135.
BECK, J.
Beck, J. and Schwartz, T. Vernier acuity with dot test objects 19: 313.
BECKER, W.
Becker, W. and Jurgens, R. An analysis of the saccadic system by means of double step stimuli 19: 967.
BEDELL, H.E.
Enoch, J.M., Bedell, H.E. and Campos, E.C. Local variations in rod receptor orientation 18: 123.
Bedell, H.E. A functional test of foveal fixation based upon differential cone directional sensitivity 20: 557.
BEEBE, D.C.
Beebe, D.C. and Feagans, D.E. A tissue culture system for studying lens cell differentiation 21: 113.
BEH, H.
Wenderoth, P., Beh, H. and White, D. Perceptual distortion of an oblique line in the presence of an abutting vertical line 18: 923.
BELGUM, J.H.
Dobson, V., Teller, D.Y. and Belgum, J.H. Visual acuity in human infants assessed with stationary stripes and phase-alternated checkerboards 18: 1233.
Belgum, J.H., Dvorak, D.R. and McReynolds, J.S. Light-evoked sustained inhibition in mudpuppy retinal ganglion cells 22: 257.
BELHORN, R.W.
Blake, R. and Belhorn, R.W. Visual acuity in cats with central retinal lesions 18: 15.
BELOUSOVA, L.V.
Kagan, V.E., Arkhipenko, Y.V., Belousova, L.V., Tyurin, V.A., Shvedova, A.A., Shukolyukov, S.A. and Kozlov, Y.P. Effects of products of phospholipid hydrolysis by phospholipases on rhodopsin thermal stability in photoreceptor membranes 21: 1029.
BENEDETTO, M.D.
Enoch, J.M., Birch, D.G., Birch, E.E. and Benedetto, M.D. Alteration in directional sensitivity of the retina by monocular occlusion 20: 1185.
BENIMOFF, N.I.
Benimoff, N.I., Schneider, S. and Hood, D.C. Interactions between rod and cone channels above threshold: a test of various models 22: 1133.
BENNETT, M.J.
Boltz, R.L., Smith, E.L. III, Bennett, M.J. and Harwerth, R.S. Vertical fusional vergence ranges of the rhesus monkey 20: 83.
BENNIS, B.J.
Tulunay-Keesey, U. and Bennis, B.J. Effects of stimulus onset and image motion on contrast sensitivity 19: 767.
BENZSCHAWEL, T.
Benzschawel, T. and Guth, S.L. Post-receptor chromatic mechanisms revealed by flickering vs fused adaptation 22: 69.
BERARDI, N.
Fiorentini, A. and Berardi, N. Learning in grating waveform

discrimination: specificity for orientation and spatial frequency 21: 1149.

BERBAUM, K.
Tangney, J., Weisstein, N. and Berbaum, K. Masking independent of both separation and spatial frequency 19: 817.

VAN DEN BERG, T.J.T.P.
van den Berg, T.J.T.P. and Spekreijse, H. A temporal analogue of MacAdam ellipses. Description of rod-cone interaction 20: 767.
Spekreijse, H., Mooy, J.E.M. and van den Berg, T.J.T.P. Photopigments and carp ganglion cell action spectra 21: 1601.
van den Berg, T.J.T.P. and Mooij, J.E.M. Eye media absorption in goldfish 22: 1229.

BERGEN, J.R.
Wilson, H.R. and Bergen, J.R. A four mechanism model for threshold spatial vision 19: 19.

BERGER, T.
Loomis, J.M. and Berger, T. Effects of chromatic adaptation on color discrimination and color appearance 19: 891.

BERMAN, A.L.
Berman, A.L., Shnyrov, V.L., Rychkova, M.P. and Semen'kov, P.G. Thermostability of sea fish rhodopsins 21: 731.

BERNARD, G.D.
Srinivasan, M.V. and Bernard, G.D. A technique for estimating the contribution of photomechanical responses to visual adaptation 20: 511.

BERSON, E.L.
Berson, E.L. Light deprivation and retinitis pigmentosa 20: 1179.

BERTRAND, D.
Bader, C.R., Baumann, F., Bertrand, D., Carreras, J. and Fuortes, G. Diffuse and local effects of light adaptation in photoreceptors of the honey bee drone 22: 311.

BEURLE,R.L.
Hirst, A.N.,Beurle,R.L., Beverley, K.I. and Poole, C.L. Contrast thresholds for patterns of dynamic visual noise 19: 721.

BEVERLEY, K.I.
Regan, D. and Beverley, K.I. Illusory motion in depth: aftereffect of adaptation to changing size 18: 209.
Regan, D. and Beverley, K.I. Looming detectors in the human visual pathway 18: 415.
Hirst, A.N.,Beurle,R.L., Beverley, K.I. and Poole, C.L. Contrast thresholds for patterns of dynamic visual noise 19: 721.
Beverley, K.I. and Regan, D. Separable aftereffects of changing-size and motion-in-depth: different neural mechanisms? 19: 727.
Beverley, K.I. and Regan, D. Visual perception of changing size: the effect of object size 19: 1093.
Regan, D. and Beverley, K.I. Binocular and monocular stimuli for motion in depth: changing-disparity and changing-size feed the same motion-in-depth stage 19: 1331.
Petersik, J.T., Beverley, K.I. and Regan, D. Contrast sensitivity of the changing-size channel 21: 829.

BIEDERMAN-THORSON, M.
Foster, D.H., Thorson, J., McIlwain, J.T. and Biederman-Thorson, M. The fine-grain movement illusion: a perceptual probe of neuronal connectivity in the human visual system 21: 1123.

BIRCH, D.G.
Birch, D.G. and Jacobs, G.H. Spatial contrast sensitivity in albino and pigmented rats 19: 933.
Enoch, J.M., Birch, D.G., Birch, E.E. and Benedetto, M.D. Alteration in directional sensitivity of the retina by monocular occlusion 20: 1185.
Stromeyer, C.F. III, Mulligan, J.B., Birch, D.G. and Dawson, B.M. Adaptation to polarized light in humans 22: 217.
Birch, D.G. and Sandberg, M.A. Psychophysical studies of cone optical bandwidth in patients with retinitis pigmentosa 22: 1113.

BIRCH, E.E.
Enoch, J.M., Birch, D.G., Birch, E.E. and Benedetto, M.D. Alteration in directional sensitivity of the retina by monocular occlusion 20: 1185.
Birch, E.E., Gwiazda, J. and Held, R. Stereoacuity development for crossed and uncrossed disparities in human infants 22: 507.

BISHOP, P.O.
Kulikowski, J.J. and Bishop, P.O. Silent periodic cells in the cat striate cortex 22: 191.

BJORKLUND, R.A.
Bjorklund, R.A. and Magnussen, S. Decrement versions of the Broca-Sulzer effect and its spatial analogue 19: 155.

Magnussen, S. and Bjorklund, R.A. The perception of suprathreshold sinusoidal flicker measured by light- and dark-phase matching 19: 335.

BJORKVOLL, M.
Piggins, D., Lishman, R. and Bjorkvoll, M. An inexpensive screen for reflecting polarized light 19: 1185.

BLAIR, D.G.
Creighton, M.O., Mousa, G.Y., Miller, G.G., Blair, D.G. and Trevithick, J.R. Differentiation of rat lens epithelial cells in tissue culture-IV. Some characteristics of the process, including possible in vitro models for pathogenic processes in cataractogenesis 21: 25.

BLAKE, R.
Blake, R. and Belhorn, R.W. Visual acuity in cats with central retinal lesions 18: 15.
Blake, R. and Lema, S.A. Inhibitory effect of binocular rivalry suppression is independent of orientation 18: 541.
Levinson, E. and Blake, R. Stereopsis by harmonic analysis 19: 73.
Blake, R. and Cormack, R.H. Does contrast disparity alone generate stereopsis? 19: 913.
Green, M.A. and Blake, R. Phase effects in monoptic and dichoptic temporal integration: flicker and motion detection 21: 365.

BLAZYNSKI, C.
Blazynski, C. and Ostroy, S.E. Dual pathways in the photolysis of rhodopsin: studies using a direct chemical method 21: 833.

BLICK, D.W.
Blick, D.W. and MacLeod, D.I.A. Rod threshold: influence of neighboring cones 18: 1611.

BLOCH, S.
Martinoya, C., Rey, J. and Bloch, S. Limits of the pigeon's binocular field and direction for best binocular viewing 21: 1197.

BLOMMAERT, F.J.J.
Roufs, J.A.J. and Blommaert, F.J.J. Temporal impulse and step responses of the human eye obtained psychophysically by means of a drift-correcting perturbation technique 21: 1203.
Blommaert, F.J.J. and Roufs, J.A.J. The foveal point spread function as a determinant for detail vision 21: 1223.

BLOOME, M.A.
Bloome, M.A. Fluorescein angiography: risks 20: 1083.

BLOUGH, D.S.
Uhlrich, D.J., Blough, P.M. and Blough, D.S. The pigeon's distant visual acuity as a function of viewing angle 22: 429.

BLOUGH, P.M.
Uhlrich, D.J., Blough, P.M. and Blough, D.S. The pigeon's distant visual acuity as a function of viewing angle 22: 429.

BOBIER, C.W.
Bobier, C.W. and Sivak, J.G. Chromoretinoscopy 18: 247.

BOBIER, W.R.
Sivak, J.G. and Bobier, W.R. Chromatic aberration of the fish eye and its effect on refractive state 18: 453.

BOCK, O.
Adler,B., Bock, O. and Grusser, O.-J. Alpha-stripes: a spatial periodicity appearing in stroboscopically illuminated moving random dot patterns 21: 913.

BODINGER, D.M.
Bodinger, D.M. The decay of grating adaptation 18: 89.

BOHDANECKY, Z.
Bozkov, V., Bohdanecky, Z., Radil-Weiss, T., Mitrani, L. and Yakimoff, N. Scanning open and closed polygons 22: 721.

BOLNICK, D.A.
Sillman, A.J., Bolnick, D.A., Clinite, E.W. and Rudert, K.S. The effect of temperature on rapid dark adaptation in bullfrog photoreceptors-a difference between rods and cones 18: 1375.
Bolnick, D.A., Walter, A.E. and Sillman, A.J. Barium suppresses slow PIII in perfused bullfrog retina 19: 1117.

BOLTZ, R.L.
Harwerth, R.S. and Boltz, R.L. Stereopsis in monkeys using random dot stereograms: the effect of viewing duration 19: 985.
Harwerth, R.S., Boltz, R.L. and Smith, E.L. III Psychophysical evidence for sustained and transient channels in the monkey visual system 20: 15.
Boltz, R.L., Smith, E.L. III, Bennett, M.J. and Harwerth, R.S. Vertical fusional vergence ranges of the rhesus monkey 20: 83.
Harwerth, R.S., Crawford, M.L.J., Smith, E.L. III and Boltz, R.L. Behavioral studies of stimulus deprivation amblyopia in monkeys 21: 779.
Smith, E.L. III, Harwerth, R.S., Levi, D.M. and Boltz, R.L. Contrast

increment thresholds of rhesus monkeys 22: 1153.

BONAVENTURE, N.
Wioland, N. and Bonaventure, N. Colour coding in the chicken ERG 21: 1621.
Bonaventure, N. and Wioland, N. Involvement of GABA in ganglion cell receptive field organization in the frog retina 21: 1653.

BONDS, A.B.
Bonds, A.B. and Freeman, R.D. Development of optical quality in the kitten eye 18: 391.

BONDY, R.L.
Reddan, J.R., Friedman, T.B., Mostafapour, M.K., Bondy, R.L., Sutherland, S.H., McGee, S.J. and Goldenberg, M. Donor age influences the growth of rabbit lens epithelial cells in vitro 21: 11.

BONE, R.A.
Bone, R.A. The role of the macular pigment in the detection of polarized light 20: 213.

BONTING, S.L.
Salceda, R., van Roosmalen, G.R.E.M., Jansen, P.A.A., Bonting, S.L. and Daemen, F.J.M. Nucleotide content of isolated bovine rod outer segments 22: 1469.

BOOTHE, R.G.
Lee, C.P. and Boothe, R.G. Visual acuity development in infant monkeys (Macaca nemestrina) having known gestational ages 21: 805.
Williams, R.A., Boothe, R.G., Kiorpes, L. and Teller, D.Y. Oblique effects in normally reared monkeys (Macaca nemestrina): meridional variations in contrast sensitivity measured with operant techniques 21: 1253.
Boothe, R.G. and Teller, D.Y. Meridional variations in acuity and CSF's in monkeys (Macaca nemestrina) reared with externally applied astigmatism 22: 801.

BORTHWICK, A.C.
Rubin, N.A., Tarsio, J.F., Borthwick, A.C., Gregerson, D.S. and Reid, T.W. Identification and characterization of a growth factor secreted by an established cell line of human retinoblastoma maintained in serum-free medium 21: 105.

BOUMAN, M.A.
Zuidema, P., Gresnigt, A.M., Bouman, M.A. and Koenderink, J.J. A quanta coincidence model for absolute threshold vision incorporating deviations from Ricco's law 18: 1685.

BOUR, L.J.
Bour, L.J. and Verhoosel, J.C.M. Directional sensitivity of photoreceptors for different degrees of coherence and directions of polarization of the incident light 19: 717.
Bour, L.J. The influence of the spatial distribution of a target on the dynamic response and fluctuations of the accommodation of the human eye 21: 1287.
Bour, L.J. and Cardozo, N.J.L. On the birefringence of the living human eye 21: 1413.

BOURDY, C.
Bourdy, C. Horoptere-Vernier et couleur 18: 445.

BOUSFIELD, J.D.
Bousfield, J.D. and Pessoa, V.F. Changes in ganglion cell density during post-metamorphic development in a neotropical tree frog Hyla raniceps 20: 501.
Pessoa, V.F. and Bousfield, J.D. Unusual choroid pigment distribution in the retina of a South America frog 20: 545.

BOWEN, R.W.
Bowen, R.W. and Pokorny, J. Target edge sharpness and temporal brightness enhancement 18: 1691.
Bowen, R.W. Latencies for chromatic and achromatic visual mechanisms 21: 1457.

BOWLING, A.
Lovegrove, W., Bowling, A. and Gannon, S. Orientation specificity in the visible persistence for checkerboards 21: 1239.
Bowling, A. and Lovegrove, W. Two components to visible persistence: effects of orientation and contrast 21: 1241.
Mapperson, B., Bowling, A. and Lovegrove, W. Problems for an after-image explanation of monocular rivalry 22: 1233.

BOWMAKER, J.K.
Bowmaker, J.K. and Martin, G.R. Visual pigments and colour vision in a nocturnal bird, Strix aluco (tawny owl) 18: 1125.

BOYNTON, R.M.
Boynton, R.M. and Kaiser, P.K. Temporal analog of the minimally distinct

border 18: 111.
Tansley, B.W. and Boynton, R.M. Chromatic border perception: the role of red- and green-sensitive cones 18: 683.
Baron, W.S., Boynton, R.M. and van Norren, D. Primate cone sensitivity to flicker during light and dark adaptation as indicated by the foveal local electroretinogram 19: 109.
Baron, W.S., Boynton, R.M. and Hammon, R.W. Component analysis of the foveal local electroretinogram elicited with sinusoidal flicker 19: 479.
Wisowaty, J. and Boynton, R.M. Temporal modulation sensitivity of the blue mechanism: measurements made without chromatic adaptation 20: 895.
Boynton, R.M. and Baron, W.S. Field sensitivity of the "red" mechanism derived from primate local electroretinogram 22: 869.

BOZKOV, V.
Syka, J., Popelar, J. and Bozkov, V. Responses of neurons in the superior colliculus of the cat to stationary and moving visual stimuli 19: 213.
Bozkov, V., Bohdanecky, Z., Radil-Weiss, T., Mitrani, L. and Yakimoff, N. Scanning open and closed polygons 22: 721.

BRACCINI, C.
Braccini, C., Gambardella, G. and Suetta, G. A noise masking experiment in grating perception at threshold: the implications on binocular summation 20: 373.

BRADDICK, O.J.
Braddick, O.J., Atkinson, J., French, J. and Howland, H.C. A photorefractive study of infant accommodation 19: 1319.
Atkinson, J., Braddick, O.J. and French, J. Infant astigmatism: its disappearance with age 20: 891.
Braddick, O.J., Ayling, L., Sawyer, R. and Atkinson, J. A photorefractive study of dark focus and refraction 21: 1761.
Baker, C.L. Jr. and Braddick, O.J. Does segregation of differently moving areas depend on relative or absolute displacement? 22: 851.
Baker, C.L. Jr. and Braddick, O.J. The basis of area and dot number effects in random dot motion perception 22: 1253.

BRADLEY, A.
Bradley, A. and Freeman, R.D. Contrast sensitivity in children 22: 953.

BRAEKEVELT, C.R.
Braekevelt, C.R. Wandering phagocytes at the retinal epithelium-photoreceptor interface in the teleost retina 20: 495.

BRANDENBURGER, J.L.
Eakin, R.M. and Brandenburger, J.L. Autofluorescence in the retina of a snail, Helix aspersa 18: 1541.

BRAUER, K.
Winkelmann, E. and Brauer, K. Some aspects of neuronal organization in rat's visual structures 21: 1681.

BREITMEYER, B.G.
Breitmeyer, B.G. Disinhibition in metacontrast masking of vernier acuity targets: sustained channels inhibit transient channels 18: 1401.
Breitmeyer, B.G. Metacontrast with black and white stimuli: evidence for inhibition of on- and off-sustained activity by either on- or off-transient activity 18: 1443.
Valberg, A. and Breitmeyer, B.G. The lateral effect of oscillation of peripheral luminance gratings: test of various hypotheses 20: 789.
Breitmeyer, B.G., Valberg, A., Kurtenbach, W. and Neumeyer, C. The lateral effect of oscillation of peripheral luminance gratings on the foveal increment threshold 20: 799.
Breitmeyer, B.G., Levi, D.M. and Harwerth, R.S. Flicker masking in spatial vision 21: 1377.

BRENNER, D.
Williamson, S.J., Kaufman, L. and Brenner, D. Latency of the neuromagnetic response of the human visual cortex 18: 107.
Okada, Y.C., Kaufman, L., Brenner, D. and Williamson, S.J. Modulation transfer functions of the human visual system revealed by magnetic field measurements 22: 319.

BRETON, J.
Chabre, M. and Breton, J. The orientation of the chromophore of vertebrate rhodopsin in the "meta" intermediate states and the reversibility of the meta II-meta III transition 19: 1005.

BRETTEL, H.
Hartmann, E., Lachenmayr, B. and Brettel, H. The peripheral critical flicker frequency 19: 1019.

BRIDGEMAN, B.
Nagle, M., Bridgeman, B. and Stark, L. Voluntary nystagmus, saccadic suppression, and stabilization of the visual world 20: 717.
Bridgeman, B. and Palca, J. The role of microsaccades in high acuity

observation tasks 20: 813.
Bridgeman, B. and Staggs, D. Plasticity in human blindsight 22: 1199.

BRIDGES, C.D.B.
Bridges, C.D.B., Fong, S.-L. and Alvarez, R.A. Separation by programmed-gradient high-pressure liquid chromatography of vitamin A isomers, their esters, aldehydes, oximes and vitamin A_2: presence of retinyl ester in dark-adapted goldfish pigment epithelium 20: 355.
Liou, G.I., Bridges, C.D.B., Fong, S.-L., Alvarez, R.A. and Gonzalez-Fernandez, F. Vitamin A transport between retina and pigment epithelium - an interstitial protein carrying endogenous retinol (interstitial retinol-binding protein) 22: 1457.

BRILL, S.
Gwiazda, J., Brill, S., Mohindra, I. and Held, R. Infant visual acuity and its meridional variation 18: 1557.
Held, R., Gwiazda, J.,Brill, S., Mohindra, I. and Wolfe, J.M. Infant visual acuity is underestimated because near threshold gratings are not preferentially fixated 19: 1377.

VAN DEN BRINK, G.
Meijer, J.G., van der Wildt, G.J. and van den Brink, G. Twin-flash response as a function of flash diameter 18: 1111.
Duwaer, A.L. and van den Brink, G. Diplopia thresholds and the initiation of vergence eye-movements 21: 1727.
Duwaer, A.L. and van den Brink, G. The effect of presentation time on detection and diplopia thresholds for vertical disparities 22: 183.
Duwaer, A.L. and van den Brink, G. Detection of vertical disparities 22: 467.
Duwaer, A.L., van den Brink, G., van Antwerpen, G. and Keemink, C.J. Comparison of subjective and objective measurements of ocular alignment in the vertical direction 22: 983.

BRODIE, S.E.
Brodie, S.E. Temperature dependence of the dynamic response of the Limulus retina 19: 91.

BROEKHUIJSEN, M.L.
Broekhuijsen, M.L., Uilenreef, P.L. and Veringa, F. Flicker and chromatic adaptation 19: 565.

BROERSE, J.
Crassini, B. and Broerse, J. Monocular rivalry occurs without eye movements 22: 203.

BROWN, B.
Haegerstrom-Portnoy, G. and Brown, B. Contrast effects on smooth-pursuit eye movement velocity 19: 169.

BROWN, B.M.
Farber, D.B., Brown, B.M. and Lolley, R.N. Cyclic GMP: proposed role in visual cell function 18: 497.

BROWN, J.E.
Kaupp, U.B., Malbon, C.C., Battelle, B.-A. and Brown, J.E. Octopamine stimulated rise of cAMP in Limulus ventral photoreceptors 22: 1503.

BROWN, J.L.
Brown, J.L. and Kortela, I.M. A facilitation effect in orientation discrimination 18: 1239.
Montellese, S., Sharpe, L.T. and Brown, J.L. Changes in critical duration during dark-adaptation 19: 1147.

BROWN, K.T.
Brown, K.T. and Flaming, D.G. Effects of Ba^{2+} upon the dark-adapted intensity-response curve of toad rods 19: 395.

BRUCE, L.L.
Loop, M.S., Bruce, L.L. and Petuchowski, S. Cat color vision: the effect of stimulus size, shape and viewing distance 19: 507.

BRUNS, M.
Stieve, H., Bruns, M. and Gaube, H. Simultaneous recording by extra- and intracellular electrodes of light responses in the crayfish retina 18: 621.

BRUSSELL, E.M.
Brussell, E.M., Stober, S.R. and Favreau, O.E. Contrast reversals in backward masking 18: 225.

BUCK, S.L.
Buck, S.L., Peeples, D.R. and Makous, W.L. Spatial patterns of rod-cone interaction 19: 775.
Pulos, E., Teller, D.Y. and Buck, S.L. Infant color vision: a search for short-wavelength-sensitive mechanisms by means of chromatic adaptation 20: 485.
Buck, S.L. and Makous, W.L. Rod-cone interaction on large and small backgrounds 21: 1181.

Frome, F.S., MacLeod, D.I.A., Buck, S.L. and Williams, D.R. Large loss of visual sensitivity to flashed peripheral targets 21: 1323.

BUCKINGHAM, E.
Hood, D.C., Ilves, T., Maurer, E., Wandell, B.A. and Buckingham, E. Human cone saturation as a function of ambient intensity: a test of models of shifts in the dynamic range 18: 983.
Hood, D.C., Finkelstein, M.A. and Buckingham, E. Psychophysical tests of models of the response function 19: 401.

BUNT, A.H.
Bunt, A.H. and Klock, I.B. Comparative study of ^{3}H-fucose incorporation into vertebrate photoreceptor outer segments 20: 739.

BURDETTE, L.J.
Sinex, D.G., Burdette, L.J. and Pearlman, A.L. A psychophysical investigation of spatial vision in the normal and reeler mutant mouse 19: 853.

BURNS, S.A.
Ingling, C.R. Jr., Tsuo, B.H.-P., Gast, T.J., Burns, S.A., Emerick, J.O. and Riesenberg, L. The achromatic channel-I. The non-linearity of minimum-border and flicker matches 18: 379.

BURR, D.C.
Burr, D.C. and Ross, J. How does binocular delay give information about depth? 19: 523.
Burr, D.C. Acuity for apparent vernier offset 19: 835.
Burr, D.C. Sensitivity to spatial phase 20: 391.
Hess, R.F., Burr, D.C. and Campbell, F.W. A preliminary investigation of neural function and dysfunction in amblyopia-III. Co-operative activity of amblyopic channels 20: 757.
Burr, D.C. and Ross, J. Contrast sensitivity at high velocities 22: 479.

BURTON, G.J.
Burton, G.J. and Ruddock, K.H. Visual adaptation to patterns containing two-dimensional spatial structure 18: 93.

BUSS, C.M.
Buss, C.M., Hayhoe, M.M. and Stromeyer, C.F. III Lateral interactions in the control of visual sensitivity 22: 693.

BUTLER, T.W.
Butler, T.W. and Westheimer, G. Interference with stereoscopic acuity: spatial, temporal, and disparity tuning 18: 1387.
Butler, T.W. and Riggs, L.A. Color differences scaled by chromatic modulation sensitivity functions 18: 1407.

BYKOW, K.
Hanitzsch, R. and Bykow, K. Characteristics of receptor potential and slow P_{III}-component to light and dark flashes in the isolated superfused rabbit retina 21: 1709.

BYZOV, A.L.
Byzov, A.L. Origin of non-linearity of voltage-current relationships of turtle cones 19: 469.
Byzov, A.L. and Trifonov, Y.A. Ionic mechanisms underlying the nonlinearity of horizontal cell membrane 21: 1573.

CADUSSEAU, J.
Cadusseau, J. and Galand, G. Studies on light-sensitive units in the deep mesencephalon of blinded frogs 22: 835.

CAELLI, T.M.
Caelli, T.M., Preston, G.A.N. and Howell, E.R. Implications of spatial summation models for processes of contour perception: a geometric perspective 18: 723.

CALKINS, J.L.
Calkins, J.L., Hochheimer, B.F. and D'Anna, S.A. Potential hazards from specific ophthalmic devices 20: 1039.

CALLAN, J.W.
Callan, J.W. and Ebenholtz, S.M. Directional changes in the vestibular ocular response as a result of adaption to optical tilt 22: 37.

CAMERON, N.E.
Cameron, N.E. The photopic spectral sensitivity of a dichromatic teleost fish (Perca fluviatilis) 22: 1341.

CAMPAGNE, J.C.
Jamar, J.H.T., Campagne, J.C. and Koenderink, J.J. Detectability of amplitude- and frequency-modulation of suprathreshold sine-wave gratings 22: 407.

CAMPBELL, F.W.
Howland, B., Ginsburg, A.P. and Campbell, F.W. High-pass spatial frequency letters as clinical optotypes 18: 1063.
Campbell, F.W. and Wurtz, R.H. Saccadic omission: why we do not see a grey-out during a saccadic eye movement 18: 1297.

Corfield, R., Frosdick, J.P. and Campbell, F.W. Grey-out elimination: the roles of spatial waveform, frequency and phase 18: 1305.
Hess, R.F., Campbell, F.W. and Zimmern, R. Differences in the neural basis of human amblyopias: the effect of mean luminance 20: 295.
Hess, R.F. and Campbell, F.W. A preliminary investigation of neural function and dysfunction in amblyopia-II. Activity within an amblyopic "channel" 20: 755.
Hess, R.F., Burr, D.C. and Campbell, F.W. A preliminary investigation of neural function and dysfunction in amblyopia-III. Co-operative activity of amblyopic channels 20: 757.
Legge, G.E. and Campbell, F.W. Displacement detection in human vision 21: 205.
Campbell, F.W. and Maffei, L. The influence of spatial frequency and contrast on the perception of moving patterns 21: 713.
Campbell, F.W., Johnstone, J.R. and Ross, J. An explanation for the visibility of low frequency gratings 21: 723.
Lawden, M.C., Hess, R.F. and Campbell, F.W. The discriminability of spatial phase relationships in amblyopia 22: 1005.

CAMPBELL, M.C.W.
Campbell, M.C.W. and Hughes, A. An analytic, gradient index schematic lens and eye for the rat which predicts aberrations for finite pupils 21: 1129.

CAMPOS, E.C.
Enoch, J.M., Bedell, H.E. and Campos, E.C. Local variations in rod receptor orientation 18: 123.

CANNON, M.W. JR.
Cannon, M.W. Jr. Contrast sensation: a linear function of stimulus contrast 19: 1045.

CARDEN, D.
Abadi, R.V., Carden, D. and Simpson, J. Controlling abnormal eye movements 19: 961.

CARDOZO, N.J.L.
Bour, L.J. and Cardozo, N.J.L. On the birefringence of the living human eye 21: 1413.

CARLSON, C.R.
Carlson, C.R. and Heyman, P.M. A large format optical display for the generation of generalized psychophysical stimuli 19: 99.

CARNEY, T.
Carney, T. Directional specificity in tilt aftereffect induced with moving contours: a reexamination 22: 1273.

CARPENTER, R.H.S.
Carpenter, R.H.S. Diffusion not the cause of after-image blurring 18: 837.

CARRERAS, J.
Bader, C.R., Baumann, F., Bertrand, D., Carreras, J. and Fuortes, G. Diffuse and local effects of light adaptation in photoreceptors of the honey bee drone 22: 311.

CARRICABURU, P.
Carricaburu, P. and Munoz-Cuevas, A. L'electroretinogramme des Opilions epigees et cavernicoles 18: 1229.
Carricaburu, P. and Duhaze, P. Dynamic properties of the insect compound eye 18: 1497.

CASAGRANDE, V.A.
DeBruyn, E.J., Wise, V.L. and Casagrande, V.A. The size and topographic arrangement of retinal ganglion cells in the galago 20: 315.

CASTANO, J.A.
Castano, J.A. and Sperling, H.G. Sensitivity of the blue-sensitive cones across the central retina 22: 661.

CATTANEO, A.
Cattaneo, A. and Spinelli, D. Contrast influence on perceived orientation 22: 783.

CAVANAGH, P.
Cavanagh, P. Subharmonics in adaptation to sine wave gratings 18: 741.
Cavanagh, P. Functional size invariance is not provided by the cortical magnification factor 22: 1409.

CAVONIUS, C.R.
van der Tweel, L.H., Estevez, O. and Cavonius, C.R. Invariance of the contrast evoked potential with changes in retinal illuminance 19: 1283.

CHABRE, M.
Chabre, M. and Breton, J. The orientation of the chromophore of vertebrate rhodopsin in the "meta" intermediate states and the reversibility of the meta II-meta III transition 19: 1005.

CHADER, G.J.
Masterson, E., Goldman, A.I. and Chader, G.J. Phagocytosis of rod outer segments by cultured epithelial cells 21: 143.
CHALUPA, L.M.
Scobey, R.P., Chalupa, L.M. and Hammon, R.W. Suppression of maintained activity of retinal ganglion cells 19: 451.
CHAMBERLAIN, S.C.
Chamberlain, S.C. and Barlow, R.B. Jr. Innervation patterns of single optic nerve fibers in the Limulus brain: a modification of the cobalt staining technique for cut axons 18: 1427.
CHARMAN, W.N.
Charman, W.N. and J.A.M. Jennings Merits of the Gaussian moment in judging optical line spread widths 19: 851.
Charman, W.N. and Jennings, J.A.M. Properties of annular artificial pupils 19: 947.
Jennings, J.A.M. and Charman, W.N. Off-axis image quality in the human eye 21: 445.
CHASE, W.
Chase, W. and Smith, R.A. Spatial frequency channels tuned for depth and motion 21: 621.
CHEZE, G.
Cheze, G. Recherche qualitative de derives indoliques dans l'epithelium pigmentaire retinien de la truite (Salmo irideus) 18: 1587.
CHIANG, C.
Chiang, C. Gross vision of a word enhances the perceptibility of its component letters: a model 18: 1599.
CHRISMER, K.L.
Olivo, R.F. and Chrismer, K.L. Spectral sensitivity of screening-pigment migration in retinula cells of the crayfish Procambarus 20: 385.
CHU, F.C.
Judge, S.J., Richmond, B.J. and Chu, F.C. Implantation of magnetic search coils for measurement of eye position: an improved method 20: 535.
CHURCHER, J.
Heywood, S. and Churcher, J. Direction-specific and position-specific effects upon detection of displacements during saccadic eye movements 21: 255.
Heywood, S. and Churcher, J. Saccades to step-ramp stimuli 21: 479.
CICERONE, C.M.
Cicerone, C.M. and Green, D.G. Relative modulation sensitivities of the red and green color mechanisms 18: 1593.
Trejo, L.J. and Cicerone, C.M. Retinal sensitivity measured by the pupillary light reflex in RCS and albino rats 22: 1163.
CITRON, M.C.
Citron, M.C., Emerson, R.C. and Ide, L.S. Spatial and temporal receptive-field analysis of the cat's geniculocortical pathway 21: 385.
CIUFFREDA, K.J.
Kenyon, R.V., Ciuffreda, K.J. and Stark, L. Binocular eye movements during accommodative vergence 18: 545.
CLARKE, A.M.
Moon, M.E., Clarke, A.M., Ruffolo, J.J. Jr., Mueller, H.A. and Ham, W.T. Jr. Visual performance in the rhesus monkey after exposure to blue light 18: 1573.
CLINITE, E.W.
Sillman, A.J., Bolnick, D.A., Clinite, E.W. and Rudert, K.S. The effect of temperature on rapid dark adaptation in bullfrog photoreceptors-a difference between rods and cones 18: 1375.
COGAN, A.I.
Cogan, A.I. Qualitative observations in visual science: "The Farnsworth Shelf". Fusion at the site of the "ghosts" 18: 657.
Cogan, A.I. The relationship between the apparent vertical and the vertical horopter 19: 655.
Cogan, A.I. Monocular sensitivity during binocular viewing 22: 1.
COHEN, A.I.
De Vries, G.W., Cohen, A.I., Lowry, O.H. and Ferrendelli, J.A. Cyclic nucleotide levels in light- and dark-adapted ground squirrel whole eyes 22: 1237.
COHN, T.E.
Lasley, D.J. and Cohn, T.E. Why luminance discrimination may be better than detection 21: 273.
Cohn, T.E., Leong, H. and Lasley, D.J. Binocular luminance detection: availability of more than one central interaction 21: 1017.
COLE, B.L.
Jenkins, S.E. and Cole, B.L. The effect of the density of background

elements on the conspicuity of objects 22: 1241.

COLLEWIJN, H.
Dubois, M.F.W. and Collewijn, H. The optokinetic reactions of the rabbit: relation to the visual streak 19: 9.
Zuidam, I. and Collewijn, H. Vergence eye movements of the rabbit in visuomotor behavior 19: 185.
Dubois, M.F.W. and Collewijn, H. Optokinetic reactions in man elicited by localized retinal motion stimuli 19: 1105.
Winterson, B.J., Collewijn, H. and Steinman, R.M. Compensatory eye movements to miniature rotations in the rabbit: implications for retinal image stability 19: 1155.
Steinman, R.M. and Collewijn, H. Binocular retinal image motion during active head rotation 20: 415.

COPENHAGEN, D.R.
Leeper, H.F. and Copenhagen, D.R. Mixed rod-cone responses in horizontal cells of snapping turtle retina 19: 407.

CORFIELD, R.
Corfield, R., Frosdick, J.P. and Campbell, F.W. Grey-out elimination: the roles of spatial waveform, frequency and phase 18: 1305.

CORMACK, R.H.
Blake, R. and Cormack, R.H. Does contrast disparity alone generate stereopsis? 19: 913.

CORNWALL, M.C.
Cornwall, M.C. and Thomas, M.V. A rapid cycling dual shutter control system 19: 957.

CORWIN, T.R.
Corwin, T.R. The effect of retinal eccentricity on the Broca-Sulzer phenomenon 18: 865.
Corwin, T.R. and Green, M.A. The Broca-Sulzer effect in a Ganzfeld 18: 1675.
Kitterle, F.L. and Corwin, T.R. Enhancement of apparent contrast in flashed sinusoidal gratings 19: 33.
Green, M.A., Corwin, T.R. and Schor, C.M. Spatiotemporal variations in the square-sine ratio: evidence of independent channels at low spatial frequencies 21: 423.

COSTALL, A.
Lavin, E. and Costall, A. Detection thresholds of the Hermann Grid illusion 18: 1061.

COVACCI, R.
Vallerga, S., Covacci, R. and Pottala, E.W. Artifical cone responses: a computer-driven hardware model 20: 453.

COWAN, W.B.
Ware, C. and Cowan, W.B. Changes in perceived color due to chromatic interactions 22: 1353.

CRASSINI, B.
O'Shea, R.P. and Crassini, B. Interocular transfer of the motion after-effect is not reduced by binocular rivalry 21: 801.
Crassini, B. and Broerse, J. Monocular rivalry occurs without eye movements 22: 203.

CRAWFORD, M.L.J.
Harwerth, R.S., Crawford, M.L.J., Smith, E.L. III and Boltz, R.L. Behavioral studies of stimulus deprivation amblyopia in monkeys 21: 779.

CREIGHTON, M.O.
Creighton, M.O., Mousa, G.Y., Miller, G.G., Blair, D.G. and Trevithick, J.R. Differentiation of rat lens epithelial cells in tissue culture-IV. Some characteristics of the process, including possible in vitro models for pathogenic processes in cataractogenesis 21: 25.

CRESCITELLI, F.
Crescitelli, F. The chloride ionochromic response: an in situ effect 18: 1421.
Crescitelli, F. The gecko visual pigments: the nitrate effect 20: 937.

CRISTY, M.
Allen, D.M. and Cristy, M. Thiourea does not block visual pigment responses to prolactin in trout 18: 859.

CRISWELL, M.H.
Criswell, M.H., Karwoski, C.J. and Proenza, L.M. Species differences in the intraretinal electroretinogram within the leopard frog complex 19: 339.

CROCKETT, R.S.
Lawwill, T., Crockett, R.S., Currier, G. and Rosenberg, R.B. Review of the macaque model of light damage with implications for the use of ophthalmic instrumentation 20: 1113.

CROUCH, R.K.
Crouch, R.K. and Katz, S. The effect of retinal isomers on the VER and ERG of vitamin A deprived rats 20: 109.
Crouch, R.K., Veronee, C.D. and Lacy, M.E. Inhibition of rhodopsin regeneration by cyclohexyl derivatives 22: 1451.
CUGNOLI, C.
Pepe, I.M. and Cugnoli, C. Isolation and characterization of a water-soluble photopigment from honeybee compound eye 20: 97.
CULLEN, J.K. JR.
May, J.G., Cullen, J.K. Jr., Moskowitz-Cook, A. and Siegfried, J.B. Effects of meridional variation on steady-state visual evoked potentials 19: 1395.
CURRIE, J.R.
Currie, J.R., Hollyfield, J.G. and Rayborn, M.E. Rod outer segments elongate in constant light: darkness is required for normal shedding 18: 995.
CURRIER, G.
Lawwill, T., Crockett, R.S., Currier, G. and Rosenberg, R.B. Review of the macaque model of light damage with implications for the use of ophthalmic instrumentation 20: 1113.
CURTIS, D.R.
Hargrave, P.A., McDowell, J.H., Siemiatkowski-Juszczak, E.C., Fong, S.-L., Kuhn, H., Wang, J.K., Curtis, D.R., Rao, J.K.M., Argos, P. and Feldmann, R.J. The carboxyl-terminal one-third of bovine rhodopsin: its structure and function 22: 1429.
CYNADER, M.
Regan, D. and Cynader, M. Neurons in area 18 of cat visual cortex selectively sensitive to changing size: nonlinear interactions between responses to two edges 19: 699.
Cynader, M. and Regan, D. Neurons in cat visual cortex tuned to the direction of motion in depth: effect of positional disparity 22: 967.
D'ANNA, S.A.
Calkins, J.L., Hochheimer, B.F. and D'Anna, S.A. Potential hazards from specific ophthalmic devices 20: 1039.
DAEMEN, F.J.M.
Margry, R.J.C.F., Jacobs, C.W.M., de Grip, W.J. and Daemen, F.J.M. Interference of detergents in immunoassays of rhodopsin 22: 1447.
Salceda, R., van Roosmalen, G.R.E.M., Jansen, P.A.A., Bonting, S.L. and Daemen, F.J.M. Nucleotide content of isolated bovine rod outer segments 22: 1469.
DAIN, S.J.
Dain, S.J. and King-Smith, P.E. Visual thresholds in dichromats and normals: the importance of post-receptoral processes 21: 573.
DANNEMILLER, J.L.
Banks, M.S., Stephens, B.R. and Dannemiller, J.L. A failure to observe negative preference in infant acuity testing 22: 1025.
DARSZON, A.
Darszon, A. Rhodopsin-phospholipid complexes in apolar solvents: characteristics and mechanism of extraction 22: 1443.
DAUGMAN, J.G.
Mansfield, R.J.W. and Daugman, J.G. Retinal mechanisms of visual latency 18: 1247.
Daugman, J.G. Two-dimensional spectral analysis of cortical receptive field profiles 20: 847.
DAUM, K.M.
Daum, K.M. and Fry, G.A. Pupillary micro movements apparently related to pulse frequency 22: 173.
DAVIS, E.T.
Davis, E.T. and Graham, N. Spatial frequency uncertainty effects in the detection of sinusoidal gratings 21: 705.
DAW, N.W.
Daw, N.W. and Ariel, M. Effect of synaptic transmitter drugs on receptive fields of rabbit retinal ganglion cells 21: 1643.
DAWIS, S.M.
Dawis, S.M. and Purple, R.L. Steady state adaptation in the ground squirrel retina: PIII and b-wave intensity-response functions 21: 1169.
Dawis, S.M. Polynomial expressions of pigment nomograms 21: 1427.
Dawis, S.M. The compression model: a re-examination 21: 1511.
DAWSON, B.M.
Stromeyer, C.F. III, Mulligan, J.B., Birch, D.G. and Dawson, B.M. Adaptation to polarized light in humans 22: 217.
Stromeyer, C.F. III, Klein, S., Dawson, B.M. and Spillmann, L. Low spatial-frequency channels in human vision: adaptation and masking

22: 225.

DE VALOIS, R.L.
De Valois, R.L., Yund, E.W. and Hepler, N. The orientation and direction selectivity of cells in macaque visual cortex 22: 531.
De Valois, R.L., Albrecht, D.G. and Thorell, L.G. Spatial frequency selectivity of cells in macaque visual cortex 22: 545.

DE VRIES, G.W.
De Vries, G.W., Cohen, A.I., Lowry, O.H. and Ferrendelli, J.A. Cyclic nucleotide levels in light- and dark-adapted ground squirrel whole eyes 22: 1237.

DEBRUYN, E.J.
DeBruyn, E.J., Wise, V.L. and Casagrande, V.A. The size and topographic arrangement of retinal ganglion cells in the galago 20: 315.

DEFEO, D.
Jones, R.E., DeFeo, D. and Piatigorsky, J. Initial studies of cultured embryonic chick lens epithelial cells infected with a temperature-sensitive Rous sarcoma virus 21: 5.

DEL MONTE, M.A.
Del Monte, M.A. and Maumenee, I.H. In vitro culture of human retinal pigment epithelium for biochemical and metabolic study 21: 137.

DELORI, F.C.
Delori, F.C., Parker, J.S. and Mainster, M.A. Light levels in fundus photography and fluroescein angiography 20: 1099.

DENIEUL, P.
Denieul, P. Effects of stimulus vergence on mean accommodation response, microfluctuations of accommodation and optical quality of the human eye 22: 561.

DEPLANO, S.
Deplano, S. and Vallerga, S. Morphological characterization of the Boops boops retina 21: 1551.

DERRINGTON, A.M.
Derrington, A.M. and Henning, G.B. Pattern discrimination with flickering stimuli 21: 597.

DEUBEL, H.
Deubel, H., Wolf, W. and Hauske, G. Corrective saccades: effect of shifting the saccade goal 22: 353.

DI LOLLO, V.
Di Lollo, V. and Wilson, A.E. Iconic persistence and perceptual moment as determinants of temporal integration in vision 18: 1607.

DIMITROV, G.
Mitrani, L. and Dimitrov, G. Pursuit eye movements of a disappearing moving target 18: 537.
Mitrani, L., Dimitrov, G., Yakimoff, N. and Mateef, S. Oculomotor and perceptual localization during smooth eye movements 19: 609.
Mitrani, L. and Dimitrov, G. Retinal location and visual localization during pursuit eye movement 22: 1047.

DITCHBURN, R.W.
Ditchburn, R.W. and Foley-Fisher, J.A. The effect of retinal image motion on vision in coloured light 19: 1223.
Ditchburn, R.W. The function of small saccades 20: 271.

DIXON, W.B.
Petry, H.M., Donovan, W.J., Moore, R.K., Dixon, W.B. and Riggs, L.A. Changes in the human visually evoked cortical potential in response to chromatic modulation of a sinusoidal grating 22: 745.

DJAMGOZ, M.B.A.
Djamgoz, M.B.A. and Ruddock, K.H. Adaptation effects in electrical responses recorded from postreceptoral neurones in the isolated fish (roach) retina 19: 413.
Djamgoz, M.B.A., Reynolds, S.H., Rowe, J.S. and Ruddock, K.H. Control of retinal S-potentials in dark adapted and bleached retinae 21: 1581.

DOBSON, V.
Dobson, V., Teller, D.Y. and Belgum, J.H. Visual acuity in human infants assessed with stationary stripes and phase-alternated checkerboards 18: 1233.
Dobson, V. and Teller, D.Y. Visual acuity in human infants: A review and comparison of behavioral and electrophysiological studies 18: 1469.
Powers, M.K. and Dobson, V. Effect of focus on visual acuity of human infants 22: 521.
Mayer, D.L. and Dobson, V. Visual acuity development in infants and young children, as assessed by operant preferential looking 22: 1141.

DONLEY, C.S.
Donley, C.S. and Meissl, H. Characteristics of slow potentials from the frog epiphysis (Rana esculenta): possible mass photoreceptor potentials

19: 1343.
Meissl, H. and Donley, C.S. Change of threshold after light-adaptation of the chromatic response of the frog's pineal organ (Stirnorgan) 20: 379.
DONNER, K.
Donner, K. How the latencies of excitation and inhibition determine ganglion cell thresholds and discharge patterns in the frog 21: 1689.
DONNER, K.O.
Donner, K.O., Hemila, S. and Reuter, T. Bleaching and background adaptation in frog rods 19: 399.
DONOVAN, W.J.
Baker, H.D. and Donovan, W.J. Early dark adaptation, the receptor potential and lateral effects on the retina 22: 645.
Petry, H.M., Donovan, W.J., Moore, R.K., Dixon, W.B. and Riggs, L.A. Changes in the human visually evoked cortical potential in response to chromatic modulation of a sinusoidal grating 22: 745.
VAN DOORN, A.J.
Koenderink, J.J. and van Doorn, A.J. Detectability of power fluctuations of temporal visual noise 18: 191.
Koenderink, J.J. and van Doorn, A.J. Spatial summation for complex bar patterns 20: 169.
DORTMANN, U.
Dortmann, U. and Spillmann, L. Facilitation and inhibition in the jerk effect depend upon test flash duration and delay 21: 1783.
DREYFERT, T.
Dreyfert, T., Holmberg, K. and Struwe, G. Critical flicker fusion frequency of the river lamprey (Lampetra fluviatilis) 19: 551.
DRUJAN, B.D.
Laufer, M., Negishi, K. and Drujan, B.D. Pharmacological manipulation of spatial properties of S-potentials 21: 1657.
DRUM, B.
Drum, B. Additive effect of backgrounds in chromatic induction 21: 959.
Drum, B. Summation of rod and cone responses at absolute threshold 22: 823.
DRZYMALA, R.
Tsin, A.T.C., Liebman, P.A., Beatty, D.D. and Drzymala, R. Rod and cone visual pigments in the goldfish 21: 943.
DUBOIS, M.F.W.
Dubois, M.F.W. and Collewijn, H. The optokinetic reactions of the rabbit: relation to the visual streak 19: 9.
Dubois, M.F.W. and Collewijn, H. Optokinetic reactions in man elicited by localized retinal motion stimuli 19: 1105.
DUDKIN, K.N.
Glezer, V.D., Gauzelman, V.E., Tsherbach, T.A. and Dudkin, K.N. Comments on organization and spatial-frequency characteristics of receptive fields in the visual cortex 18: 887.
DUHAZE, P.
Carricaburu, P. and Duhaze, P. Dynamic properties of the insect compound eye 18: 1497.
DUNCAN, G.
Duncan, G. and Pynsent, P.B. Dynamics of dark adaptation in the cephalopod retina 19: 359.
DUWAER, A.L.
Duwaer, A.L. and van den Brink, G. Diplopia thresholds and the initiation of vergence eye-movements 21: 1727.
Duwaer, A.L. and van den Brink, G. The effect of presentation time on detection and diplopia thresholds for vertical disparities 22: 183.
Duwaer, A.L. and van den Brink, G. Detection of vertical disparities 22: 467.
Duwaer, A.L., van den Brink, G., van Antwerpen, G. and Keemink, C.J. Comparison of subjective and objective measurements of ocular alignment in the vertical direction 22: 983.
Duwaer, A.L. Assessment of retinal image displacement during head movement using an afterimage method 22: 1379.
DVORAK, C.A.
Northmore, D.P.M. and Dvorak, C.A. Contrast sensitivity and acuity of the goldfish 19: 255.
DVORAK, D.R.
Srinivasan, M.V. and Dvorak, D.R. The waterfall illusion in an insect visual system 19: 1435.
Dvorak, D.R., Srinivasan, M.V. and French, A.S. The contrast sensitivity of fly movement-detecting neurons 20: 397.
Lillywhite, P.G. and Dvorak, D.R. Responses to single photons in a fly optomotor neurone 21: 279.

Belgum, J.H., Dvorak, D.R. and McReynolds, J.S. Light-evoked sustained inhibition in mudpuppy retinal ganglion cells 22: 257.

DZHAFAROV, E.
Allik, J., Dzhafarov, E. and Rauk, M. Position discrimination may be better than detection 22: 1079.

EAKIN, R.M.
Eakin, R.M. and Brandenburger, J.L. Autofluorescence in the retina of a snail, Helix aspersa 18: 1541.

EASLAND, G.S.
Easland, G.S. and Wasserman, G.S. Multiple intracellular contributions to light adaptation in Limulus ommatidia 19: 1.

EASTER, S.S. JR.
Easter, S.S. Jr. and Macy, A. Local control of retinomotor activity in the fish retina 18: 937.
Powers, M.K. and Easter, S.S. Jr. Behavioral confirmation of the "silent period" during adaptation to bright lights 18: 1075.
Powers, M.K. and Easter, S.S. Jr. Absolute visual sensitivity of the goldfish 18: 1137.
Powers, M.K. and Easter, S.S. Jr. Wavelength discrimination by the goldfish near absolute visual threshold 18: 1149.
Macy, A. and Easter, S.S. Jr. Growth-related changes in the size of receptive field centers of retinal ganglion cells in goldfish 21: 1497.

EBENHOLTZ, S.M.
Callan, J.W. and Ebenholtz, S.M. Directional changes in the vestibular ocular response as a result of adaption to optical tilt 22: 37.

ECHALLIER, J.F.
Prablanc, C., Masse, D. and Echallier, J.F. Error-correcting mechanisms in large saccades 18: 557.

ECKHORN, R.
Eckhorn, R. and Popel, B. Responses of cat retinal ganglion cells to the random motion of a spot stimulus 21: 435.
Popel, B. and Eckhorn, R. Dynamic aspects of cat retinal ganglion cell's centre and surround mechanisms: a white noise analysis 21: 1693.

EDWARDS, R.B.
Edwards, R.B. The isolation and culturing of retinal pigment epithelium of the rat 21: 147.

EGGERS, H.
Gouras, P. and Eggers, H. Ganglion cells mediating the signals of blue sensitive cones in primate retina detect white-yellow borders independently of brightness 22: 675.

EHINGER, B.
Bauer, B., Ehinger, B. and Tornqvist, K. Release of some neurotransmitters from the retina 21: 1665.

ELBERGER, A.J.
Elberger, A.J. The effect of neonatal section of the corpus callosum on the development of depth perception in young cats 20: 177.

ELDRED, W.D.
Eldred, W.D. and Nolte, J. Pineal photoreceptors: Evidence for a vertebrate visual pigment with two physiologically active states 18: 29.

ELLICOTT, A.G.
Riggs, L.A., Volkmann, F.C., Moore, R.K. and Ellicott, A.G. Perception of suprathreshold stimuli during saccadic eye movement 22: 423.
Volkmann, F.C., Riggs, L.A., Ellicott, A.G. and Moore, R.K. Measurements of visual suppression during opening, closing and blinking of the eyes 22: 991.

ELLIS, S.R.
Ellis, S.R., Wong, J.H. and Stark, L. Absence of accommodation during perceptual reversal of Necker cubes 19: 953.

EMERICK, J.O.
Ingling, C.R. Jr., Tsuo, B.H.-P., Gast, T.J., Burns, S.A., Emerick, J.O. and Riesenberg, L. The achromatic channel-I. The non-linearity of minimum-border and flicker matches 18: 379.

EMERSON, R.C.
Citron, M.C., Emerson, R.C. and Ide, L.S. Spatial and temporal receptive-field analysis of the cat's geniculocortical pathway 21: 385.

ENGBRETSON, G.A.
Engbretson, G.A., Hassin, G. and Witkovsky, P. The threshold versus pigment relation of Xenopus rods 19: 367.
Witkovsky, P., Levine, J.S., Engbretson, G.A., Hassin, G. and MacNichol, E.F. Jr. A microspectrophotometric study of normal and artificial visual pigments in the photoreceptors of Xenopus laevis 21: 867.

ENOCH, J.M.
Enoch, J.M., Bedell, H.E. and Campos, E.C. Local variations in rod

receptor orientation 18: 123.
Enoch, J.M., Birch, D.G., Birch, E.E. and Benedetto, M.D. Alteration in directional sensitivity of the retina by monocular occlusion 20: 1185.
ENRIGHT, J.T.
Enright, J.T. Ocular translation and cyclotorsion due to changes in fixation distance 20: 595.
ENROTH-CUGELL, C.
Robson, J.G. and Enroth-Cugell, C. Light distribution in the cat's retinal image 18: 159.
Linsenmeier, R.A., Frishman, L.J., Jakiela, H.G. and Enroth-Cugell, C. Receptive field properties of X and Y cells in the cat retina derived from contrast sensitivity measurements 22: 1173.
EPSTEIN, D.L.
Epstein, D.L. and Anderson, P.J. In vitro biochemistry of trabecular meshwork 21: 161.
ERBER, J.
Menzel, R., Erber, J. and Greggers, U. On-line computation of photoreceptor spectral sensitivity - a low cost solution with a programmable pocket calculator 18: 879.
ERICKSON, P.
Gollender, M., Thorn,F. and Erickson, P. Development of axial ocular dimensions following eyelid suture in the cat 19: 221.
ERNST, W.
Ernst, W. and Kemp,C.M. Reversal of photoreceptor bleaching and adaptation by microsecond flashes 19: 363.
ESSOCK, E.A.
Essock, E.A. Anisotropies of perceived contrast and detection speed 22: 1185.
ESTEVEZ, O.
van der Tweel, L.H., Estevez, O. and Cavonius, C.R. Invariance of the contrast evoked potential with changes in retinal illuminance 19: 1283.
Estevez, O. and Spekreijse, H. The "silent substitution" method in visual research 22: 681.
EVANS, J.A.
Evans, J.A., Hood, D.C. and Holtzman, E. Differential effects of cobalt ions on rod and cone synaptic activity in the isolated frog retina 18: 145.
FAGER, L.Y.
Fager, L.Y. and Fager, R.S. Chicken blue and chicken violet, short wavelength sensitive visual pigments 21: 581.
FAGER, R.S.
Fager, R.S., Gentilcore, P.C. and Abrahamson, E.W. Kinetics of cyanoborohydride reduction of bovine rhodopsin 18: 483.
Fager, L.Y. and Fager, R.S. Chicken blue and chicken violet, short wavelength sensitive visual pigments 21: 581.
FAHLE, M.
Fahle, M. Binocular rivalry: suppression depends on orientation and spatial frequency 22: 787.
FALK, G.
Ashmore, J.F. and Falk, G. Transmission of visual signals to bipolar cells near absolute threshold 19: 419.
FAMIGLIETTI, E.V. JR.
Famiglietti, E.V. Jr. Functional architecture of cone bipolar cells in mammalian retina 21: 1559.
FARBER, D.B.
Farber, D.B., Brown, B.M. and Lolley, R.N. Cyclic GMP: proposed role in visual cell function 18: 497.
Lolley, R.N., Rayborn, M.E., Hollyfield, J.G. and Farber, D.B. Cyclic GMP and visual cell degeneration in the inherited disorder of rd mice: a progress report 20: 1157.
FARGASON, R.D.
Fargason, R.D. and McCann, G.D. Response properties of peripheral retinula cells within Drosophila visual mutants to monochromatic Gaussian white-noise stimuli 18: 809.
FATECHAND, R.
Fatechand, R. Rod and cone generation of wavelets in the frog electroretinogram 18: 229.
Fatechand, R. Attenuation of the frog's cone system during rapid dark-adaptation 19: 279.
FAVREAU, O.E.
Brussell, E.M., Stober, S.R. and Favreau, O.E. Contrast reversals in backward masking 18: 225.
Favreau, O.E. Interocular transfer of color-contingent motion

aftereffects: positive aftereffects 18: 841.
Favreau, O.E. Reply to Harris and Potts: interocular transfer of color-contingent motion aftereffects can lead to positive aftereffects 21: 751.

FEAGANS, D.E.
Beebe, D.C. and Feagans, D.E. A tissue culture system for studying lens cell differentiation 21: 113.

FELDMANN, R.J.
Hargrave, P.A., McDowell, J.H., Siemiatkowski-Juszczak, E.C., Fong, S.-L., Kuhn, H., Wang, J.K., Curtis, D.R., Rao, J.K.M., Argos, P. and Feldmann, R.J. The carboxyl-terminal one-third of bovine rhodopsin: its structure and function 22: 1429.

FELDON, S.E.
Feldon, S.E., Andrews, B.W. and Pollen, D.A. Periodic complex cells in cortical area 19 of the cat 18: 347.
Pollen, D.A., Andrews, B.W. and Feldon, S.E. Spatial frequency selectivity of periodic complex cells in the visual cortex of the cat 18: 665.

FELSTEN, G.
Felsten, G. and Wasserman, G.S. Masking-induced sensitivity changes in Limulus photoreceptors 19: 943.

FENDER, D.H.
Williams, R.A. and Fender, D.H. Velocity precision in smooth pursuit eye movements 19: 343.
Hou, R.L. and Fender, D.H. Processing of direction and magnitude by the saccadic eye-movement system 19: 1421.
Hadani, I., Gur, M., Meiri, A.Z. and Fender, D.H. Hyperacuity in the detection of absolute and differential displacements of random dot patterns 20: 947.

FENDRICH, R.
Mack, A., Fendrich, R. and Pleune, J. Adaptation to an altered relation between retinal image displacements and saccadic eye movements 18: 1321.
Mack, A., Fendrich, R. and Wong, E. Is perceived motion a stimulus for smooth pursuit 22: 77.

FERNALD, R.D.
Fernald, R.D. and Liebman, P.A. Visual receptor pigments in the African cichlid fish, Haplochromis burtoni 20: 857.
Fernald, R.D. Optic nerve distention in a cichlid fish 20: 1015.
Fernald, R.D. Chromatic organization of a cichlid fish retina 21: 1749.

FERNANDEZ, H.R.C.
Fernandez, H.R.C. Visual pigments of bioluminescent and nonbioluminescent deep-sea fishes 19: 589.

FERRENDELLI, J.A.
De Vries, G.W., Cohen, A.I., Lowry, O.H. and Ferrendelli, J.A. Cyclic nucleotide levels in light- and dark-adapted ground squirrel whole eyes 22: 1237.

FESENKO, E.E.
Ratner, V.L., Bagirov, I.G. and Fesenko, E.E. Metarhodopsin I can react with hydroxylamine 21: 251.

FESTINGER, L.
Holtzman, J.D., Sedgwick, H.A. and Festinger, L. Interaction of perceptually monitored and unmonitored efferent commands for smooth pursuit of eye movements 18: 1545.

FINDLAY, J.M.
Findlay, J.M. Spatial and temporal factors in the predictive generation of saccadic eye movements 21: 347.
Findlay, J.M. Global visual processing for saccadic eye movements 22: 1033.

FINKELSTEIN, M.A.
Hood, D.C., Finkelstein, M.A. and Buckingham, E. Psychophysical tests of models of the response function 19: 401.
Finkelstein, M.A. and Hood, D.C. Cone system saturation: more than one stage of sensitivity loss 21: 319.
Finkelstein, M.A. and Hood, D.C. Opponent-color cells can influence detection of small, brief lights 22: 89.

FIORENTINI, A.
Fiorentini, A., Maffei, L., Pirchio, M. and Spinelli, D. An electrophysiological correlate of perceptual suppression in anisometropia 18: 1617.
Fiorentini, A. and Berardi, N. Learning in grating waveform discrimination: specificity for orientation and spatial frequency 21: 1149.

FISHER, S.K.
Steinberg, R.H., Fisher, S.K. and Anderson, D.H. Disc morphogenesis in vertebrate photoreceptors 21: 1725.

FISHMAN, G.A.
Young, R.S.L. and Fishman, G.A. Sensitivity losses in a long wavelength sensitive mechanism of patients with retinitis pigmentosa 22: 163.

FITZGIBBON, T.
FitzGibbon, T. A simple method of obtaining retinal whole-mounts 22: 1221.

FLAMING, D.G.
Brown, K.T. and Flaming, D.G. Effects of Ba^{2+} upon the dark-adapted intensity-response curve of toad rods 19: 395.

FLOOD, M.T.
Flood, M.T. and Gouras, P. The organization of human retinal pigment epithelium in vitro 21: 119.

FOLEY, J.M.
Foley, J.M. and Richards, W.A. Binocular depth mixture with non-symmetric disparities 18: 251.
Foley, J.M. and Legge, G.E. Contrast detection and near-threshold discrimination in human vision 21: 1041.

FOLEY-FISHER, J.A.
Ditchburn, R.W. and Foley-Fisher, J.A. The effect of retinal image motion on vision in coloured light 19: 1223.

FONG, S.-L.
Bridges, C.D.B., Fong, S.-L. and Alvarez, R.A. Separation by programmed-gradient high-pressure liquid chromatography of vitamin A isomers, their esters, aldehydes, oximes and vitamin A_2: presence of retinyl ester in dark-adapted goldfish pigment epithelium 20: 355.
Hargrave, P.A., McDowell, J.H., Siemiatkowski-Juszczak, E.C., Fong, S.-L., Kuhn, H., Wang, J.K., Curtis, D.R., Rao, J.K.M., Argos, P. and Feldmann, R.J. The carboxyl-terminal one-third of bovine rhodopsin: its structure and function 22: 1429.
Liou, G.I., Bridges, C.D.B., Fong, S.-L., Alvarez, R.A. and Gonzalez-Fernandez, F. Vitamin A transport between retina and pigment epithelium - an interstitial protein carrying endogenous retinol (interstitial retinol-binding protein) 22: 1457.

FOSTER, D.H.
Foster, D.H. Interactions between blue- and red-sensitive colour mechanisms in metacontrast masking 19: 921.
Foster, D.H., Thorson, J., McIlwain, J.T. and Biederman-Thorson, M. The fine-grain movement illusion: a perceptual probe of neuronal connectivity in the human visual system 21: 1123.
Foster, D.H. Changes in field spectral sensitivities of red-, green- and blue-sensitive colour mechanisms obtained on small background fields 21: 1433.

FOX, R.
Fox, R., Lehmkuhle, S. and Leguire, L.E. Stereoscopic contours induce optokinetic nystagmus 18: 1189.

FRANK, R.N.
Frank, R.N. Retinal laser photocoagulation: benefits and risks 20: 1073.
Frank, R.N. Studies on retinal capillary cells in tissue culture 21: 165.

FRANKENBERG, E.
Frankenberg, E. Pupillary response to light in gekkonid lizards having various times of daily activity 19: 235.

FREEMAN, J.A.
Wunk, D.F. and Freeman, J.A. An electronically-controlled visual stimulus generator for quantitative mapping of visual receptive fields 19: 599.

FREEMAN, R.D.
Bonds, A.B. and Freeman, R.D. Development of optical quality in the kitten eye 18: 391.
Freeman, R.D. and Lai, C.E. Development of the optical surfaces of the kitten eye 18: 399.
Freeman, R.D., Wong, S. and Zezula, S. Optical development of the kitten cornea 18: 409.
Bradley, A. and Freeman, R.D. Contrast sensitivity in children 22: 953.

FRENCH, A.S.
Dvorak, D.R., Srinivasan, M.V. and French, A.S. The contrast sensitivity of fly movement-detecting neurons 20: 397.

FRENCH, J.
Atkinson, J. and French, J. Astigmatism and orientation preference in human infants 19: 1315.
Braddick, O.J., Atkinson, J., French, J. and Howland, H.C. A photorefractive study of infant accommodation 19: 1319.

Atkinson, J., Braddick, O.J. and French, J. Infant astigmatism: its disappearance with age 20: 891.

FRIEDMAN, L.J.
Friedman, L.J. and Green, D.G. Ganglion cell acuity in hooded rats 22: 441.

FRIEDMAN, R.B.
Friedman, R.B., Kaye, M.G. and Richards, W.A. Effect of vertical disparity upon stereoscopic depth 18: 351.

FRIEDMAN, T.B.
Reddan, J.R., Friedman, T.B., Mostafapour, M.K., Bondy, R.L., Sutherland, S.H., McGee, S.J. and Goldenberg, M. Donor age influences the growth of rabbit lens epithelial cells in vitro 21: 11.

FRIES, W.
Albus, K. and Fries, W. Inhibitory sidebands of complex receptive fields in the cat's striate cortex 20: 369.

FRISBY, J.P.
Mayhew, J.E.W. and Frisby, J.P. Suprathreshold contrast perception and complex random textures 18: 895.
Mayhew, J.E.W. and Frisby, J.P. Convergent disparity discriminations in narrow-band-filtered random-dot stereograms 19: 63.
Frisby, J.P. and Mayhew, J.E.W. The role of spatial frequency tuned channels in vergence control 20: 727.
Mayhew, J.E.W. and Frisby, J.P. The induced effect: arguments against the theory of Arditi, Kaufman and Movshon (1981) 22: 1225.

FRISHMAN, L.J.
Linsenmeier, R.A., Frishman, L.J., Jakiela, H.G. and Enroth-Cugell, C. Receptive field properties of X and Y cells in the cat retina derived from contrast sensitivity measurements 22: 1173.

FRITSCH, K.
Fritsch, K. and Keck, M.J. Grating generation by microcomputer 18: 1083.

FRIXIONE, E.
Frixione, E. and Tsutsumi, V. Photomechanical responses in crustacean retinula cells: the role of microtubules 22: 1507.

FRIZZI, T.J.
Frizzi, T.J. Midbrain reticular stimulation and brightness detection 19: 123.

FROME, F.S.
Frome, F.S., MacLeod, D.I.A., Buck, S.L. and Williams, D.R. Large loss of visual sensitivity to flashed peripheral targets 21: 1323.

FRONIUS, M.
Sireteanu, R. and Fronius, M. Naso-temporal asymmetries in human amblyopia: consequence of long-term interocular suppression 21: 1055.
Sireteanu, R., Fronius, M. and Singer, W. Binocular interaction in the peripheral visual field of humans with strabismic and anisometropic amblyopia 21: 1065.

FROSDICK, J.P.
Corfield, R., Frosdick, J.P. and Campbell, F.W. Grey-out elimination: the roles of spatial waveform, frequency and phase 18: 1305.

FRUMKES, T.E.
Barris, M.C. and Frumkes, T.E. Rod-cone interaction in human scotopic vision-IV. Cones stimulated by contrast flashes influence rod threshold 18: 801.
Nygaard, R.W. and Frumkes, T.E. Calibration of the retinal illuminance provided by Maxwellian views 22: 433.
Nygaard, R.W. and Frumkes, T.E. LEDs: convenient, inexpensive sources for visual experimentation 22: 435.

FRY, G.A.
Sheedy, J.E. and Fry, G.A. The perceived direction of the binocular image 19: 201.
Daum, K.M. and Fry, G.A. Pupillary micro movements apparently related to pulse frequency 22: 173.

FUKUI, H.N.
Russell, P., Fukui, H.N. and Kinoshita, J.H. Properties of a Na-K ATPase inhibitor in cultured lens epithelial cells 21: 37.

FULD, K.
Fuld, K. A sensitization effect with rectilinear stimuli 18: 1045.
Spillmann, L. and Fuld, K. The equivalent background and retinal eccentricity 19: 117.

FULLER, D.
Fuller, D., Machemer, R. and Knighton, R.W. Retinal damage produced by intraocular fiber optic light 20: 1055.

FULTON, A.B.
Fulton, A.B. and Rushton, W.A.H. Rod ERG of the mudpuppy: effect of dim

red backgrounds 18: 785.
Fulton, A.B. and Rushton, W.A.H. The human rod ERG: correlation with psychophysical responses in light and dark adaptation 18: 793.
Fulton, A.B. and Graves, A.L. Background adaptation in developing rat retina: an electroretinographic study 20: 819.

FUORTES, G.
Bader, C.R., Baumann, F., Bertrand, D., Carreras, J. and Fuortes, G. Diffuse and local effects of light adaptation in photoreceptors of the honey bee drone 22: 311.

FURCHNER, C.S.
Furchner, C.S. and Ginsburg, A.P. "Monocular rivalry" of a complex waveform 18: 1641.

FUTTERMAN, S.
Futterman, S., Saari, J.C. and Garwin, G.G. Inadequacy of [15-^{3}H] all-trans-retinal as a tracer for 11-cis-retinal formation 19: 951.

FUWA, M.
Shigematsu, Y., Yamada, M. and Fuwa, M. Latency measurement of the color coded S-potentials in the carp retina 18: 1435.

GABOR, A.J.
Scobey, R.P. and Gabor, A.J. The orientation tuning curve: variability of preferred orientation due to methodology 19: 1389.

GAILLARD, F.
Gaillard, F. Tectal processing of visual signals from the caudalmost part of the frog visual field 22: 347.

GALAND, G.
Cadusseau, J. and Galand, G. Studies on light-sensitive units in the deep mesencephalon of blinded frogs 22: 835.

GALE, A.G.
Gale, A.G. A note on the remote oculometer technique for recording eye movements 22: 201.

GALE, J.G.
Williams, T.P. and Gale, J.G. "Compression" of retinal responsivity: V-log I functions and increment thresholds 18: 587.

GALUSCHENKO, I.V.
Shvedova, A.A., Sidorov, A.S., Novikov, K.N., Galuschenko, I.V. and Kagan, V.E. Lipid peroxidation and electric activity of the retina 19: 49.

GAMBARDELLA, G.
Braccini, C., Gambardella, G. and Suetta, G. A noise masking experiment in grating perception at threshold: the implications on binocular summation 20: 373.

GANNON, S.
Lovegrove, W., Bowling, A. and Gannon, S. Orientation specificity in the visible persistence for checkerboards 21: 1239.

GANZ, L.
Schumer, R. and Ganz, L. Independent stereoscopic channels for different extents of spatial pooling 19: 1303.

GARWIN, G.G.
Futterman, S., Saari, J.C. and Garwin, G.G. Inadequacy of [15-^{3}H] all-trans-retinal as a tracer for 11-cis-retinal formation 19: 951.

GAST, T.J.
Ingling, C.R. Jr., Tsuo, B.H.-P., Gast, T.J., Burns, S.A., Emerick, J.O. and Riesenberg, L. The achromatic channel-I. The non-linearity of minimum-border and flicker matches 18: 379.

GATTASS, R.
Oswaldo-Cruz, E. and Gattass, R. Orientable head-holder for use in visual research 18: 1079.

GAUBE, H.
Stieve, H., Bruns, M. and Gaube, H. Simultaneous recording by extra- and intracellular electrodes of light responses in the crayfish retina 18: 621.

GAUZELMAN, V.E.
Glezer, V.D., Gauzelman, V.E., Tsherbach, T.A. and Dudkin, K.N. Comments on organization and spatial-frequency characteristics of receptive fields in the visual cortex 18: 887.

GEISERT, E.E.
Zetlan, S.R., Spear, P.D. and Geisert, E.E. The role of cortico-geniculate projections in the loss of Y-cells in monocularly deprived cats 21: 1035.

GEISLER, W.S.
Geisler, W.S. The effects of photopigment depletion on brightness and threshold 18: 269.
Geisler, W.S. Adaptation, afterimages and cone saturation 18: 279.

Geisler, W.S. Evidence for the equivalent-background hypothesis in cones 19: 799.
Geisler, W.S. Comments on the testing of two prominent dark-adaptation hypotheses 20: 807.
Geisler, W.S. Increment threshold and detection latency in the rod and cone systems 20: 981.

VAN GENDEREN-TAKKEN, H.
Nuboer, J.F.W. and van Genderen-Takken, H. The artifact of retinoscopy 18: 1091.

GENTER, C.R. II
Genter, C.R. II and Weisstein, N. Flickering phantoms: a motion illusion without motion 21: 963.

GENTILCORE, P.C.
Fager, R.S., Gentilcore, P.C. and Abrahamson, E.W. Kinetics of cyanoborohydride reduction of bovine rhodopsin 18: 483.

GEORGESON, M.A.
Georgeson, M.A. and Phillips, R. Angular selectivity of monocular rivalry: experiment and computer simulation 20: 1007.
Georgeson, M.A. and Reddin, S.K. Adaptation to gratings: equal spatial selectivity for light and dark bar width variation 21: 419.

GERI, G.A.
Geri, G.A. Blue cone input to the photopic electroretinogram of the turtle Pseudemys 21: 893.

GERRITS, H.J.M.
MacKay, D.M., Gerrits, H.J.M. and Stassen, H.P.W. Interaction of stabilized retinal patterns with spatial visual noise 19: 713.

GERSCHENFELD, H.M.
Piccolino, M., Neyton, J. and Gerschenfeld, H.M. Peripheral antagonism in the small field L-horizontal cells (L2-HC) of the turtle retina 21: 1579.
Neyton, J., Piccolino, M. and Gerschenfeld, H.M. Involvement of small field horizontal cells in the feedback effects on green cones 21: 1599.

GILDEA, T.J.
Long, G.M. and Gildea, T.J. Latency for the perceived offset of brief target gratings 21: 1395.

GINSBURG, A.P.
Howland, B., Ginsburg, A.P. and Campbell, F.W. High-pass spatial frequency letters as clinical optotypes 18: 1063.
Furchner, C.S. and Ginsburg, A.P. "Monocular rivalry" of a complex waveform 18: 1641.

GLEZER, V.D.
Glezer, V.D., Gauzelman, V.E., Tsherbach, T.A. and Dudkin, K.N. Comments on organization and spatial-frequency characteristics of receptive fields in the visual cortex 18: 887.
Glezer, V.D. Selectivity for spatial frequency and bar width in cat visual cortex: reply to Tyler 19: 349.

GLUSHKO, R.J.
Tansley, B.W. and Glushko, R.J. Spectral sensitivity of long-wavelength-sensitive photoreceptors in dichromats determined by elimination of border percepts 18: 699.

GOGEL, W.C.
Gogel, W.C. and Tietz, J.D. A comparison of oculomotor and motion parallax cues of egocentric distance 19: 1161.

GOLDENBERG, M.
Reddan, J.R., Friedman, T.B., Mostafapour, M.K., Bondy, R.L., Sutherland, S.H., McGee, S.J. and Goldenberg, M. Donor age influences the growth of rabbit lens epithelial cells in vitro 21: 11.

GOLDMAN, A.I.
Masterson, E., Goldman, A.I. and Chader, G.J. Phagocytosis of rod outer segments by cultured epithelial cells 21: 143.

GOLDSMITH, T.H.
Goldsmith, T.H. The spectral absorption of crayfish rhabdoms: pigment, photoproduct and pH sensitivity 18: 463.
Goldsmith, T.H. The effects of screening pigments on the spectral sensitivity of some crustacea with scotopic (superposition) eyes 18: 475.
Larrivee, D. and Goldsmith, T.H. Spectral dimorphism of crayfish visual pigment in solution 22: 727.

GOLDSTEIN, E.B.
Semple-Rowland, S.L. and Goldstein, E.B. Segregation of vitamin A_1 and vitamin A_2 cone pigments in the bullfrog retina 21: 825.

GOLLENDER, M.
Gollender, M., Thorn,F. and Erickson, P. Development of axial ocular

dimensions following eyelid suture in the cat 19: 221.

GONZALEZ-FERNANDEZ, F.
Liou, G.I., Bridges, C.D.B., Fong, S.-L., Alvarez, R.A. and Gonzalez-Fernandez, F. Vitamin A transport between retina and pigment epithelium - an interstitial protein carrying endogenous retinol (interstitial retinol-binding protein) 22: 1457.

GOODENOUGH, D.R.
Goodenough, D.R., Sigman, E., Oltman, P.K., Rosso, J. and Mertz, H. Eye torsion in response to a tilted visual stimulus 19: 1177.

GORDON, B.
Presson, J. and Gordon, B. Critical period and minimum exposure required for the effects of alternating monocular occlusion in cat visual cortex 19: 807.
Moran, J. and Gordon, B. Long term visual deprivation in a human 22: 27.

GORDON, W.C.
Basinger, S.F. and Gordon, W.C. Local stimulation induces shedding throughout the frog retina 22: 1533.

GOREA, A.
Kulikowski, J.J. and Gorea, A. Complete adaptation to patterned stimuli: a necessary and sufficient condition for Weber's law for contrast 18: 1223.
Gorea, A. Directional and nondirectional coding of a spatio-temporal modulated stimulus 19: 545.

GORRAND, J.M.
Gorrand, J.M. Diffusion of the human retina and quality of the optics of the eye on the fovea and the peripheral retina 19: 907.

GOSPODAROWICZ, D.
Gospodarowicz, D., Vlodavsky, I. and Savion, N. The role of fibroblast growth factor and the extracellular matrix in the control of proliferation and differentiation of corneal endothelial cells 21: 87.

GOTTESMAN, J.
Gottesman, J., Rubin, G.S. and Legge, G.E. A power law for perceived contrast in human vision 21: 791.

GOURAS, P.
Flood, M.T. and Gouras, P. The organization of human retinal pigment epithelium in vitro 21: 119.
Gouras, P. and Zrenner, E. Color coding in primate retina 21: 1591.
Zrenner, E. and Gouras, P. Characteristics of the blue sensitive cone mechanism in primate retinal ganglion cells 21: 1605.
Gouras, P. and Eggers, H. Ganglion cells mediating the signals of blue sensitive cones in primate retina detect white-yellow borders independently of brightness 22: 675.

GRAHAM, M.
Rogers, B. and Graham, M. Similarities between motion parallax and stereopsis in human depth perception 22: 261.

GRAHAM, N.
Graham, N., Robson, J.G. and Nachmias, J. Grating summation in fovea and periphery 18: 815.
Robson, J.G. and Graham, N. Probability summation and regional variation in contrast sensitivity across the visual field 21: 409.
Davis, E.T. and Graham, N. Spatial frequency uncertainty effects in the detection of sinusoidal gratings 21: 705.
Hirsch, J., Hylton, R. and Graham, N. Simultaneous recognition of two spatial-frequency components 22: 365.

GRAVES, A.L.
Fulton, A.B. and Graves, A.L. Background adaptation in developing rat retina: an electroretinographic study 20: 819.

GREEN, D.G.
Powers, M.K. and Green, D.G. Single retinal ganglion cell responses in the dark-reared rat: Grating acuity, contrast sensitivity, and defocusing 18: 1533.
Cicerone, C.M. and Green, D.G. Relative modulation sensitivities of the red and green color mechanisms 18: 1593.
Green, D.G., Powers, M.K. and Banks, M.S. Depth of focus, eye size and visual acuity 20: 827.
Green, D.G. and Powers, M.K. Mechanisms of light adaptation in rat retina 22: 209.
Friedman, L.J. and Green, D.G. Ganglion cell acuity in hooded rats 22: 441.

GREEN, M.A.
Corwin, T.R. and Green, M.A. The Broca-Sulzer effect in a Ganzfeld 18: 1675.
Green, M.A. and Blake, R. Phase effects in monoptic and dichoptic

temporal integration: flicker and motion detection 21: 365.
Green, M.A., Corwin, T.R. and Schor, C.M. Spatiotemporal variations in the square-sine ratio: evidence of independent channels at low spatial frequencies 21: 423.
Green, M.A. Spatial frequency effects in masking by light 21: 861.
Green, M.A. Psychophysical relationships among mechanisms sensitive to pattern, motion and flicker 21: 971.

GREENSTEIN, V.C.
Greenstein, V.C. and Hood, D.C. Variations in brightness at two retinal locations 21: 885.

GREGERSON, D.S.
Rubin, N.A., Tarsio, J.F., Borthwick, A.C., Gregerson, D.S. and Reid, T.W. Identification and characterization of a growth factor secreted by an established cell line of human retinoblastoma maintained in serum-free medium 21: 105.

GREGGERS, U.
Menzel, R., Erber, J. and Greggers, U. On-line computation of photoreceptor spectral sensitivity - a low cost solution with a programmable pocket calculator 18: 879.

GREHN, F.
Grehn, F. The sensitivity of the retinal nerve fibre layer to elevated interocular pressure and graded hypoxia in the cat 21: 1697.

GRESNIGT, A.M.
Zuidema, P., Gresnigt, A.M., Bouman, M.A. and Koenderink, J.J. A quanta coincidence model for absolute threshold vision incorporating deviations from Ricco's law 18: 1685.

GRIFFITH, K.D.
McDowell, J.H., Mas, M.T., Griffith, K.D. and Hargrave, P.A. The reactivity of the sulfhydryl groups of rhodopsin in rod outer segment membranes 19: 1143.

VAN DE GRIND, W.
van de Grind, W. and Grusser, O.-J. Frequency transfer properties of cat retina horizontal cells 21: 1565.

DE GRIP, W.J.
Margry, R.J.C.F., Jacobs, C.W.M., de Grip, W.J. and Daemen, F.J.M. Interference of detergents in immunoassays of rhodopsin 22: 1447.

GRONHOLM, M.-L.
Gronholm, M.-L. and Reuter, T. Disinhibitory action of strychnine on ganglion cells in the retina of the frog 21: 1649.

DE GROOT, P.J.
de Groot, P.J. and de Pender, E. A transient effect contingent on the direction of polarization of light incident on the cornea 19: 1065.
de Groot, P.J. Transient threshold increase due to combined changes in direction of propagation and plane of polarization 19: 1253.

GROWNEY, R.
Growney, R. Metacontrast as a function of the spatial frequency composition of the target and mask 18: 1117.

GRUBER, S.H.
Hueter, R.E. and Gruber, S.H. Retinoscopy of aquatic eyes 20: 197.

VON GRUNAU, M.
von Grunau, M.W. Interaction between sustained and transient channels: form inhibits motion in the human visual system 18: 197.
von Grunau, M.W. Dissociation and interaction of form and motion information in the human visual system 18: 1485.
von Grunau, M. Binocular summation and the binocularity of cat visual cortex 19: 813.
von Grunau, M. Form information is necessary for the perception of motion 19: 839.

GRUSSER, O.-J.
Adler,B., Bock, O. and Grusser, O.-J. Alpha-stripes: a spatial periodicity appearing in stroboscopically illuminated moving random dot patterns 21: 913.
van de Grind, W. and Grusser, O.-J. Frequency transfer properties of cat retina horizontal cells 21: 1565.

GRUSSER-CORNEHLS, U.
Grusser-Cornehls, U. and Saunders, R.McD. Chromatic subclasses of frog retinal ganglion cells: studies using black stimuli moving on a monochromatic background 21: 469.
Grusser-Cornehls, U. and Saunders, R.McD. Response of frog retina ganglion cells to moving monochromatic spots under photopic conditions 21: 1617.

GUERRY, D. III
Ham, W.T. Jr., Ruffolo, J.J. Jr., Mueller, H.A. and Guerry, D. III The

nature of retinal radiation damage: dependence on wavelength, power level and exposure time 20: 1105.

GUILOFF, G.D.
Guiloff, G.D. Class I retinal ganglion cells in the toad, Bufo spinulosus 20: 549.

GUITTON, D.
Guitton, D. and Mandl, G. A comparison between saccades and quick phases of vestibular nystagmus in the cat 20: 865.
Guitton, D. and Mandl, G. Oblique saccades of the cat: a comparison between the durations of horizontal and vertical components 20: 875.

GUR, M.
Gur, M. and Purple, R.L. Retinal ganglion cell activity in the ground squirrel under halothane anesthesia 18: 1.
Hadani, I., Gur, M., Meiri, A.Z. and Fender, D.H. Hyperacuity in the detection of absolute and differential displacements of random dot patterns 20: 947.
Hadani, I., Gur, M. and Meiri, A.Z. Detection of differential displacements of random dot patterns at different dot densities 21: 1193.

GUTH, S.L.
Trick, G.L. and Guth, S.L. The effect of wavelength on binocular summation 20: 975.
Benzschawel, T. and Guth, S.L. Post-receptor chromatic mechanisms revealed by flickering vs fused adaptation 22: 69.

GUZMAN, O.
Guzman, O. and Steinbach, M.J. Manipulating the contrast of sine wave gratings and other light distributions using polaroid 21: 1025.

GWIAZDA, J.
Gwiazda, J., Brill, S., Mohindra, I. and Held, R. Infant visual acuity and its meridional variation 18: 1557.
Held, R., Gwiazda, J.,Brill, S., Mohindra, I. and Wolfe, J.M. Infant visual acuity is underestimated because near threshold gratings are not preferentially fixated 19: 1377.
Birch, E.E., Gwiazda, J. and Held, R. Stereoacuity development for crossed and uncrossed disparities in human infants 22: 507.

HADANI, I.
Hadani, I., Gur, M., Meiri, A.Z. and Fender, D.H. Hyperacuity in the detection of absolute and differential displacements of random dot patterns 20: 947.
Hadani, I., Gur, M. and Meiri, A.Z. Detection of differential displacements of random dot patterns at different dot densities 21: 1193.

HAEGERSTROM-PORTNOY, G.
Haegerstrom-Portnoy, G. and Brown, B. Contrast effects on smooth-pursuit eye movement velocity 19: 169.

HALL, J.A. JR.
McCann, J.J., Savoy, R.L. and Hall, J.A. Jr. Visibility of low-frequency sine-wave targets: dependence on number of cycles and surround parameters 18: 891.

HALL, M.O.
Hall, M.O. and Quon, D.S. Tissue culture of rat pigment epithelium on different supporting media 21: 127.

HALLETT, P.E.
Hallett, P.E. Primary and secondary saccades to goals defined by instructions 18: 1279.
Hallett, P.E. and Adams, B.D. The predictability of saccadic latency in a novel voluntary oculomotor task 20: 329.

HAM, W.T. JR.
Moon, M.E., Clarke, A.M., Ruffolo, J.J. Jr., Mueller, H.A. and Ham, W.T. Jr. Visual performance in the rhesus monkey after exposure to blue light 18: 1573.
Ham, W.T. Jr., Ruffolo, J.J. Jr., Mueller, H.A. and Guerry, D. III The nature of retinal radiation damage: dependence on wavelength, power level and exposure time 20: 1105.

HAMER, R.D.
Hamer, R.D., Alexander, K.R. and Teller, D.Y. Rayleigh discriminations in young human infants 22: 575.

HAMMON, R.W.
Scobey, R.P., Chalupa, L.M. and Hammon, R.W. Suppression of maintained activity of retinal ganglion cells 19: 451.
Baron, W.S., Boynton, R.M. and Hammon, R.W. Component analysis of the foveal local electroretinogram elicited with sinusoidal flicker 19: 479.
Hammon, R.W. and Scobey, R.P. The luminance and response range of monkey

retinal ganglion cells to white light 22: 271.
HAMMOND, P.
Hammond, P. The neural basis for colour discrimination in the domestic cat 18: 233.
HANDELMAN, G.H.
Koretz, J.F. and Handelman, G.H. Model of the accommodative mechanism in the human eye 22: 917.
HANITZSCH, R.
Hanitzsch, R. and Bykow, K. Characteristics of receptor potential and slow P_{III}-component to light and dark flashes in the isolated superfused rabbit retina 21: 1709.
HANSEL, C.E.M.
Hansel, C.E.M. and Mahmud, S.H. Comparable retention times for the negative colour afterimage and the McCollough effect 18: 1601.
HANSEN, R.M.
Skavenski, A.A., Hansen, R.M., Steinman, R.M. and Winterson, B.J. Quality of retinal image stabilization during small natural and artificial body rotations in man 19: 675.
Hansen, R.M. Spatial localization during pursuit eye movements 19: 1213.
HARA, R.
Seki, T., Hara, R. and Hara, T. Dark regeneration of squid rhodopsin and isorhodopsin 20: 79.
HARA, S.
Kean, E.L., Hara, S. and Lentrichia, B.B. Binding of neoglycoproteins by the chick pigment epithelial cell in culture 21: 133.
HARA, T.
Seki, T., Hara, R. and Hara, T. Dark regeneration of squid rhodopsin and isorhodopsin 20: 79.
HARDY, O.
Jassik-Gerschenfeld, D. and Hardy, O. Single-neuron responses to moving sine-wave gratings in the pigeon optic tectum 19: 993.
Hardy, O. and Jassik-Gerschenfeld, D. Spatial frequency and temporal frequency selectivity of single cells in the pigeon optic tectum 19: 1001.
Jassik-Gerschenfeld, D. and Hardy, O. Single-cell responses to bar width and to sine-wave grating frequency in the pigeon optic tectum 21: 745.
HARGRAVE, P.A.
McDowell, J.H., Mas, M.T., Griffith, K.D. and Hargrave, P.A. The reactivity of the sulfhydryl groups of rhodopsin in rod outer segment membranes 19: 1143.
Hargrave, P.A., McDowell, J.H., Siemiatkowski-Juszczak, E.C., Fong, S.-L., Kuhn, H., Wang, J.K., Curtis, D.R., Rao, J.K.M., Argos, P. and Feldmann, R.J. The carboxyl-terminal one-third of bovine rhodopsin: its structure and function 22: 1429.
HAROSI, F.I.
Harosi, F.I. Comments on form dichroism in vertebrate photoreceptors 18: 353.
HARRIS, C.M.
Metzler, D.E. and Harris, C.M. Shapes of spectral bands of visual pigments 18: 1417.
HARRIS, J.P.
Harris, J.P. and Potts, M.J. Interocular transfer of the colour-contingent movement aftereffect: doubts and difficulties 20: 277.
HARRIS, L.R.
Harris, L.R. Contrast sensitivity and acuity of a conscious cat measured by the occipital evoked potential 18: 175.
HARRIS, M.G.
Harris, M.G. Velocity specificity of the flicker to pattern sensitivity ratio in human vision 20: 687.
HARTLEY, J.B.
Litman, B.J., Aton, B. and Hartley, J.B. Functional domains of rhodopsin 22: 1439.
HARTMANN, E.
Hartmann, E., Lachenmayr, B. and Brettel, H. The peripheral critical flicker frequency 19: 1019.
HARWERTH, R.S.
Walters, J.W. and Harwerth, R.S. The mechanism of brightness enhancement 18: 777.
Harwerth, R.S. and Levi, D.M. Reaction time as a measure of suprathreshold grating detection 18: 1579.
Harwerth, R.S. and Boltz, R.L. Stereopsis in monkeys using random dot stereograms: the effect of viewing duration 19: 985.
Harwerth, R.S., Boltz, R.L. and Smith, E.L. III Psychophysical evidence

for sustained and transient channels in the monkey visual system 20: 15.
Boltz, R.L., Smith, E.L. III, Bennett, M.J. and Harwerth, R.S. Vertical fusional vergence ranges of the rhesus monkey 20: 83.
Sperling, H.G., Johnson, C. and Harwerth, R.S. Differential spectral photic damage to primate cones 20: 1117.
Harwerth, R.S., Crawford, M.L.J., Smith, E.L. III and Boltz, R.L. Behavioral studies of stimulus deprivation amblyopia in monkeys 21: 779.
Breitmeyer, B.G., Levi, D.M. and Harwerth, R.S. Flicker masking in spatial vision 21: 1377.
Smith, E.L. III, Harwerth, R.S., Levi, D.M. and Boltz, R.L. Contrast increment thresholds of rhesus monkeys 22: 1153.

HASHIMOTO, Y.
Hashimoto, Y. and Inokuchi, M. Characteristics of second order neurons in the dace retina: physiological and morphological studies 21: 1541.

HASSELL, J.R.
Hassell, J.R., Newsome, D.A. and Martin, G.R. Isolation and characterization of the proteoglycans and collagens synthesized by cells in culture 21: 49.

HASSIN, G.
Engbretson, G.A., Hassin, G. and Witkovsky, P. The threshold versus pigment relation of Xenopus rods 19: 367.
Witkovsky, P., Levine, J.S., Engbretson, G.A., Hassin, G. and MacNichol, E.F. Jr. A microspectrophotometric study of normal and artificial visual pigments in the photoreceptors of Xenopus laevis 21: 867.

HAUSKE, G.
Wolf, W., Hauske, G. and Lupp, U. How presaccadic gratings modify postsaccadic modulation transfer function 18: 1173.
Wolf, W., Hauske, G. and Lupp, U. Interaction of pre- and postsaccadic patterns having the same coordinates in space 20: 117.
Hauske, G. Superposition of edges and gratings: interaction between central and peripheral regions 21: 373.
Deubel, H., Wolf, W. and Hauske, G. Corrective saccades: effect of shifting the saccade goal 22: 353.

HAYHOE, M.M.
Ambrose, J.M. and Hayhoe, M.M. Surround configuration and cone dark adaptation 20: 883.
Williams, D.R., MacLeod, D.I.A. and Hayhoe, M.M. Foveal tritanopia 21: 1341.
Williams, D.R., MacLeod, D.I.A. and Hayhoe, M.M. Punctate sensitivity of the blue-sensitive mechanism 21: 1357.
Buss, C.M., Hayhoe, M.M. and Stromeyer, C.F. III Lateral interactions in the control of visual sensitivity 22: 693.
Lennie, P., Hayhoe, M.M. and MacLeod, D.I.A. Stabilized vision through a bleaching window 22: 827.

HEBEL, R.
Hebel, R. and Hollander, H. Size and distribution of ganglion cells in the bovine retina 19: 667.

HEELEY, D.W.
Heeley, D.W. A perceived spatial frequency shift at orientations orthogonal to adapting gratings 19: 1229.
Krauskopf, J., Williams, D.R. and Heeley, D.W. Computer controlled color mixer with laser primaries 21: 951.
Krauskopf, J., Williams, D.R. and Heeley, D.W. Cardinal directions of color space 22: 1123.

HEEREMA, D.
Semmlow, J. and Heerema, D. The synkinetic interaction of convergence accommodation and accommodative convergence 19: 1237.

HEGGELUND, P.
Heggelund, P. and Albus, K. Orientation selectivity of single cells in striate cortex of cat: the shape of orientation tuning curves 18: 1067.

HELD, R.
Gwiazda, J., Brill, S., Mohindra, I. and Held, R. Infant visual acuity and its meridional variation 18: 1557.
Wolfe, J.M. and Held, R. Eye torsion and visual tilt are mediated by different binocular processes 19: 917.
Held, R., Gwiazda, J.,Brill, S., Mohindra, I. and Wolfe, J.M. Infant visual acuity is underestimated because near threshold gratings are not preferentially fixated 19: 1377.
Merker, B.H. and Held, R. Eye torsion and the apparent horizon under head tilt and visual field rotation 21: 543.
Wolfe, J.M., Held, R. and Bauer, J.A. Jr. A binocular contribution to the production of optokinetic nystagmus in normal and stereoblind subjects 21: 587.

Wolfe, J.M. and Held, R. A purely binocular mechanism in human vision 21: 1755.
Naegele, J.R. and Held, R. The postnatal development of monocular optokinetic nystagmus in infants 22: 341.
Birch, E.E., Gwiazda, J. and Held, R. Stereoacuity development for crossed and uncrossed disparities in human infants 22: 507.
Held, R., Shattuck-Hufnagel, S. and Moskowitz, A. Color-contingent tilt aftereffect: spatial frequency specificity 22: 811.
Wolfe, J.M. and Held, R. Gravity and the tilt aftereffect 22: 1075.

HELL, W.
Hell, W. Movement parallax: an asymptotic function of amplitude and velocity of head motion 18: 629.

HEMILA, S.
Donner, K.O., Hemila, S. and Reuter, T. Bleaching and background adaptation in frog rods 19: 399.
Hemila, S. Guanosine augments rod responses in dark adapted retinae but decreases them in light adapted ones 21: 1505.

HENNING, G.B.
Derrington, A.M. and Henning, G.B. Pattern discrimination with flickering stimuli 21: 597.

HENRY, J.
Anstis, S.M., Rogers, B. and Henry, J. Interactions between simultaneous contrast and coloured afterimages 18: 899.

HENSON, D.B.
Henson, D.B. Corrective saccades: effects of altering visual feedback 18: 63.
Henson, D.B. Investigation into corrective saccadic eye movements for refixation amplitudes of 10 degrees and below 19: 57.

HEPLER, N.
De Valois, R.L., Yund, E.W. and Hepler, N. The orientation and direction selectivity of cells in macaque visual cortex 22: 531.

HERMAN, E.
Mack, A. and Herman, E. The loss of position constancy during pursuit eye movements 18: 55.

HERSCHLER, J.
Herschler, J. The inhibitory factor in aqueous humor 21: 163.

HERTZ, B.G.
Linsenmeier, R.A. and Hertz, B.G. Eye movements in paralyzed cats induced by drugs and sympathetic stimulation 19: 1249.

HESS, R.F.
Howell, E.R. and Hess, R.F. The functional area for summation to threshold for sinusoidal gratings 18: 369.
Hess, R.F., Howell, E.R. and Kitchin, J.E. On the relationship between pattern and movement perception in strabismic amblyopia 18: 375.
Hess, R.F. and Howell, E.R. The influence of field size for a periodic stimulus in strabismic amblyopia 18: 501.
Hess, R.F. and Howell, E.R. The luminance-dependent nature of the visual abnormality in strabismic amblyopia 18: 931.
Hess, R.F. and Jacobs, R.J. A preliminary report of acuity and contour interactions across the amblyope's visual field 19: 1403.
Hess, R.F., Campbell, F.W. and Zimmern, R. Differences in the neural basis of human amblyopias: the effect of mean luminance 20: 295.
Hess, R.F. A preliminary investigation of neural function and dysfunction in amblyopia-I. Size-selective channels 20: 749.
Hess, R.F. and Campbell, F.W. A preliminary investigation of neural function and dysfunction in amblyopia-II. Activity within an amblyopic "channel" 20: 755.
Hess, R.F., Burr, D.C. and Campbell, F.W. A preliminary investigation of neural function and dysfunction in amblyopia-III. Co-operative activity of amblyopic channels 20: 757.
Lawden, M.C., Hess, R.F. and Campbell, F.W. The discriminability of spatial phase relationships in amblyopia 22: 1005.

HEYMAN, P.M.
Carlson, C.R. and Heyman, P.M. A large format optical display for the generation of generalized psychophysical stimuli 19: 99.

HEYWOOD, S.
Heywood, S. and Churcher, J. Direction-specific and position-specific effects upon detection of displacements during saccadic eye movements 21: 255.
Heywood, S. and Churcher, J. Saccades to step-ramp stimuli 21: 479.

HIGASHIYAMA, A.
Higashiyama, A. Variations of curvature in binocular visual space estimated by the triangle method 21: 925.

HILZ, R.
Wilson, H.R., Phillips, G., Rentschler, I. and Hilz, R. Spatial probability summation and disinhibition in psychophysically measured line-spread functions 19: 593.
HIRSCH, J.
Hirsch, J., Hylton, R. and Graham, N. Simultaneous recognition of two spatial-frequency components 22: 365.
HIRST, A.N.
Hirst, A.N.,Beurle,R.L., Beverley, K.I. and Poole, C.L. Contrast thresholds for patterns of dynamic visual noise 19: 721.
HOCHBERG, E.P.
Purcell, D.G., Stewart, A.L. and Hochberg, E.P. Recovery and nonmonotone masking effects 22: 1087.
HOCHHEIMER, B.F.
Hochheimer, B.F. Polarized light retinal photography of a monkey eye 18: 19.
Calkins, J.L., Hochheimer, B.F. and D'Anna, S.A. Potential hazards from specific ophthalmic devices 20: 1039.
HOCK, P.A.
Hock, P.A. and Hood, D.C. Light adaptation of the frog's 580 cone system: a comparison of receptor and ganglion cell sensitivity changes 18: 1155.
HODGKIN, A.L.
Hodgkin, A.L. Some recollections of William Rushton and his contributions to neurophysiology (1925-52) 22: 623.
HODOS, W.
Hodos, W. and Leibowitz, R.W. Simultaneous brightness contrast induction in pigeons 18: 179.
HOFFMANN, K.-P.
Hoffmann, K.-P., Morrone, C.M. and Reuter, J.H. A comparison of the responses of single cells in the LGN and visual cortex to bar and noise stimuli in the cat 20: 771.
HOKOC, J.N.
Oswaldo-Cruz, E., Hokoc, J.N. and Sousa, A.P.B. A schematic eye for the opossum 19: 263.
HOLDEN, A.L.
Holden, A.L. Antidromic invasion of ganglion cells in the pigeon retina 18: 1357.
Holden, A.L. Graded potentials accompanying antidromic invasion of the pigeon retina 18: 1367.
Holden, A.L. Non-directional and directional ganglion cells in the pigeon retina 19: 321.
HOLLANDER, H.
Hebel, R. and Hollander, H. Size and distribution of ganglion cells in the bovine retina 19: 667.
HOLLINS, M.
Rogers, D.C. and Hollins, M. Is the binocular rivalry mechanism tritanopic? 22: 515.
HOLLYFIELD, J.G.
Currie, J.R., Hollyfield, J.G. and Rayborn, M.E. Rod outer segments elongate in constant light: darkness is required for normal shedding 18: 995.
Hollyfield, J.G. and Basinger, S.F. RNA metabolism in the retina in relation to cyclic lighting 20: 1151.
Lolley, R.N., Rayborn, M.E., Hollyfield, J.G. and Farber, D.B. Cyclic GMP and visual cell degeneration in the inherited disorder of rd mice: a progress report 20: 1157.
HOLMBERG, K.
Holmberg, K. Light- and electron-microscopic investigation of the optic nerve fiber layer in the river lamprey (Lampetra fluviatilis) 18: 1313.
Dreyfert, T., Holmberg, K. and Struwe, G. Critical flicker fusion frequency of the river lamprey (Lampetra fluviatilis) 19: 551.
HOLT, J.J.
Holt, J.J. and Ross, J. Phase perception in the high spatial frequency range 20: 933.
Ross, J., Holt, J.J. and Johnstone, J.R. High frequency limitations on Mach bands 21: 1165.
HOLTZMAN, E.
Evans, J.A., Hood, D.C. and Holtzman, E. Differential effects of cobalt ions on rod and cone synaptic activity in the isolated frog retina 18: 145.
HOLTZMAN, J.D.
Holtzman, J.D., Sedgwick, H.A. and Festinger, L. Interaction of perceptually monitored and unmonitored efferent commands for smooth

pursuit of eye movements 18: 1545.

HOME, R.
Home, R. Binocular summation: a study of contrast sensitivity, visual acuity and recognition 18: 579.

HOOD, D.C.
Evans, J.A., Hood, D.C. and Holtzman, E. Differential effects of cobalt ions on rod and cone synaptic activity in the isolated frog retina 18: 145.
Hood, D.C., Ilves, T., Maurer, E., Wandell, B.A. and Buckingham, E. Human cone saturation as a function of ambient intensity: a test of models of shifts in the dynamic range 18: 983.
Hock, P.A. and Hood, D.C. Light adaptation of the frog's 580 cone system: a comparison of receptor and ganglion cell sensitivity changes 18: 1155.
Petry, S. and Hood, D.C. Sensitivity changes during metacontrast 18: 1343.
Hood, D.C., Finkelstein, M.A. and Buckingham, E. Psychophysical tests of models of the response function 19: 401.
Finkelstein, M.A. and Hood, D.C. Cone system saturation: more than one stage of sensitivity loss 21: 319.
Greenstein, V.C. and Hood, D.C. Variations in brightness at two retinal locations 21: 885.
Finkelstein, M.A. and Hood, D.C. Opponent-color cells can influence detection of small, brief lights 22: 89.
Benimoff, N.I., Schneider, S. and Hood, D.C. Interactions between rod and cone channels above threshold: a test of various models 22: 1133.

HOU, R.L.
Hou, R.L. and Fender, D.H. Processing of direction and magnitude by the saccadic eye-movement system 19: 1421.

HOWARD, I.P.
Anstis, S.M., Howard, I.P. and Rogers, B. A Craik-O'Brien-Cornsweet illusion for visual depth 18: 213.

HOWELL, E.R.
Howell, E.R. and Hess, R.F. The functional area for summation to threshold for sinusoidal gratings 18: 369.
Hess, R.F., Howell, E.R. and Kitchin, J.E. On the relationship between pattern and movement perception in strabismic amblyopia 18: 375.
Hess, R.F. and Howell, E.R. The influence of field size for a periodic stimulus in strabismic amblyopia 18: 501.
Caelli, T.M., Preston, G.A.N. and Howell, E.R. Implications of spatial summation models for processes of contour perception: a geometric perspective 18: 723.
Hess, R.F. and Howell, E.R. The luminance-dependent nature of the visual abnormality in strabismic amblyopia 18: 931.

HOWLAND, B.
Howland, B., Ginsburg, A.P. and Campbell, F.W. High-pass spatial frequency letters as clinical optotypes 18: 1063.

HOWLAND, H.C.
Howland, H.C. Retinoscopy of infants at a distance: limits of normal and anomalous reflexes 18: 597.
Rohler, R. and Howland, H.C. Merits of the Gaussian moment in judging optical line spread width - comment on a paper by W.N. Charman and J.A.M. Jennings 19: 847.
Braddick, O.J., Atkinson, J., French, J. and Howland, H.C. A photorefractive study of infant accommodation 19: 1319.

HUETER, R.E.
Hueter, R.E. and Gruber, S.H. Retinoscopy of aquatic eyes 20: 197.

HUGHES, A.
Hughes, A. and Vaney, D.I. The refractive state of the rabbit eye: variation with eccentricity and correction for oblique astigmatism 18: 1351.
Hughes, A. A schematic eye for the rat 19: 569.
Hughes, A. A useful table of reduced schematic eyes for vertebrates which includes computed longitudinal chromatic aberrations 19: 1273.
Hughes, A. The artefact of retinoscopy in the rat and rabbit eye has its origin at the retina-vitreous interface rather than in longitudinal chromatic aberration 19: 1293.
Hughes, A. and Vaney, D.I. Contact lenses change the projection of visual field onto rabbit peripheral retina 21: 955.
Hughes, A. One brush tailed possum can browse as much pasture as 0.06 sheep which may indicate why this "arboreal" animal has a visual streak: some comments on the "terrain" theory 21: 957.
Campbell, M.C.W. and Hughes, A. An analytic, gradient index schematic lens and eye for the rat which predicts aberrations for finite pupils

21: 1129.
HYLTON, R.
Hirsch, J., Hylton, R. and Graham, N. Simultaneous recognition of two spatial-frequency components 22: 365.
IANDOLO, M.J.
Bahill, A.T., Iandolo, M.J. and Troost, B.T. Smooth pursuit eye movements in response to unpredictable target waveforms 20: 923.
IDE, L.S.
Citron, M.C., Emerson, R.C. and Ide, L.S. Spatial and temporal receptive-field analysis of the cat's geniculocortical pathway 21: 385.
IKEDA, M.
Ikeda, M. and Saida, S. Span of recognition in reading 18: 83.
Ikeda, M. and Uchikawa, K. Integrating time for visual pattern perception and a comparison with the tactile mode 18: 1565.
Ikeda, M. and Nakashima, Y. Wavelength difference limit for binocular color fusion 20: 693.
Ikeda, M. and Ayama, M. Additivity of opponent chromatic valence 20: 995.
Uchikawa, K. and Ikeda, M. Temporal deterioration of wavelength discrimination with successive comparison method 21: 591.
ILLINGWORTH, D.J.
Illingworth, D.J. Eye-opening in kittens: further comments 20: 95.
Beazley, L.D., O'Conner, W.M. and Illingworth, D.J. Adult levels of meridional anisotropy and contrast threshold in 5-year-olds 22: 135.
ILVES, T.
Hood, D.C., Ilves, T., Maurer, E., Wandell, B.A. and Buckingham, E. Human cone saturation as a function of ambient intensity: a test of models of shifts in the dynamic range 18: 983.
INGLING, C.R. JR.
Ingling, C.R. Jr., Tsuo, B.H.-P., Gast, T.J., Burns, S.A., Emerick, J.O. and Riesenberg, L. The achromatic channel-I. The non-linearity of minimum-border and flicker matches 18: 379.
INOKUCHI, M.
Hashimoto, Y. and Inokuchi, M. Characteristics of second order neurons in the dace retina: physiological and morphological studies 21: 1541.
IRVIN, G.E.
White, T.W., Irvin, G.E. and Williams, M.C. Asymmetry in the brightness and darkness Broca-Sulzer effects 20: 723.
ISHIDA, A.T.
Kretz, R., Ishida, A.T. and Stell, W.K. Ratfish retina - intracellular recordings and HRP injections in an isolated, superfused all-rod retina 22: 857.
ISONO, H.
Isono, H. A re-examination of contrast threshold difference between spatial sine-wave and square-wave gratings 19: 603.
ITO, Y.
Kato, S., Kuriyama, K., Ito, Y., Teranishi, T. and Negishi, K. [^{3}H]-Dopamine uptake in the dark-adapted fish retina 21: 1189.
J.A.M. JENNINGS
Charman, W.N. and J.A.M. Jennings Merits of the Gaussian moment in judging optical line spread widths 19: 851.
JACKSON, W.E.
Meyer, G.E., Jackson, W.E. and Yang, C. Spatial frequency, orientation and color: interocular effects of adaptation on the perceived duration of gratings 19: 1197.
JACOBS, C.W.M.
Margry, R.J.C.F., Jacobs, C.W.M., de Grip, W.J. and Daemen, F.J.M. Interference of detergents in immunoassays of rhodopsin 22: 1447.
JACOBS, G.H.
Birch, D.G. and Jacobs, G.H. Spatial contrast sensitivity in albino and pigmented rats 19: 933.
Jacobs, G.H. and Tootell, R.B.H. Spectral components in the b-wave of the ground squirrel electroretinogram 19: 1243.
Tootell, R.B.H. and Jacobs, G.H. A simple surgical procedure for immobilization of rodent eyes 19: 1281.
Jacobs, G.H. and Tootell, R.B.H. Spectrally-opponent responses in ground squirrel optic nerve 20: 9.
JACOBS, R.J.
Jacobs, R.J. Visual resolution and contour interaction in the fovea and periphery 19: 1187.
Hess, R.F. and Jacobs, R.J. A preliminary report of acuity and contour interactions across the amblyope's visual field 19: 1403.
JAGGER, W.S.
Jagger, W.S. Photoresponses of isolated frog rod outer segments 19: 159.

Jagger, W.S. Local stimulation and local adaptation of single isolated frog rod outer segments 19: 381.

JAKIELA, H.G.
Linsenmeier, R.A., Frishman, L.J., Jakiela, H.G. and Enroth-Cugell, C. Receptive field properties of X and Y cells in the cat retina derived from contrast sensitivity measurements 22: 1173.

JAMAR, J.H.T.
Jamar, J.H.T., Campagne, J.C. and Koenderink, J.J. Detectability of amplitude- and frequency-modulation of suprathreshold sine-wave gratings 22: 407.

JANSEN, P.A.A.
Salceda, R., van Roosmalen, G.R.E.M., Jansen, P.A.A., Bonting, S.L. and Daemen, F.J.M. Nucleotide content of isolated bovine rod outer segments 22: 1469.

JASSIK-GERSCHENFELD, D.
Jassik-Gerschenfeld, D. and Hardy, O. Single-neuron responses to moving sine-wave gratings in the pigeon optic tectum 19: 993.
Hardy, O. and Jassik-Gerschenfeld, D. Spatial frequency and temporal frequency selectivity of single cells in the pigeon optic tectum 19: 1001.
Jassik-Gerschenfeld, D. and Hardy, O. Single-cell responses to bar width and to sine-wave grating frequency in the pigeon optic tectum 21: 745.

JAZAK, M.M.
Olivo, R.F. and Jazak, M.M. Proprioception provides a major input to the horizontal oculomotor system of crayfish 20: 349.

JEFFREYS, D.A.
Smith, A.T. and Jeffreys, D.A. Size and orientation specificity of transient visual evoked potentials in man 18: 651.
Musselwhite, M.J. and Jeffreys, D.A. Pattern-evoked potentials and Bloch's law 22: 897.

JENKINS, S.E.
Jenkins, S.E. and Cole, B.L. The effect of the density of background elements on the conspicuity of objects 22: 1241.

JENNINGS, J.A.M.
Charman, W.N. and Jennings, J.A.M. Properties of annular artificial pupils 19: 947.
Jennings, J.A.M. and Charman, W.N. Off-axis image quality in the human eye 21: 445.

JOHNSON, C.
Sperling, H.G., Johnson, C. and Harwerth, R.S. Differential spectral photic damage to primate cones 20: 1117.

JOHNSON, C.A.
Johnson, C.A., Keltner, J.L. and Balestrery, F. Effects of target size and eccentricity on visual detection and resolution 18: 1217.
Johnson, C.A. and Scobey, R.P. Foveal and peripheral displacement thresholds as a function stimulus luminance, line length and duration of movement 20: 709.
Scobey, R.P. and Johnson, C.A. Displacement thresholds for unidirectional and oscillatory movement 21: 1297.
Johnson, C.A. and Scobey, R.P. Effects of reference lines on displacement thresholds at various durations of movement 22: 819.

JOHNSON, M.S.
Muntz, W.R.A. and Johnson, M.S. Rhodopsins of oceanic decapods 18: 601.

JOHNSTON, A.
Wright, M.J. and Johnston, A. The effects of contrast and length of gratings on the visual evoked potential 22: 1389.

JOHNSTONE, J.R.
Ross, J. and Johnstone, J.R. Phase and detection of compound gratings 20: 189.
Campbell, F.W., Johnstone, J.R. and Ross, J. An explanation for the visibility of low frequency gratings 21: 723.
Ross, J., Holt, J.J. and Johnstone, J.R. High frequency limitations on Mach bands 21: 1165.

JONES, K.
Sokol, S. and Jones, K. Implicit time of pattern evoked potentials in infants: an index of maturation of spatial vision 19: 747.

JONES, R.E.
Jones, R.E., DeFeo, D. and Piatigorsky, J. Initial studies of cultured embryonic chick lens epithelial cells infected with a temperature-sensitive Rous sarcoma virus 21: 5.

DE JONGE, A.B.
de Jonge, A.B. A visual illusion of movement 22: 1413.

JUDGE, S.J.
Judge, S.J., Richmond, B.J. and Chu, F.C. Implantation of magnetic search coils for measurement of eye position: an improved method 20: 535.
JULESZ, B.
Tyler, C.W. and Julesz, B. Binocular cross-correlation in time and space 18: 101.
Lehmann, D. and Julesz, B. Lateralized cortical potentials evoked in humans by dynamic random-dot stereogram 18: 1265.
Miezin, F.M., Myerson, J., Julesz, B. and Allman, J.M. Evoked potentials to dynamic random-dot correlograms in monkey and man: a test for cyclopean perception 21: 177.
JUMBLATT, M.M.
Jumblatt, M.M. Intracellular potentials of cultured rabbit corneal endothelial cells: response to temperature and ouabain 21: 45.
JURGENS, R.
Becker, W. and Jurgens, R. An analysis of the saccadic system by means of double step stimuli 19: 967.
KAGAN, V.E.
Shvedova, A.A., Sidorov, A.S., Novikov, K.N., Galuschenko, I.V. and Kagan, V.E. Lipid peroxidation and electric activity of the retina 19: 49.
Kagan, V.E., Arkhipenko, Y.V., Belousova, L.V., Tyurin, V.A., Shvedova, A.A., Shukolyukov, S.A. and Kozlov, Y.P. Effects of products of phospholipid hydrolysis by phospholipases on rhodopsin thermal stability in photoreceptor membranes 21: 1029.
KAISER, P.K.
Boynton, R.M. and Kaiser, P.K. Temporal analog of the minimally distinct border 18: 111.
KAISER-KUPFER, M.
Russell, P., Uga, S., Zigler, J.S. Jr., Kaiser-Kupfer, M. and Kuwabara, T. Studies using human lenses from a family displaying hereditary congenital cataracts 21: 169.
KAITZ, M.
Kaitz, M. and Auerbach, E. Retinal degeneration in RCS rats raised under ambient light levels 19: 79.
Kaitz, M. and Auerbach, E. Action spectrum for light-induced retinal degeneration in dystrophic rats 19: 1041.
KAKITANI, T.
Kawamura, S., Tokunaga,F., Yoshizawa, T., Sarai, A. and Kakitani, T. Orientational changes of the transition dipole moment of retinal chromophore on the disk membrane due to the conversion of rhodopsin to bathorhodopsin and to isorhodopsin 19: 879.
KAMOSHITA, T.
Oyama, T., Mitsuboshi, M. and Kamoshita, T. Wavelength-specific brightness contrast as a function of surround luminance 20: 127.
KANEKO, A.
Kaneko, A., Nishimura, Y., Tachibana, M., Tauchi, M. and Shimai, K. Physiological and morphological studies of signal pathways in the carp retina 21: 1519.
KAPLAN, M.W.
Kaplan, M.W., Robinson, D.A. and Larsen, L.D. Rod outer segment birefringence bands record daily disc membrane synthesis 22: 1119.
KARVELLAS, P.C.
Karvellas, P.C., Pokorny, J., Smith, V.C. and Tanczos, Z. Hue reversal in the Fechner-Benham color effect following white light adaptation 19: 1277.
KARWOSKI, C.J.
Karwoski, C.J. Ganglion cell responses of the mudpuppy retina to sinusoidal flicker 18: 153.
Criswell, M.H., Karwoski, C.J. and Proenza, L.M. Species differences in the intraretinal electroretinogram within the leopard frog complex 19: 339.
Karwoski, C.J. and Proenza, L.M. Spatio-temporal variables in the relationship of neuronal activity to potassium and glial responses 21: 1713.
KATO, S.
Kato, S., Kuriyama, K., Ito, Y., Teranishi, T. and Negishi, K. [3H]-Dopamine uptake in the dark-adapted fish retina 21: 1189.
KATZ, S.
Crouch, R.K. and Katz, S. The effect of retinal isomers on the VER and ERG of vitamin A deprived rats 20: 109.
KAUFMAN, L.
Williamson, S.J., Kaufman, L. and Brenner, D. Latency of the

neuromagnetic response of the human visual cortex 18: 107.
Arditi, A.R. and Kaufman, L. Singleness of vision and the initial appearance of binocular disparity 18: 117.
Arditi, A.R., Kaufman, L. and Movshon, J.A. A simple explanation of the induced size effects 21: 755.
Okada, Y.C., Kaufman, L., Brenner, D. and Williamson, S.J. Modulation transfer functions of the human visual system revealed by magnetic field measurements 22: 319.

KAUPP, U.B.
Kaupp, U.B., Malbon, C.C., Battelle, B.-A. and Brown, J.E. Octopamine stimulated rise of cAMP in Limulus ventral photoreceptors 22: 1503.

KAWABATA, N.
Kawabata, N., Yamagami, K. and Noaki, M. Visual fixation points and depth perception 18: 853.
Kawabata, N. Analysis of the angle perception based on the angle matching technique 21: 701.

KAWAMURA, S.
Kawamura, S., Wakabayashi, S., Maeda, A. and Yoshizawa, T. Isorhodopsin: conformation and orientation of its chromophore in frog disk membrane 18: 457.
Kawamura, S., Tokunaga,F., Yoshizawa, T., Sarai, A. and Kakitani, T. Orientational changes of the transition dipole moment of retinal chromophore on the disk membrane due to the conversion of rhodopsin to bathorhodopsin and to isorhodopsin 19: 879.

KAYE, M.G.
Friedman, R.B., Kaye, M.G. and Richards, W.A. Effect of vertical disparity upon stereoscopic depth 18: 351.
Kaye, M.G. Stereopsis without binocular correlation 18: 1013.

KEAN, E.L.
Kean, E.L., Hara, S. and Lentrichia, B.B. Binding of neoglycoproteins by the chick pigment epithelial cell in culture 21: 133.

KECK, M.J.
Fritsch, K. and Keck, M.J. Grating generation by microcomputer 18: 1083.
Keck, M.J. and Price, R.L. Interocular transfer of the motion aftereffect in strabismus 22: 55.

KEEMINK, C.J.
Duwaer, A.L., van den Brink, G., van Antwerpen, G. and Keemink, C.J. Comparison of subjective and objective measurements of ocular alignment in the vertical direction 22: 983.

KELLER, E.L.
Keller, E.L. Gain of the vestibulo-ocular reflex in monkey at high rotational frequencies 18: 311.

KELLEY, J.J.
Riva, C.E., Kelley, J.J., Sinclair, S.H. and Loebl, M. Optical transmission of cataractous lens at 430 nm and blue field entoptoscopy 19: 1181.

KELLY, S.A.
White, T.W., Kelly, S.A. and Sturr, J.F. Large field early light adaptation 18: 1679.

KELTNER, J.L.
Johnson, C.A., Keltner, J.L. and Balestrery, F. Effects of target size and eccentricity on visual detection and resolution 18: 1217.

KEMP,C.M.
Ernst, W. and Kemp,C.M. Reversal of photoreceptor bleaching and adaptation by microsecond flashes 19: 363.

KENYON, R.V.
Kenyon, R.V., Ciuffreda, K.J. and Stark, L. Binocular eye movements during accommodative vergence 18: 545.

KERR, J.
Moreland, J.D. and Kerr, J. Optimization of a Rayleigh-type equation for the detection of tritanomaly 19: 1369.

KERTESZ, A.E.
Perlmutter, A.L. and Kertesz, A.E. Measurement of human vertical fusional response 18: 219.
Kertesz, A.E. and Sullivan, M.J. The effect of stimulus size on human cyclofusional response 18: 567.
Sullivan, M.J. and Kertesz, A.E. Binocular coordination of torsional eye movements in cyclofusional response 18: 943.

KHOO, M.C.K.
Sternheim, C.E., Stromeyer, C.F. III and Khoo, M.C.K. Visibility of chromatic flicker upon spectrally mixed adapting fields 19: 175.

KIMURA, M.
Kimura, M., Shiida, T., Tanaka, K. and Toyama, K. Three classes of area

19 cortical cells of the cat classified by their neuronal connectivity and photic responsiveness 20: 69.
Kimura, M., Komatsu, Y. and Toyama, K. Differential responses of "simple" and "complex" cells of cat's striate cortex during saccadic eye movements 20: 553.
Kimura, M. Neuronal mechanism of response of cat's striate cortex to flicker light stimulation 21: 225.

KING-SMITH, P.E.
King-Smith, P.E. and Riggs, L.A. Visual sensitivity to controlled motion of a line or edge 18: 1509.
Kranda, K. and King-Smith, P.E. Detection of coloured stimuli by independent linear systems 19: 733.
Abadi, R.V. and King-Smith, P.E. Congenital nystagmus modifies orientational detection 19: 1409.
King-Smith, P.E. and Kulikowski, J.J. The detection and recognition of two lines 21: 235.
King-Smith, P.E. and Kranda, K. Photopic adaptation in the red-green spectral range 21: 565.
Dain, S.J. and King-Smith, P.E. Visual thresholds in dichromats and normals: the importance of post-receptoral processes 21: 573.

KINNEAR, P.R.
Kinnear, P.R. The effects of coloured surrounds on colour naming and luminosity 19: 1381.

KINOSHITA, J.H.
Russell, P., Fukui, H.N. and Kinoshita, J.H. Properties of a Na-K ATPase inhibitor in cultured lens epithelial cells 21: 37.

KIORPES, L.
Williams, R.A., Boothe, R.G., Kiorpes, L. and Teller, D.Y. Oblique effects in normally reared monkeys (Macaca nemestrina): meridional variations in contrast sensitivity measured with operant techniques 21: 1253.

KIRK, D.B.
Kirk, D.B. Color discrimination at threshold: the approach through increment threshold sensitivity 22: 713.

KIRK, D.L.
Levick, W.R., Kirk, D.L. and Wagner, H.G. Neurophysiological tracing of a projection from temporal retina to contralateral visual cortex of the cat 21: 1677.

KITCHIN, J.E.
Hess, R.F., Howell, E.R. and Kitchin, J.E. On the relationship between pattern and movement perception in strabismic amblyopia 18: 375.

KITO, Y.
Naito, T., Nashima-Hayama, K., Ohtsu, K. and Kito, Y. Photoreactions of cephalopod rhodopsin 21: 935.

KITTERLE, F.L.
Kitterle, F.L. and Corwin, T.R. Enhancement of apparent contrast in flashed sinusoidal gratings 19: 33.

KLEIN, S.
Klein, S. and Stromeyer, C.F. III On inhibition between spatial frequency channels: adaptation to complex gratings 20: 459.
Stromeyer, C.F. III, Klein, S., Dawson, B.M. and Spillmann, L. Low spatial-frequency channels in human vision: adaptation and masking 22: 225.

KLINGAMAN, R.L.
Klingaman, R.L. Light adaptation in a normal and a rod monochromat: psychophysical and VEP increment threshold comparisons 19: 825.

KLOCK, I.B.
Bunt, A.H. and Klock, I.B. Comparative study of ^{3}H-fucose incorporation into vertebrate photoreceptor outer segments 20: 739.

KNIGHTON, R.W.
Fuller, D., Machemer, R. and Knighton, R.W. Retinal damage produced by intraocular fiber optic light 20: 1055.

KNOWLES, A.
Knowles, A. and Priestly, A. The preparation of 11-cis-retinal 18: 115.
Knowles, A. The chloride effect in chicken red cone receptors 20: 475.

KOENDERINK, J.J.
Koenderink, J.J. and van Doorn, A.J. Detectability of power fluctuations of temporal visual noise 18: 191.
Zuidema, P., Gresnigt, A.M., Bouman, M.A. and Koenderink, J.J. A quanta coincidence model for absolute threshold vision incorporating deviations from Ricco's law 18: 1685.
Koenderink, J.J. and van Doorn, A.J. Spatial summation for complex bar patterns 20: 169.

Jamar, J.H.T., Campagne, J.C. and Koenderink, J.J. Detectability of amplitude- and frequency-modulation of suprathreshold sine-wave gratings 22: 407.

KOLB, H.
Kolb, H., Nelson, R. and Mariani, A.P. Amacrine cells, bipolar cells and ganglion cells of the cat retina: a Golgi study 21: 1081.
Nelson, R., Kolb, H., Robinson, M.M. and Mariani, A.P. Neural circuitry of the cat retina: cone pathways to ganglion cells 21: 1527.
Normann, R.A. and Kolb, H. Anatomy and physiology of the horizontal cells of the visual streak region of the turtle retina 21: 1585.
Kolb, H. and Nelson, R. Amacrine cells of the cat retina 21: 1625.
Kolb, H. and Normann, R.A. A-type horizontal cells of the superior edge of the linear visual streak of the rabbit retina have oriented, elongated dendritic trees 22: 905.

KOMATSU, Y.
Kimura, M., Komatsu, Y. and Toyama, K. Differential responses of "simple" and "complex" cells of cat's striate cortex during saccadic eye movements 20: 553.

KONDO, H.
Saito, T., Kondo, H. and Toyoda, J.-i. Rod and cone signals in the on-center bipolar cell: their different ionic mechanisms 18: 591.

KONG, K.-L.
Wasserman, G.S. and Kong, K.-L. Wavelength-discrimination behavior in the grasshopper Phlaeoba 22: 757.

KONG, R.L.
Kong, R.L. and Werblin, F.S. Electrical properties of cones isolated from the tiger salamander retina 21: 1329.

KOOIJMAN, A.C.
Kooijman, A.C., Steneker, F.W.M. and Smeets, J.L.R.M. Effect of a background on foveal and parafoveal cone dark adaptation 18: 1381.

KORETZ, J.F.
Koretz, J.F. and Handelman, G.H. Model of the accommodative mechanism in the human eye 22: 917.

KORTELA, I.M.
Brown, J.L. and Kortela, I.M. A facilitation effect in orientation discrimination 18: 1239.

KORTH, M.
Korth, M. and Sokol, S. Electroretinographic and psychophysical measures of cone spectral mechanisms using the two-color threshold technique 20: 205.
Korth, M. Human fast retinal potentials and the spatial properties of a visual stimulus 21: 627.

KOWLER, E.
Kowler, E., Murphy, B.J. and Steinman, R.M. Velocity matching during smooth pursuit of different targets on different backgrounds 18: 603.
Kowler, E. and Steinman, R.M. Miniature saccades: eye movements that do not count 19: 105.
Kowler, E. and Steinman, R.M. The effect of expectations on slow oculomotor control-I. Periodic target steps 19: 619.
Kowler, E. and Steinman, R.M. The effect of expectations on slow oculomotor control-II. Single target displacements 19: 633.
Kowler, E. and Steinman, R.M. Small saccades serve no useful purpose: reply to a letter by R.W. Ditchburn 20: 273.
Kowler, E. and Steinman, R.M. The effect of expectations on slow oculomotor control-III. Guessing unpredictable target displacements 21: 191.

KOZASA, T.
Toyama, K. and Kozasa, T. Responses of Clare-Bishop neurones to three dimensional movement of a light stimulus 22: 571.

KOZLOV, Y.P.
Kagan, V.E., Arkhipenko, Y.V., Belousova, L.V., Tyurin, V.A., Shvedova, A.A., Shukolyukov, S.A. and Kozlov, Y.P. Effects of products of phospholipid hydrolysis by phospholipases on rhodopsin thermal stability in photoreceptor membranes 21: 1029.

VAN DER KRAATS, J.
van Norren, D. and van der Kraats, J. A continuously recording retinal densitometer 21: 897.

KRANDA, K.
Stromeyer, C.F. III, Kranda, K. and Sternheim, C.E. Selective chromatic adaptation at different spatial frequencies 18: 427.
Kranda, K. and King-Smith, P.E. Detection of coloured stimuli by independent linear systems 19: 733.
King-Smith, P.E. and Kranda, K. Photopic adaptation in the red-green

spectral range 21: 565.

KRATZ, K.E.
Kratz, K.E., Webb, S.V. and Sherman, S.M. Electrophysiological classification of X- and Y-cells in the cat's lateral geniculate nucleus 18: 1261.

KRAUSKOPF, J.
Krauskopf, J. and Reeves, A. Measurement of the effect of photon noise on detection 20: 193.
Krauskopf, J. Discrimination and detection of changes in luminance 20: 671.
Krauskopf, J., Williams, D.R. and Heeley, D.W. Computer controlled color mixer with laser primaries 21: 951.
Krauskopf, J., Williams, D.R. and Heeley, D.W. Cardinal directions of color space 22: 1123.

KRETZ, R.
Kretz, R., Ishida, A.T. and Stell, W.K. Ratfish retina - intracellular recordings and HRP injections in an isolated, superfused all-rod retina 22: 857.

KRONAUER, R.E.
Stromeyer, C.F. III, Kronauer, R.E. and Madsen, J.C. Response saturation of short-wavelength cone pathways controlled by color-opponent mechanisms 19: 1025.

KROON, J.N.
Rijsdijk, J.P., Kroon, J.N. and van der Wildt, G.J. Contrast sensitivity as a function of position on the retina 20: 235.
Kroon, J.N., Rijsdijk, J.P. and van der Wildt, G.J. Peripheral contrast sensitivity for sine-wave gratings and single periods 20: 243.
Kroon, J.N. and van der Wildt, G.J. Spatial frequency tuning studies: weighting as a prerequisite for describing psychometric curves by probability summation 20: 253.

KROPF, A.
Kropf, A. A new detergent for the study of visual pigments 22: 495.

KRUEGER, D.E.
Krueger, D.E. Degenerative retinal diseases and exposure to light: methods of epidemiological study 20: 1191.

KRUGER, J.
Kruger, J. Responses to wavelength contrast in the afferent visual systems of the cat and the rhesus monkey 19: 1351.
Kruger, J. The difference between X- and Y-type responses in ganglion cells of the cat's retina 21: 1685.

KUHN, H.
Hargrave, P.A., McDowell, J.H., Siemiatkowski-Juszczak, E.C., Fong, S.-L., Kuhn, H., Wang, J.K., Curtis, D.R., Rao, J.K.M., Argos, P. and Feldmann, R.J. The carboxyl-terminal one-third of bovine rhodopsin: its structure and function 22: 1429.

KULIKOWSKI, J.J.
Kulikowski, J.J. Pattern and movement detection in man and rabbit: separation and comparison of occipital potentials 18: 183.
Kulikowski, J.J. Spatial resolution for the detection of pattern and movement (real and apparent) 18: 237.
Wood, I.C.J. and Kulikowski, J.J. Pattern and movement detection in patients with reduced visual acuity 18: 331.
Kulikowski, J.J. and Gorea, A. Complete adaptation to patterned stimuli: a necessary and sufficient condition for Weber's law for contrast 18: 1223.
King-Smith, P.E. and Kulikowski, J.J. The detection and recognition of two lines 21: 235.
Kulikowski, J.J. and Bishop, P.O. Silent periodic cells in the cat striate cortex 22: 191.

KURIYAMA, K.
Kato, S., Kuriyama, K., Ito, Y., Teranishi, T. and Negishi, K. [3H]-Dopamine uptake in the dark-adapted fish retina 21: 1189.

KURTENBACH, W.
Magnussen, S. and Kurtenbach, W. Linear summation of tilt illusion and tilt aftereffect 20: 39.
Breitmeyer, B.G., Valberg, A., Kurtenbach, W. and Neumeyer, C. The lateral effect of oscillation of peripheral luminance gratings on the foveal increment threshold 20: 799.

KUWABARA, T.
Russell, P., Uga, S., Zigler, J.S. Jr., Kaiser-Kupfer, M. and Kuwabara, T. Studies using human lenses from a family displaying hereditary congenital cataracts 21: 169.

KUYK, T.K.
Kuyk, T.K. Spectral sensitivity of the peripheral retina to large and small stimuli 22: 1293.
TER LAAK, H.J.
ter Laak, H.J. and Thijssen, J.M. Receptive field properties of optic tract fibres from on-center sustained and transient cells in a tree shrew (Tupaia chinensis) 18: 1097.
ter Laak, H.J. and Thijssen, J.M. Definition of neural response and incremental sensitivity of retinal ganglion cells in a tree shrew (Tupaia chinensis) 19: 885.
ter Laak, H.J., Thijssen, J.M. and Vendrik, A.J.H. Intensity discrimination capacity of retinal ganglion cells of a tree shrew (Tupaia chinensis) 20: 149.
LAVAIL, M.M.
LaVail, M.M. Interaction of environmental light and eye pigmentation with inherited retinal degenerations 20: 1173.
LACHENMAYR, B.
Hartmann, E., Lachenmayr, B. and Brettel, H. The peripheral critical flicker frequency 19: 1019.
LACY, M.E.
Crouch, R.K., Veronee, C.D. and Lacy, M.E. Inhibition of rhodopsin regeneration by cyclohexyl derivatives 22: 1451.
LAI, C.E.
Freeman, R.D. and Lai, C.E. Development of the optical surfaces of the kitten eye 18: 399.
LALL, A.B.
Lall, A.B. and Meztroth, R. Spectral sensitivity of the endoparietal eye in Limulus polyphemus 19: 1055.
LAMB, T.D.
Lamb, T.D., Baylor, D.A. and Yau, K.-W. The membrane current of single rod outer segments 19: 385.
Yau, K.-W., Lamb, T.D., Matthews, G. and Baylor, D.A. Current fluctuations across single rod outer segments 19: 387.
Lamb, T.D. The involvement of rod photoreceptors in dark adaptation 21: 1773.
LANGE, R.V.
Arend, L.E. Jr. and Lange, R.V. Influence of exposure duration on the tuning of spatial channels 19: 195.
Arend, L.E. Jr. and Lange, R.V. Phase-dependent interaction of widely separated spatial frequencies in pattern discrimination 19: 1089.
Arend, L.E. Jr. and Lange, R.V. Narrow-band spatial mechanisms in apparent contrast matching 20: 143.
LANTZ, R.C.
Wong, F., Lantz, R.C. and Mauro, A. The role of calcium ions in the suppression of the photoresponse during anoxia and application of metabolic inhibitors 19: 251.
LARIMER, J.
Pugh, E.N. Jr. and Larimer, J. Test of the identity of the site of blue-yellow hue cancellation and the site of chromatic antagonism in the Pi_1 pathway 20: 779.
Larimer, J. Red-green opponent colors equilibria measured on chromatic adapting fields: evidence for gain changes and restoring forces 21: 501.
LARRIVEE, D.
Larrivee, D. and Goldsmith, T.H. Spectral dimorphism of crayfish visual pigment in solution 22: 727.
LARSEN, L.D.
Kaplan, M.W., Robinson, D.A. and Larsen, L.D. Rod outer segment birefringence bands record daily disc membrane synthesis 22: 1119.
LASLEY, D.J.
Lasley, D.J. and Cohn, T.E. Why luminance discrimination may be better than detection 21: 273.
Cohn, T.E., Leong, H. and Lasley, D.J. Binocular luminance detection: availability of more than one central interaction 21: 1017.
LAUFER, M.
Laufer, M. and Negishi, K. Enhancement of hyperpolarizing S-potentials by surround illumination in a teleost retina 18: 1005.
Laufer, M., Negishi, K. and Drujan, B.D. Pharmacological manipulation of spatial properties of S-potentials 21: 1657.
LAURINEN, P.
Virsu, V., Rovamo, J., Laurinen, P. and Nasanen, R. Temporal contrast sensitivity and cortical magnification 22: 1211.
LAVIN, E.
Lavin, E. and Costall, A. Detection thresholds of the Hermann Grid

illusion 18: 1061.

LAWDEN, M.C.
Lawden, M.C., Hess, R.F. and Campbell, F.W. The discriminability of spatial phase relationships in amblyopia 22: 1005.

LAWSON, R.B.
Levy, M.M. and Lawson, R.B. Stereopsis and binocular rivalry from dichoptic stereograms 18: 239.

LAWWILL, T.
Lawwill, T., Crockett, R.S., Currier, G. and Rosenberg, R.B. Review of the macaque model of light damage with implications for the use of ophthalmic instrumentation 20: 1113.

LEE, B.B.
Lee, B.B. and Willshaw, D.J. Responses of the various types of cat retinal ganglion cells to moving contours 18: 757.

LEE, C.P.
Lee, C.P. and Boothe, R.G. Visual acuity development in infant monkeys (Macaca nemestrina) having known gestational ages 21: 805.

LEEPER, H.F.
Leeper, H.F. and Copenhagen, D.R. Mixed rod-cone responses in horizontal cells of snapping turtle retina 19: 407.

LEGGE, G.E.
Legge, G.E. Sustained and transient mechanisms in human vision: temporal and spatial properties 18: 69.
Legge, G.E. Space domain properties of a spatial frequency channel in human vision 18: 959.
Legge, G.E. and Campbell, F.W. Displacement detection in human vision 21: 205.
Legge, G.E. A power law for contrast discrimination 21: 457.
Gottesman, J., Rubin, G.S. and Legge, G.E. A power law for perceived contrast in human vision 21: 791.
Foley, J.M. and Legge, G.E. Contrast detection and near-threshold discrimination in human vision 21: 1041.

LEGGETT, M.
Stowe, S. and Leggett, M. Retina-lamina connectivity and polarization sensitivity in crustacea 18: 1087.

LEGUIRE, L.E.
Fox, R., Lehmkuhle, S. and Leguire, L.E. Stereoscopic contours induce optokinetic nystagmus 18: 1189.

LEHMANN, D.
Lehmann, D. and Julesz, B. Lateralized cortical potentials evoked in humans by dynamic random-dot stereogram 18: 1265.

LEHMKUHLE, S.
Fox, R., Lehmkuhle, S. and Leguire, L.E. Stereoscopic contours induce optokinetic nystagmus 18: 1189.

LEIBOWITZ, H.W.
Post, R.B. and Leibowitz, H.W. The effect of convergence on the vestibulo-ocular reflex and implications for perceived movement 22: 461.

LEIBOWITZ, R.W.
Hodos, W. and Leibowitz, R.W. Simultaneous brightness contrast induction in pigeons 18: 179.

LEIGH, R.J.
Leigh, R.J., Newman, S.A., Zee, D.S. and Miller, N.R. Visual following during stimulation of an immobile eye (the open loop condition) 22: 1193.

LEMA, S.A.
Blake, R. and Lema, S.A. Inhibitory effect of binocular rivalry suppression is independent of orientation 18: 541.

LENNIE, P.
Lennie, P. Scotopic increment thresholds in retinal ganglion cells 19: 425.
Lennie, P. Parallel visual pathways: a review 20: 561.
Lennie, P. The physiological basis of variations in visual latency 21: 815.
Lennie, P., Hayhoe, M.M. and MacLeod, D.I.A. Stabilized vision through a bleaching window 22: 827.

LENTING, B.P.M.
Mastebroek, H.A.K., Zaagman, W.H. and Lenting, B.P.M. Movement detection: performance of a wide-field element in the visual system of the blowfly 20: 467.

LENTRICHIA, B.B.
Kean, E.L., Hara, S. and Lentrichia, B.B. Binding of neoglycoproteins by the chick pigment epithelial cell in culture 21: 133.

LEONG, H.
Conn, T.E., Leong, H. and Lasley, D.J. Binocular luminance detection: availability of more than one central interaction 21: 1017.
LETTVIN, J.Y.
Newman, E.A. and Lettvin, J.Y. Relation of the e-wave to ganglion cell activity and rod responses in the frog 18: 1181.
LEVI, D.M.
Harwerth, R.S. and Levi, D.M. Reaction time as a measure of suprathreshold grating detection 18: 1579.
Tyler, C.W., Nakayama, K., Apkarian, P.A. and Levi, D.M. VEP assessment of visual function 21: 607.
Breitmeyer, B.G., Levi, D.M. and Harwerth, R.S. Flicker masking in spatial vision 21: 1377.
Smith, E.L. III, Harwerth, R.S., Levi, D.M. and Boltz, R.L. Contrast increment thresholds of rhesus monkeys 22: 1153.
LEVICK, W.R.
Levick, W.R., Thibos, L.N. and Morstyn, R. Retinal ganglion cells and optic decussation of white cats 20: 1001.
Levick, W.R., Kirk, D.L. and Wagner, H.G. Neurophysiological tracing of a projection from temporal retina to contralateral visual cortex of the cat 21: 1677.
Thibos, L.N. and Levick, W.R. Astigmatic visual deprivation in cat: behavioral, optical and retinophysiological consequences 22: 43.
LEVINE, J.
Levine, J., Spillmann, L. and Wolf, E. Saturation enhancement in colored Hermann grids varying only in chroma 20: 307.
LEVINE, J.S.
Witkovsky, P., Levine, J.S., Engbretson, G.A., Hassin, G. and MacNichol, E.F. Jr. A microspectrophotometric study of normal and artificial visual pigments in the photoreceptors of Xenopus laevis 21: 867.
LEVINE, M.W.
Shefner, J.M. and Levine, M.W. A comparison of properties of goldfish retinal ganglion cells as a function of lighting conditions during dissection 19: 83.
Levine, M.W. and Shefner, J.M. X-like and not X-like cells in goldfish retina 19: 95.
Shefner, J.M. and Levine, M.W. An analysis of receptor inputs to and spatial distribution of ganglion cell on and off processes 19: 647.
LEVINE, R.L.
Makaretz, M. and Levine, R.L. A light microscopic study of the bifoveate retina in the lizard Anolis carolinensis: general observations and convergence ratios 20: 679.
LEVINSON, E.
Levinson, E. and Blake, R. Stereopsis by harmonic analysis 19: 73.
Levinson, E. and Sekuler, R. A two-dimensional analysis of direction-specific adaptation 20: 103.
LEVY, M.M.
Levy, M.M. and Lawson, R.B. Stereopsis and binocular rivalry from dichoptic stereograms 18: 239.
LIE, I.
Lie, I. Visual detection and resolution as a function of retinal locus 20: 967.
Lie, I. Visual detection and resolution as a function of adaptation and glare 21: 1793.
LIEBERMAN, H.R.
Richards, W.A. and Lieberman, H.R. Velocity blindness during shearing motion 22: 97.
LIEBMAN, P.A.
Liebman, P.A. and Pugh, E.N. Jr. The control of phosphodiesterase in rod disk membranes: kinetics, possible mechanisms and significance for vision 19: 375.
Fernald, R.D. and Liebman, P.A. Visual receptor pigments in the African cichlid fish, Haplochromis burtoni 20: 857.
Tsin, A.T.C., Liebman, P.A., Beatty, D.D. and Drzymala, R. Rod and cone visual pigments in the goldfish 21: 943.
Liebman, P.A. and Pugh, E.N. Jr. Gain, speed and sensitivity of GTP binding vs PDE activation in visual excitation 22: 1475.
LILLYWHITE, P.G.
Lillywhite, P.G. and Dvorak, D.R. Responses to single photons in a fly optomotor neurone 21: 279.
Lillywhite, P.G. Multiplicative intrinsic noise and the limits to visual performance 21: 291.

LIMB, J.O.
Limb, J.O. Prediction of the visibility of asynchronous gratings by a single-channel model 21: 1409.
LINSENMEIER, R.A.
Linsenmeier, R.A. and Hertz, B.G. Eye movements in paralyzed cats induced by drugs and sympathetic stimulation 19: 1249.
Linsenmeier, R.A., Frishman, L.J., Jakiela, H.G. and Enroth-Cugell, C. Receptive field properties of X and Y cells in the cat retina derived from contrast sensitivity measurements 22: 1173.
LIOU, G.I.
Liou, G.I., Bridges, C.D.B., Fong, S.-L., Alvarez, R.A. and Gonzalez-Fernandez, F. Vitamin A transport between retina and pigment epithelium - an interstitial protein carrying endogenous retinol (interstitial retinol-binding protein) 22: 1457.
LISHMAN, R.
Piggins, D., Lishman, R. and Bjorkvoll, M. An inexpensive screen for reflecting polarized light 19: 1185.
LITMAN, B.J.
Litman, B.J., Aton, B. and Hartley, J.B. Functional domains of rhodopsin 22: 1439.
LO, M.-V.C.
Lo, M.-V.C., Wong, F. and Pak, W.L. Increase in intracellular free calcium concentration of Limulus photoreceptors caused by a metabolic inhibitor 20: 539.
LOEBL, M.
Riva, C.E., Kelley, J.J., Sinclair, S.H. and Loebl, M. Optical transmission of cataractous lens at 430 nm and blue field entoptoscopy 19: 1181.
LOEW, E.R.
Loew, E.R. and Lythgoe, J.N. The ecology of cone pigments in teleost fishes 18: 715.
LOLLEY, R.N.
Farber, D.B., Brown, B.M. and Lolley, R.N. Cyclic GMP: proposed role in visual cell function 18: 497.
Lolley, R.N., Rayborn, M.E., Hollyfield, J.G. and Farber, D.B. Cyclic GMP and visual cell degeneration in the inherited disorder of rd mice: a progress report 20: 1157.
Lolley, R.N. and Racz, E. Calcium modulation of cyclic GMP synthesis in rat visual cells 22: 1481.
LONG, G.M.
Sakitt, B. and Long, G.M. Cones determine subjective offset of a stimulus but rods determine total persistence 19: 1439.
Long, G.M. and Sakitt, B. Differences between flicker and non-flicker persistence tasks: the effects of luminance and the number of cycles in a grating target 21: 1387.
Long, G.M. and Gildea, T.J. Latency for the perceived offset of brief target gratings 21: 1395.
Long, G.M. Receptor interactions and visual persistence 22: 1285.
LOOMIS, J.M.
Loomis, J.M. Lateral masking in foveal and eccentric vision 18: 335.
Loomis, J.M. and Berger, T. Effects of chromatic adaptation on color discrimination and color appearance 19: 891.
Loomis, J.M. Transient tritanopia: failure of time-intensity reciprocity in adaptation to longwave light 20: 837.
LOOP, M.S.
Loop, M.S., Bruce, L.L. and Petuchowski, S. Cat color vision: the effect of stimulus size, shape and viewing distance 19: 507.
Loop, M.S., Petuchowski, S. and Smith, D.C. Critical flicker fusion in normal and binocularly deprived cats 20: 49.
Schwartz, S.H. and Loop, M.S. Evidence for transient luminance and quasi-sustained color mechanisms 22: 445.
LOPEZ-COLOME, A.M.
Lopez-Colome, A.M. and Somohano, F. Characterization of [L-^{3}H]aspartate binding to chick retinal subcellular fractions 22: 1495.
LOVEGROVE, W.
Mapperson, B. and Lovegrove, W. Spatial frequency and orientation specificity of simultaneous and successive inhibition on monocular rivalry 18: 1461.
Lovegrove, W. and Mapperson, B. Colour selectivity in the tilt after-effect: comments upon Wade and Wenderoth 21: 355.
Lovegrove, W. and Badcock, D. The effect of spatial frequency on colour selectivity in the tilt illusion 21: 1235.
Lovegrove, W., Bowling, A. and Gannon, S. Orientation specificity in the

visible persistence for checkerboards 21: 1239.
Bowling, A. and Lovegrove, W. Two components to visible persistence: effects of orientation and contrast 21: 1241.
Mapperson, B., Bowling, A. and Lovegrove, W. Problems for an after-image explanation of monocular rivalry 22: 1233.

LOVISOLO, D.
Lovisolo, D., Prelato, M. and Veglia, F. The electrical response of the ocellus of Phalangium opilio 18: 1423.

LOWRY, O.H.
De Vries, G.W., Cohen, A.I., Lowry, O.H. and Ferrendelli, J.A. Cyclic nucleotide levels in light- and dark-adapted ground squirrel whole eyes 22: 1237.

LUPP, U.
Wolf, W., Hauske, G. and Lupp, U. How presaccadic gratings modify postsaccadic modulation transfer function 18: 1173.
Wolf, W., Hauske, G. and Lupp, U. Interaction of pre- and postsaccadic patterns having the same coordinates in space 20: 117.

LUTZOW, A.V.
Trappl, R. and Lutzow, A.V. A mathematical model of slow P III of the ERG: variation of stimulus duration 21: 1721.

LYON, J.E.
Lyon, J.E., Matteson, H.H. and Marx, M.S. Metacontrast in the fovea 21: 297.

LYTHGOE, J.N.
Loew, E.R. and Lythgoe, J.N. The ecology of cone pigments in teleost fishes 18: 715.

MACKAY, D.M.
MacKay, D.M. The time-course of induction of complementary images 18: 913.
MacKay, D.M., Gerrits, H.J.M. and Stassen, H.P.W. Interaction of stabilized retinal patterns with spatial visual noise 19: 713.

MACLEOD, D.I.A.
Blick, D.W. and MacLeod, D.I.A. Rod threshold: influence of neighboring cones 18: 1611.
Williams, D.R. and MacLeod, D.I.A. Interchangeable backgrounds for cone afterimages 19: 867.
Frome, F.S., MacLeod, D.I.A., Buck, S.L. and Williams, D.R. Large loss of visual sensitivity to flashed peripheral targets 21: 1323.
Williams, D.R., MacLeod, D.I.A. and Hayhoe, M.M. Foveal tritanopia 21: 1341.
Williams, D.R., MacLeod, D.I.A. and Hayhoe, M.M. Punctate sensitivity of the blue-sensitive mechanism 21: 1357.
Lennie, P., Hayhoe, M.M. and MacLeod, D.I.A. Stabilized vision through a bleaching window 22: 827.

MACNICHOL, E.F. JR.
Witkovsky, P., Levine, J.S., Engbretson, G.A., Hassin, G. and MacNichol, E.F. Jr. A microspectrophotometric study of normal and artificial visual pigments in the photoreceptors of Xenopus laevis 21: 867.

MACHEMER, R.
Fuller, D., Machemer, R. and Knighton, R.W. Retinal damage produced by intraocular fiber optic light 20: 1055.

MACK, A.
Mack, A. and Herman, E. The loss of position constancy during pursuit eye movements 18: 55.
Mack, A., Fendrich, R. and Pleune, J. Adaptation to an altered relation between retinal image displacements and saccadic eye movements 18: 1321.
Mack, A., Fendrich, R. and Wong, E. Is perceived motion a stimulus for smooth pursuit 22: 77.

MACKEBEN, M.
Nakayama, K. and Mackeben, M. Steady state visual evoked potentials in the alert primate 22: 1261.

MACY, A.
Easter, S.S. Jr. and Macy, A. Local control of retinomotor activity in the fish retina 18: 937.
Macy, A. Growth-related changes in the receptive field properties of retinal ganglion cells in goldfish 21: 1491.
Macy, A. and Easter, S.S. Jr. Growth-related changes in the size of receptive field centers of retinal ganglion cells in goldfish 21: 1497.

MADSEN, J.C.
Stromeyer, C.F. III, Kronauer, R.E. and Madsen, J.C. Response saturation of short-wavelength cone pathways controlled by color-opponent mechanisms 19: 1025.

MAEDA, A.
Kawamura, S., Wakabayashi, S., Maeda, A. and Yoshizawa, T. Isorhodopsin: conformation and orientation of its chromophore in frog disk membrane 18: 457.
MAFFEI, L.
Fiorentini, A., Maffei, L., Pirchio, M. and Spinelli, D. An electrophysiological correlate of perceptual suppression in anisometropia 18: 1617.
Campbell, F.W. and Maffei, L. The influence of spatial frequency and contrast on the perception of moving patterns 21: 713.
MAGNUSSEN, S.
Bjorklund, R.A. and Magnussen, S. Decrement versions of the Broca-Sulzer effect and its spatial analogue 19: 155.
Magnussen, S. and Bjorklund, R.A. The perception of suprathreshold sinusoidal flicker measured by light- and dark-phase matching 19: 335.
Magnussen, S. and Kurtenbach, W. Linear summation of tilt illusion and tilt aftereffect 20: 39.
MAHMUD, S.H.
Hansel, C.E.M. and Mahmud, S.H. Comparable retention times for the negative colour afterimage and the McCollough effect 18: 1601.
MAINSTER, M.A.
Delori, F.C., Parker, J.S. and Mainster, M.A. Light levels in fundus photography and fluroescein angiography 20: 1099.
MAKARETZ, M.
Makaretz, M. and Levine, R.L. A light microscopic study of the bifoveate retina in the lizard Anolis carolinensis: general observations and convergence ratios 20: 679.
MAKOUS, W.L.
Makous, W.L. and Peeples, D.R. Rod-cone interaction: reconciliation with Flamant and Stiles 19: 695.
Buck, S.L., Peeples, D.R. and Makous, W.L. Spatial patterns of rod-cone interaction 19: 775.
Pulos, E., Raymond, J.E. and Makous, W.L. Transient sensitization by a contrast flash 20: 281.
Buck, S.L. and Makous, W.L. Rod-cone interaction on large and small backgrounds 21: 1181.
Pulos, E. and Makous, W.L. Changes of visual sensitivity caused by on- and off-transients 22: 879.
Teller, D.Y., Mayer, D.L., Makous, W.L. and Allen, J.L. Do preferential looking techniques underestimate infant visual acuity? 22: 1017.
MALBON, C.C.
Kaupp, U.B., Malbon, C.C., Battelle, B.-A. and Brown, J.E. Octopamine stimulated rise of cAMP in Limulus ventral photoreceptors 22: 1503.
MALONEY, L.
Wandell, B.A., Welsh, D. and Maloney, L. Adaptation in the long-wavelength pathways 22: 1071.
MANDELMAN, T.
Sivak, J.G. and Mandelman, T. Chromatic dispersion of the ocular media 22: 997.
MANDL, G.
Guitton, D. and Mandl, G. A comparison between saccades and quick phases of vestibular nystagmus in the cat 20: 865.
Guitton, D. and Mandl, G. Oblique saccades of the cat: a comparison between the durations of horizontal and vertical components 20: 875.
MANSFIELD, J.G.
Stoper, A.E. and Mansfield, J.G. Metacontrast and paracontrast suppression of a contourless area 18: 1669.
MANSFIELD, R.J.W.
Mansfield, R.J.W. and Daugman, J.G. Retinal mechanisms of visual latency 18: 1247.
Mansfield, R.J.W. and Nachmias, J. Perceived direction of motion under retinal image stabilization 21: 1423.
MAPPERSON, B.
Mapperson, B. and Lovegrove, W. Spatial frequency and orientation specificity of simultaneous and successive inhibition on monocular rivalry 18: 1461.
Lovegrove, W. and Mapperson, B. Colour selectivity in the tilt after-effect: comments upon Wade and Wenderoth 21: 355.
Mapperson, B., Bowling, A. and Lovegrove, W. Problems for an after-image explanation of monocular rivalry 22: 1233.
MARC, R.E.
Marc, R.E. Spatial organization of neurochemically classified interneurons of the goldfish retina-I. Local patterns 22: 589.

MARCHIAFAVA, P.L.
Marchiafava, P.L. The responses of retinal ganglion cells to stationary and moving visual stimuli 19: 1203.
Weiler, R. and Marchiafava, P.L. Physiological and morphological study of the inner plexiform layer in the turtle retina 21: 1635.
MARGRY, R.J.C.F.
Margry, R.J.C.F., Jacobs, C.W.M., de Grip, W.J. and Daemen, F.J.M. Interference of detergents in immunoassays of rhodopsin 22: 1447.
MARIANI, A.P.
Kolb, H., Nelson, R. and Mariani, A.P. Amacrine cells, bipolar cells and ganglion cells of the cat retina: a Golgi study 21: 1081.
Nelson, R., Kolb, H., Robinson, M.M. and Mariani, A.P. Neural circuitry of the cat retina: cone pathways to ganglion cells 21: 1527.
MARTELLO, M.
Maurer, D. and Martello, M. The discrimination of orientation by young infants 20: 201.
MARTHINSEN, S.
Valberg, A., Olsen, B.T. and Marthinsen, S. Peripheral contrast reversal inhibits visually evoked potentials in the fovea 21: 947.
MARTIN, G.R.
Bowmaker, J.K. and Martin, G.R. Visual pigments and colour vision in a nocturnal bird, Strix aluco (tawny owl) 18: 1125.
Hassell, J.R., Newsome, D.A. and Martin, G.R. Isolation and characterization of the proteoglycans and collagens synthesized by cells in culture 21: 49.
MARTINOYA, C.
Martinoya, C., Rey, J. and Bloch, S. Limits of the pigeon's binocular field and direction for best binocular viewing 21: 1197.
MARX, M.S.
Lyon, J.E., Matteson, H.H. and Marx, M.S. Metacontrast in the fovea 21: 297.
MAS, M.T.
McDowell, J.H., Mas, M.T., Griffith, K.D. and Hargrave, P.A. The reactivity of the sulfhydryl groups of rhodopsin in rod outer segment membranes 19: 1143.
MASSE, D.
Prablanc, C., Masse, D. and Echallier, J.F. Error-correcting mechanisms in large saccades 18: 557.
MASSOF, R.W.
Massof, R.W. Wavelength dependence of the shape of foveal absolute threshold probability of detection functions 21: 995.
MASTEBROEK, H.A.K.
Mastebroek, H.A.K., Zaagman, W.H. and Lenting, B.P.M. Movement detection: performance of a wide-field element in the visual system of the blowfly 20: 467.
MASTERSON, E.
Masterson, E., Goldman, A.I. and Chader, G.J. Phagocytosis of rod outer segments by cultured epithelial cells 21: 143.
MATEEF, S.
Mitrani, L., Dimitrov, G., Yakimoff, N. and Mateef, S. Oculomotor and perceptual localization during smooth eye movements 19: 609.
MATIN, E.
Matin, L., Pola, J., Matin, E. and Picoult, E. Vernier discrimination with sequentially-flashed lines: roles of eye movements, retinal offsets and short-term memory 21: 647.
Matin, E. Saccadic suppression and the dual mechanism theory of direction constancy 22: 335.
MATIN, L.
Matin, L., Pola, J., Matin, E. and Picoult, E. Vernier discrimination with sequentially-flashed lines: roles of eye movements, retinal offsets and short-term memory 21: 647.
MATSUMOTO, H.
Matsumoto, H. and Yoshizawa, T. Recognition of opsin to the longitudinal length of retinal isomers in the formation of rhodopsin 18: 607.
MATSUURA, T.
Matsuura, T., Miller, W.H. and Tomita, T. Cone-specific c-wave in the turtle retina 18: 767.
MATTESON, H.H.
May, J.G., Agamy, G. and Matteson, H.H. The range of spatial frequency contingent color aftereffects 18: 917.
Lyon, J.E., Matteson, H.H. and Marx, M.S. Metacontrast in the fovea 21: 297.

MATTHES, M.T.
Basinger, S.F. and Matthes, M.T. The effect of long-term constant light on the frog pigment epithelium 20: 1143.
MATTHEWS, G.
Yau, K.-W., Lamb, T.D., Matthews, G. and Baylor, D.A. Current fluctuations across single rod outer segments 19: 387.
MAUMENEE, I.H.
Del Monte, M.A. and Maumenee, I.H. In vitro culture of human retinal pigment epithelium for biochemical and metabolic study 21: 137.
MAURER, D.
Maurer, D. and Martello, M. The discrimination of orientation by young infants 20: 201.
Sireteanu, R. and Maurer, D. The development of the kitten's visual field 22: 1105.
MAURER, E.
Hood, D.C., Ilves, T., Maurer, E., Wandell, B.A. and Buckingham, E. Human cone saturation as a function of ambient intensity: a test of models of shifts in the dynamic range 18: 983.
MAURICE, D.M.
Maurice, D.M., McCulley, J.P. and Schwartz, B.D. The use of cultured endothelium in keratoplasty 21: 173.
MAURO, A.
Wong, F., Lantz, R.C. and Mauro, A. The role of calcium ions in the suppression of the photoresponse during anoxia and application of metabolic inhibitors 19: 251.
MAY, J.G.
May, J.G., Agamy, G. and Matteson, H.H. The range of spatial frequency contingent color aftereffects 18: 917.
May, J.G., Cullen, J.K. Jr., Moskowitz-Cook, A. and Siegfried, J.B. Effects of meridional variation on steady-state visual evoked potentials 19: 1395.
MAYER, D.L.
Teller, D.Y., Mayer, D.L., Makous, W.L. and Allen, J.L. Do preferential looking techniques underestimate infant visual acuity? 22: 1017.
Mayer, D.L. and Dobson, V. Visual acuity development in infants and young children, as assessed by operant preferential looking 22: 1141.
MAYER, M.J.
Switkes, E., Mayer, M.J. and Sloan, J.A. Spatial frequency analysis of the visual environment: anisotropy and the carpentered environment hypothesis 18: 1393.
MAYHEW, J.E.W.
Mayhew, J.E.W. and Frisby, J.P. Suprathreshold contrast perception and complex random textures 18: 895.
Mayhew, J.E.W. and Frisby, J.P. Convergent disparity discriminations in narrow-band-filtered random-dot stereograms 19: 63.
Frisby, J.P. and Mayhew, J.E.W. The role of spatial frequency tuned channels in vergence control 20: 727.
Mayhew, J.E.W. and Frisby, J.P. The induced effect: arguments against the theory of Arditi, Kaufman and Movshon (1981) 22: 1225.
McCANN, G.D.
Fargason, R.D. and McCann, G.D. Response properties of peripheral retinula cells within Drosophila visual mutants to monochromatic Gaussian white-noise stimuli 18: 809.
McCANN, J.J.
McCann, J.J., Savoy, R.L. and Hall, J.A. Jr. Visibility of low-frequency sine-wave targets: dependence on number of cycles and surround parameters 18: 891.
McCORMICK, M.G.
Wartzok, D. and McCormick, M.G. Color discrimination by a Bering Sea spotted seal, Phoca largha 18: 781.
McCOURT, M.E.
McCourt, M.E. A spatial frequency dependent grating-induction effect 22: 119.
McCULLEY, J.P.
Maurice, D.M., McCulley, J.P. and Schwartz, B.D. The use of cultured endothelium in keratoplasty 21: 173.
McDOWELL, J.H.
McDowell, J.H., Mas, M.T., Griffith, K.D. and Hargrave, P.A. The reactivity of the sulfhydryl groups of rhodopsin in rod outer segment membranes 19: 1143.
Hargrave, P.A., McDowell, J.H., Siemiatkowski-Juszczak, E.C., Fong, S.-L., Kuhn, H., Wang, J.K., Curtis, D.R., Rao, J.K.M., Argos, P. and Feldmann, R.J. The carboxyl-terminal one-third of bovine rhodopsin: its

structure and function 22: 1429.
McGEE, S.J.
Reddan, J.R., Friedman, T.B., Mostafapour, M.K., Bondy, R.L., Sutherland, S.H., McGee, S.J. and Goldenberg, M. Donor age influences the growth of rabbit lens epithelial cells in vitro 21: 11.
McILWAIN, J.T.
Foster, D.H., Thorson, J., McIlwain, J.T. and Biederman-Thorson, M. The fine-grain movement illusion: a perceptual probe of neuronal connectivity in the human visual system 21: 1123.
McKEE, S.P.
McKee, S.P. A local mechanism for differential velocity detection 21: 491.
McREYNOLDS, J.S.
Belgum, J.H., Dvorak, D.R. and McReynolds, J.S. Light-evoked sustained inhibition in mudpuppy retinal ganglion cells 22: 257.
VAN DER MEER, H.C.
van der Meer, H.C. Linear combinations of stereoscopic depth effects in dichoptic perception of gratings 18: 707.
VAN MEETEREN, A.
van Meeteren, A. On the detective quantum efficiency of the human eye 18: 257.
van Meeteren, A. and Barlow, H.B. The statistical efficiency for detecting sinusoidal modulation of average dot density in random figures 21: 765.
van Meeteren, A. Contrast paradox of line target upon grating background 22: 337.
MEIJER, J.G.
Meijer, J.G., van der Wildt, G.J. and van den Brink, G. Twin-flash response as a function of flash diameter 18: 1111.
MEIRI, A.Z.
Hadani, I., Gur, M., Meiri, A.Z. and Fender, D.H. Hyperacuity in the detection of absolute and differential displacements of random dot patterns 20: 947.
Hadani, I., Gur, M. and Meiri, A.Z. Detection of differential displacements of random dot patterns at different dot densities 21: 1193.
MEISSL, H.
Donley, C.S. and Meissl, H. Characteristics of slow potentials from the frog epiphysis (Rana esculenta): possible mass photoreceptor potentials 19: 1343.
Meissl, H. and Donley, C.S. Change of threshold after light-adaptation of the chromatic response of the frog's pineal organ (Stirnorgan) 20: 379.
MENZEL, R.
Menzel, R., Erber, J. and Greggers, U. On-line computation of photoreceptor spectral sensitivity - a low cost solution with a programmable pocket calculator 18: 879.
MERIGAN, W.H.
Merigan, W.H. Temporal modulation sensitivity of macaque monkeys 20: 953.
Pasternak, T. and Merigan, W.H. The luminance dependence of spatial vision in the cat 21: 1333.
MERKER, B.H.
Merker, B.H. and Held, R. Eye torsion and the apparent horizon under head tilt and visual field rotation 21: 543.
MERTZ, H.
Goodenough, D.R., Sigman, E., Oltman, P.K., Rosso, J. and Mertz, H. Eye torsion in response to a tilted visual stimulus 19: 1177.
METZLER, D.E.
Metzler, D.E. and Harris, C.M. Shapes of spectral bands of visual pigments 18: 1417.
MEYER, G.E.
Meyer, G.E., Jackson, W.E. and Yang, C. Spatial frequency, orientation and color: interocular effects of adaptation on the perceived duration of gratings 19: 1197.
Meyer, G.E. and Sherman, R.K. Reversible figures and the motion after-effect 21: 361.
MEZRICH, J.J.
Mezrich, J.J. Modification of spatial frequency processing rates with multiple frequency stimuli 18: 1505.
Mezrich, J.J. Structure visibility change with contrast reversal 19: 327.
MEZTROTH, R.
Lall, A.B. and Meztroth, R. Spectral sensitivity of the endoparietal eye in Limulus polyphemus 19: 1055.

MIEZIN, F.M.
Miezin, F.M., Myerson, J., Julesz, B. and Allman, J.M. Evoked potentials to dynamic random-dot correlograms in monkey and man: a test for cyclopean perception 21: 177.

MILLER, D.T.
Andrews, D.P. and Miller, D.T. Acuity for spatial separation as a function of stimulus size 18: 615.

MILLER, G.G.
Creighton, M.O., Mousa, G.Y., Miller, G.G., Blair, D.G. and Trevithick, J.R. Differentiation of rat lens epithelial cells in tissue culture-IV. Some characteristics of the process, including possible in vitro models for pathogenic processes in cataractogenesis 21: 25.

MILLER, J.
White, K.D., Petry, H.M., Riggs, L.A. and Miller, J. Binocular interactions during establishment of McCollough effects 18: 1201.

MILLER, J.M.
Miller, J.M., Ono, H. and Steinbach, M.J. Additivity of fusional vergence and pursuit eye movements 20: 43.
Miller, J.M. Information used by the perceptual and oculomotor systems regarding the amplitude of saccadic and pursuit eye movements 20: 59.

MILLER, N.R.
Leigh, R.J., Newman, S.A., Zee, D.S. and Miller, N.R. Visual following during stimulation of an immobile eye (the open loop condition) 22: 1193.

MILLER, W.H.
Matsuura, T., Miller, W.H. and Tomita, T. Cone-specific c-wave in the turtle retina 18: 767.

MILLODOT, M.
Millodot, M. and Sivak, J.G. Hypermetropia of small animals and chromatic aberration 18: 125.
Millodot, M. and Sivak, J.G. Contribution of the cornea and lens to the spherical aberration of the eye 19: 685.

MITCHELL, D.E.
Anderson, P., Mitchell, D.E. and Timney, B. Residual binocular interaction in stereoblind humans 20: 603.

MITRANI, L.
Mitrani, L. and Dimitrov, G. Pursuit eye movements of a disappearing moving target 18: 537.
Mitrani, L., Dimitrov, G., Yakimoff, N. and Mateef, S. Oculomotor and perceptual localization during smooth eye movements 19: 609.
Bozkov, V., Bohdanecky, Z., Radil-Weiss, T., Mitrani, L. and Yakimoff, N. Scanning open and closed polygons 22: 721.
Mitrani, L. and Dimitrov, G. Retinal location and visual localization during pursuit eye movement 22: 1047.

MITSUBOSHI, M.
Oyama, T., Mitsuboshi, M. and Kamoshita, T. Wavelength-specific brightness contrast as a function of surround luminance 20: 127.
Mitsuboshi, T., Mitsuboshi, M. and Torii, S. The decrease in the threshold on the dark side of the luminance edge in the after-flash effect 22: 1329.

MITSUBOSHI, T.
Mitsuboshi, T., Mitsuboshi, M. and Torii, S. The decrease in the threshold on the dark side of the luminance edge in the after-flash effect 22: 1329.

MOELLER, J.
Alpern, M., Bastian, B. and Moeller, J. In search of the elusive long-wave fundamental 22: 627.

MOHINDRA, I.
Gwiazda, J., Brill, S., Mohindra, I. and Held, R. Infant visual acuity and its meridional variation 18: 1557.
Held, R., Gwiazda, J.,Brill, S., Mohindra, I. and Wolfe, J.M. Infant visual acuity is underestimated because near threshold gratings are not preferentially fixated 19: 1377.

MOLLON, J.D.
Pugh, E.N. Jr. and Mollon, J.D. A theory of the Pi_1 and Pi_3 color mechanisms of Stiles 19: 293.
Mollon, J.D. and Polden, P.G. Post-receptoral adaptation 19: 435.

DE MONASTERIO, F.M.
de Monasterio, F.M. Macular pigmentation and the spectral sensitivity of retinal ganglion cells of macaques 18: 1273.
de Monasterio, F.M. Signals from blue cones in "red-green" opponent-colour ganglion cells of the macaque retina 19: 441.

MONTELLESE, S.
Montellese, S., Sharpe, L.T. and Brown, J.L. Changes in critical duration during dark-adaptation 19: 1147.
MOOIJ, J.E.M.
van den Berg, T.J.T.P. and Mooij, J.E.M. Eye media absorption in goldfish 22: 1229.
MOON, M.E.
Moon, M.E., Clarke, A.M., Ruffolo, J.J. Jr., Mueller, H.A. and Ham, W.T. Jr. Visual performance in the rhesus monkey after exposure to blue light 18: 1573.
MOONEY, R.D.
Mooney, R.D. GABA and the lateral spread of tonic activity in frog retina 19: 501.
MOORE, R.K.
Volkmann, F.C., Riggs, L.A., White, K.D. and Moore, R.K. Contrast sensitivity during saccadic eye movements 18: 1193.
Riggs, L.A., Volkmann, F.C. and Moore, R.K. Suppression of the blackout due to blinks 21: 1075.
Riggs, L.A., Volkmann, F.C., Moore, R.K. and Ellicott, A.G. Perception of suprathreshold stimuli during saccadic eye movement 22: 423.
Petry, H.M., Donovan, W.J., Moore, R.K., Dixon, W.B. and Riggs, L.A. Changes in the human visually evoked cortical potential in response to chromatic modulation of a sinusoidal grating 22: 745.
Volkmann, F.C., Riggs, L.A., Ellicott, A.G. and Moore, R.K. Measurements of visual suppression during opening, closing and blinking of the eyes 22: 991.
MOORHEAD, I.R.
Moorhead, I.R. and Saunders, J.E. Discrimination and detection thresholds: the effect of observer criterion on the spatial properties of chromatic and achromatic mechanisms 22: 1057.
MOOY, J.E.M.
Spekreijse, H., Mooy, J.E.M. and van den Berg, T.J.T.P. Photopigments and carp ganglion cell action spectra 21: 1601.
MORAN, J.
Moran, J. and Gordon, B. Long term visual deprivation in a human 22: 27.
MORELAND, J.D.
Moreland, J.D. and Kerr, J. Optimization of a Rayleigh-type equation for the detection of tritanomaly 19: 1369.
MORGAN, M.J.
Morgan, M.J. and Turnbull, D.F. Smooth eye tracking and the perception of motion in the absence of real movement 18: 1053.
Morgan, M.J. Perception of continuity in stroboscopic motion: a temporal frequency analysis 19: 491.
Morgan, M.J. and Ward, R. Conditions for motion flow in dynamic visual noise 20: 431.
Morgan, M.J. and Watt, R.J. Hyperacuity for luminance phase angle in the human visual system 22: 863.
Morgan, M.J. and Watt, R.J. The modulation transfer function of a display oscilloscope: measurements and comments 22: 1083.
Morgan, M.J. and Watt, R.J. Effect of motion sweep duration and number of stations upon interpolation in discontinuous motion 22: 1277.
MORRONE, C.M.
Hoffmann, K.-P., Morrone, C.M. and Reuter, J.H. A comparison of the responses of single cells in the LGN and visual cortex to bar and noise stimuli in the cat 20: 771.
MORSTYN, R.
Levick, W.R., Thibos, L.N. and Morstyn, R. Retinal ganglion cells and optic decussation of white cats 20: 1001.
MOSELEY, H.
Moseley, H. A geometric method for measuring the distance between a point on the surface of the eye and the tip of a needle or instrument within the eye 18: 1697.
MOSKOWITZ, A.
Moskowitz, A. and Sokol, S. Spatial and temporal interaction of pattern-evoked cortical potentials in human infants 20: 699.
Sokol, S. and Moskowitz, A. Effect of retinal blur on the peak latency of the pattern evoked potential 21: 1279.
Held, R., Shattuck-Hufnagel, S. and Moskowitz, A. Color-contingent tilt aftereffect: spatial frequency specificity 22: 811.
MOSKOWITZ-COOK, A.
Moskowitz-Cook, A. The development of photopic spectral sensitivity in human infants 19: 1133.
May, J.G., Cullen, J.K. Jr., Moskowitz-Cook, A. and Siegfried, J.B.

Effects of meridional variation on steady-state visual evoked potentials 19: 1395.

MOSTAFAPOUR, M.K.
Reddan, J.R., Friedman, T.B., Mostafapour, M.K., Bondy, R.L., Sutherland, S.H., McGee, S.J. and Goldenberg, M. Donor age influences the growth of rabbit lens epithelial cells in vitro 21: 11.

MOUSA, G.Y.
Creighton, M.O., Mousa, G.Y., Miller, G.G., Blair, D.G. and Trevithick, J.R. Differentiation of rat lens epithelial cells in tissue culture-IV. Some characteristics of the process, including possible in vitro models for pathogenic processes in cataractogenesis 21: 25.

MOVSHON, J.A.
Arditi, A.R., Anderson, P.A. and Movshon, J.A. Monocular and binocular detection of moving sinusoidal gratings 21: 329.
Arditi, A.R., Kaufman, L. and Movshon, J.A. A simple explanation of the induced size effects 21: 755.

MUELLER, H.A.
Moon, M.E., Clarke, A.M., Ruffolo, J.J. Jr., Mueller, H.A. and Ham, W.T. Jr. Visual performance in the rhesus monkey after exposure to blue light 18: 1573.
Ham, W.T. Jr., Ruffolo, J.J. Jr., Mueller, H.A. and Guerry, D. III The nature of retinal radiation damage: dependence on wavelength, power level and exposure time 20: 1105.

MULLIGAN, J.B.
Stromeyer, C.F. III, Mulligan, J.B., Birch, D.G. and Dawson, B.M. Adaptation to polarized light in humans 22: 217.

MULVANNY, P.
Mulvanny, P. Velocity discrimination by pigeons 18: 531.

MUNK, O.
Munk, O. Cones in the eye of the deep-sea teleost Diretmus argenteus 22: 179.

MUNOZ-CUEVAS, A.
Carricaburu, P. and Munoz-Cuevas, A. L'electroretinogramme des Opilions epigees et cavernicoles 18: 1229.

MUNTZ, W.R.A.
Muntz, W.R.A. and Johnson, M.S. Rhodopsins of oceanic decapods 18: 601.
Muntz, W.R.A. and Richard, D.S. Photomechanical movements in the trout retina following brief flashes of light 22: 529.

MURATORE, R.
Muratore, R. and Zee, D.S. Pursuit after-nystagmus 19: 1057.

MURCH, G.M.
Murch, G.M. and Paulson, J.A. Colorimetric matches of McCullough aftereffects 18: 365.
Murch, G.M. The role of test pattern background hue in the McCollough effect 19: 939.

MURPHY, B.J.
Murphy, B.J. Pattern thresholds for moving and stationary gratings during smooth eye movement 18: 521.
Kowler, E., Murphy, B.J. and Steinman, R.M. Velocity matching during smooth pursuit of different targets on different backgrounds 18: 603.
Watson, A.B., Thompson, P.G., Murphy, B.J. and Nachmias, J. Summation and discrimination of gratings moving in opposite directions 20: 341.

MUSSELMAN, J.F.
Wyatt, H.J. and Musselman, J.F. Pupillary light reflex in humans: evidence for an unbalanced pathway from nasal retina, and for signal cancellation in brainstem 21: 513.

MUSSELWHITE, M.J.
Musselwhite, M.J. and Jeffreys, D.A. Pattern-evoked potentials and Bloch's law 22: 897.

MUZQUIZ, L.
Pacheco, P. and Muzquiz, L. Two retinal processes displayed in the cat electroretinogram 22: 1525.

MYERSON, J.
Miezin, F.M., Myerson, J., Julesz, B. and Allman, J.M. Evoked potentials to dynamic random-dot correlograms in monkey and man: a test for cyclopean perception 21: 177.

NACHMIAS, J.
Graham, N., Robson, J.G. and Nachmias, J. Grating summation in fovea and periphery 18: 815.
Watson, A.B. and Nachmias, J. Summation of asynchronous gratings 20: 91.
Watson, A.B., Thompson, P.G., Murphy, B.J. and Nachmias, J. Summation and discrimination of gratings moving in opposite directions 20: 341.
Nachmias, J. On the psychometric function for contrast detection 21: 215.

Mansfield, R.J.W. and Nachmias, J. Perceived direction of motion under retinal image stabilization 21: 1423.

NAEGELE, J.R.
Naegele, J.R. and Held, R. The postnatal development of monocular optokinetic nystagmus in infants 22: 341.

NAGANO, T.
Nagano, T. and Yamagami, K. Temporal sensitivities to square-wave gratings, sawtooth-wave gratings and their fundamentals: more evidence for multiple spatial frequency channels in human vision 22: 1053.

NAGLE, M.
Nagle, M., Bridgeman, B. and Stark, L. Voluntary nystagmus, saccadic suppression, and stabilization of the visual world 20: 717.

NAGY, A.L.
Nagy, A.L. Unique hues are not invariant with brief stimulus durations 19: 1427.
Nagy, A.L. Short-flash Bezold-Brucke hue shifts 20: 361.

NAITO, T.
Naito, T., Nashima-Hayama, K., Ohtsu, K. and Kito, Y. Photoreactions of cephalopod rhodopsin 21: 935.

NAKA, K.-I.
Naka, K.-I. A class of catfish amacrine cells responds preferentially to objects which move vertically 20: 961.
Naka, K.-I. The cells horizontal cells talk to 22: 653.

NAKAMIZO, S.
Ono, H. and Nakamizo, S. Changing fixation in the transverse plane at eye level and Hering's law of equal innervation 18: 511.
Ono, H., Nakamizo, S. and Steinbach, M.J. Nonadditivity of vergence and saccadic eye movement 18: 735.

NAKAMURA, T.
Nakamura, T., Tokunaga, F. and Yoshizawa, T. Isolation of rod early receptor potential from frog retina 18: 861.

NAKASHIMA, Y.
Ikeda, M. and Nakashima, Y. Wavelength difference limit for binocular color fusion 20: 693.

NAKAYAMA, K.
Nakayama, K. and Tyler, C.W. Relative motion induced between stationary lines 18: 1663.
Tyler, C.W. and Nakayama, K. Grating induction: a new type of aftereffect 20: 437.
Nakayama, K. and Tyler, C.W. Psychophysical isolation of movement sensitivity by removal of familiar position cues 21: 427.
Tyler, C.W., Nakayama, K., Apkarian, P.A. and Levi, D.M. VEP assessment of visual function 21: 607.
Nakayama, K. Differential motion hyperacuity under conditions of common image motion 21: 1475.
Nakayama, K. and Mackeben, M. Steady state visual evoked potentials in the alert primate 22: 1261.

NARAYAN, V.
Schor, C.M. and Narayan, V. The influence of field size upon the spatial frequency response of optokinetic nystagmus 21: 985.

NASANEN, R.
Virsu, V., Rovamo, J., Laurinen, P. and Nasanen, R. Temporal contrast sensitivity and cortical magnification 22: 1211.

NASHIMA-HAYAMA, K.
Naito, T., Nashima-Hayama, K., Ohtsu, K. and Kito, Y. Photoreactions of cephalopod rhodopsin 21: 935.

NEGISHI, K.
Laufer, M. and Negishi, K. Enhancement of hyperpolarizing S-potentials by surround illumination in a teleost retina 18: 1005.
Kato, S., Kuriyama, K., Ito, Y., Teranishi, T. and Negishi, K. [3H]-Dopamine uptake in the dark-adapted fish retina 21: 1189.
Laufer, M., Negishi, K. and Drujan, B.D. Pharmacological manipulation of spatial properties of S-potentials 21: 1657.

NEILL, R.A.
Neill, R.A. Spatio-temporal averaging and the dynamic visual noise stereophenomenon 21: 673.

NELSON, R.
Kolb, H., Nelson, R. and Mariani, A.P. Amacrine cells, bipolar cells and ganglion cells of the cat retina: a Golgi study 21: 1081.
Nelson, R., Kolb, H., Robinson, M.M. and Mariani, A.P. Neural circuitry of the cat retina: cone pathways to ganglion cells 21: 1527.
Kolb, H. and Nelson, R. Amacrine cells of the cat retina 21: 1625.

NEUMEYER, C.
Breitmeyer, B.G., Valberg, A., Kurtenbach, W. and Neumeyer, C. The lateral effect of oscillation of peripheral luminance gratings on the foveal increment threshold 20: 799.
NEWMAN, E.A.
Newman, E.A. and Lettvin, J.Y. Relation of the e-wave to ganglion cell activity and rod responses in the frog 18: 1181.
Newman, E.A. B-Wave currents in the frog retina 19: 227.
NEWMAN, S.A.
Leigh, R.J., Newman, S.A., Zee, D.S. and Miller, N.R. Visual following during stimulation of an immobile eye (the open loop condition) 22: 1193.
NEWSOME, D.A.
Hassell, J.R., Newsome, D.A. and Martin, G.R. Isolation and characterization of the proteoglycans and collagens synthesized by cells in culture 21: 49.
NEYTON, J.
Piccolino, M., Neyton, J. and Gerschenfeld, H.M. Peripheral antagonism in the small field L-horizontal cells (L2-HC) of the turtle retina 21: 1579.
Neyton, J., Piccolino, M. and Gerschenfeld, H.M. Involvement of small field horizontal cells in the feedback effects on green cones 21: 1599.
NICKOLAYEV, P.P.
Rozhkova, G.I., Nickolayev, P.P. and Shchadrin, V.E. Perception of stabilized retinal stimuli in dichoptic viewing conditions 22: 293.
NIEMEYER, G.
Niemeyer, G., Albani, C. and Schuurmans, R.P. Transmitter-related studies in the isolated perfused eye of the cat 21: 1661.
NILSSON, S.E.G.
Skoog, K.-O., Welinder, E. and Nilsson, S.E.G. The influence of ethyl alcohol on slow off-responses in the human d.c. registered electroretinogram 18: 1041.
NILSSON, T.H.
Nilsson, T.H. Visual temporal discriminations of brief pulse intervals 19: 41.
NISHIMURA, Y.
Kaneko, A., Nishimura, Y., Tachibana, M., Tauchi, M. and Shimai, K. Physiological and morphological studies of signal pathways in the carp retina 21: 1519.
NOAKI, M.
Kawabata, N., Yamagami, K. and Noaki, M. Visual fixation points and depth perception 18: 853.
NOELL, W.K.
Noell, W.K. Possible mechanisms of photoreceptor damage by light in mammalian eyes 20: 1163.
NOLTE, J.
Eldred, W.D. and Nolte, J. Pineal photoreceptors: Evidence for a vertebrate visual pigment with two physiologically active states 18: 29.
NORDBY, K.
Skottun, B.C., Nordby, K. and Rosness, R. Temporal summation in a rod monochromat 22: 491.
NORMANN, R.A.
Normann, R.A. and Perlman, I. Evaluating sensitivity changing mechanisms in light-adapted photoreceptors 19: 391.
Perlman, I. and Normann, R.A. Short-wavelength input to luminosity-type horizontal cells in the turtle retina 19: 903.
Normann, R.A. and Kolb, H. Anatomy and physiology of the horizontal cells of the visual streak region of the turtle retina 21: 1585.
Kolb, H. and Normann, R.A. A-type horizontal cells of the superior edge of the linear visual streak of the rabbit retina have oriented, elongated dendritic trees 22: 905.
VAN NORREN, D.
Baron, W.S., Boynton, R.M. and van Norren, D. Primate cone sensitivity to flicker during light and dark adaptation as indicated by the foveal local electroretinogram 19: 109.
Valeton, J.M. and van Norren, D. Transient tritanopia at the level of the ERG b-wave 19: 689.
van Norren, D. and Valeton, J.M. The human rod ERG: the dark-adapted a-wave response function 19: 1433.
van Norren, D. and van der Kraats, J. A continuously recording retinal densitometer 21: 897.
van Norren, D. and Went, L.N. New test for the detection of tritan defects evaluated in two surveys 21: 1303.

van Norren, D. and Valeton, J.M. Isolation of macaque late receptor potential with fractional recording 21: 1719.
Valeton, J.M. and van Norren, D. Fractional recording and component analysis of primate LERG: separation of photoreceptor and other receptor potentials 22: 381.
Valeton, J.M. and van Norren, D. Intraretinal recordings of slow electrical responses to steady illumination in monkey: isolation of receptor responses and the origin of the light peak 22: 393.

NORTHMORE, D.P.M.
Northmore, D.P.M. and Dvorak, C.A. Contrast sensitivity and acuity of the goldfish 19: 255.
Northmore, D.P.M., Skeen, L.C. and Pindzola, J.M. Visuomotor perimetry in fish: a new approach to the functional analysis of altered visual pathways 21: 843.

NOVIKOV, K.N.
Shvedova, A.A., Sidorov, A.S., Novikov, K.N., Galuschenko, I.V. and Kagan, V.E. Lipid peroxidation and electric activity of the retina 19: 49.

NUBOER, J.F.W.
Nuboer, J.F.W. and van Genderen-Takken, H. The artifact of retinoscopy 18: 1091.

NYGAARD, R.W.
Nygaard, R.W. and Frumkes, T.E. Calibration of the retinal illuminance provided by Maxwellian views 22: 433.
Nygaard, R.W. and Frumkes, T.E. LEDs: convenient, inexpensive sources for visual experimentation 22: 435.

O'CONNER, W.M.
Beazley, L.D., O'Conner, W.M. and Illingworth, D.J. Adult levels of meridional anisotropy and contrast threshold in 5-year-olds 22: 135.

O'REILLY, L.A.
Beauchamp, R.D., Rowe, J.S. and O'Reilly, L.A. Goldfish spectral sensitivity: identification of the three cone mechanisms in heart-rate conditioned fish using colored adapting backgrounds 19: 1295.

O'SHEA, R.P.
O'Shea, R.P. and Crassini, B. Interocular transfer of the motion after-effect is not reduced by binocular rivalry 21: 801.

OAKLEY, B. II
Oakley, B. II and Steinberg, R.H. Effects of maintained illumination upon $[K^+]_o$ in the subretinal space of the frog retina 22: 767.

OEHLER, R.
Oehler, R. and Spillmann, L. Illusory colour changes in Hermann grids varying only in hue 21: 527.

OGDEN, T.E.
Pierantoni, R. and Ogden, T.E. The internal horizontal cells of the frog retina: a morphometric analysis 20: 761.

OHTSU, K.
Naito, T., Nashima-Hayama, K., Ohtsu, K. and Kito, Y. Photoreactions of cephalopod rhodopsin 21: 935.

OKADA, T.S.
Okada, T.S. Phenotypic expression of embryonic neural retinal cells in cell culture 21: 83.

OKADA, Y.C.
Okada, Y.C., Kaufman, L., Brenner, D. and Williamson, S.J. Modulation transfer functions of the human visual system revealed by magnetic field measurements 22: 319.

OLIVO, R.F.
Olivo, R.F. and Jazak, M.M. Proprioception provides a major input to the horizontal oculomotor system of crayfish 20: 349.
Olivo, R.F. and Chrismer, K.L. Spectral sensitivity of screening-pigment migration in retinula cells of the crayfish Procambarus 20: 385.

OLSEN, B.T.
Valberg, A., Olsen, B.T. and Marthinsen, S. Peripheral contrast reversal inhibits visually evoked potentials in the fovea 21: 947.

OLTMAN, P.K.
Goodenough, D.R., Sigman, E., Oltman, P.K., Rosso, J. and Mertz, H. Eye torsion in response to a tilted visual stimulus 19: 1177.

ONO, H.
Ono, H. and Nakamizo, S. Changing fixation in the transverse plane at eye level and Hering's law of equal innervation 18: 511.
Ono, H., Nakamizo, S. and Steinbach, M.J. Nonadditivity of vergence and saccadic eye movement 18: 735.
Miller, J.M., Ono, H. and Steinbach, M.J. Additivity of fusional vergence and pursuit eye movements 20: 43.

Ono, H. and Tam, W.J. Asymmetrical vergence and multiple saccades 21: 739.

OONO, S.
Watanabe, T. and Oono, S. A solid-state television pupillometer 22: 499.

OSBORNE, N.N.
Osborne, N.N. Binding of (-)[^{3}H]noradrenaline to bovine membrane of the retina. Evidence for the existence of a_2-receptors 22: 1401.

OSTROY, S.E.
Blazynski, C. and Ostroy, S.E. Dual pathways in the photolysis of rhodopsin: studies using a direct chemical method 21: 833.

OSWALDO-CRUZ, E.
Oswaldo-Cruz, E. and Gattass, R. Orientable head-holder for use in visual research 18: 1079.
Oswaldo-Cruz, E., Hokoc, J.N. and Sousa, A.P.B. A schematic eye for the opossum 19: 263.
Silveira, L.C.L., Pacanco-Diniz, C.W. and Oswaldo-Cruz, E. Contrast sensitivity function and visual acuity of the opossum 22: 1371.

OWENS, D.A.
Owens, D.A. A comparison of accommodative responsiveness and contrast sensitivity for sinusoidal gratings 20: 159.

OYAMA, T.
Oyama, T., Mitsuboshi, M. and Kamoshita, T. Wavelength-specific brightness contrast as a function of surround luminance 20: 127.

PACANCO-DINIZ, C.W.
Silveira, L.C.L., Pacanco-Diniz, C.W. and Oswaldo-Cruz, E. Contrast sensitivity function and visual acuity of the opossum 22: 1371.

PACHECO, P.
Pacheco, P. and Muzquiz, L. Two retinal processes displayed in the cat electroretinogram 22: 1525.

PAK, W.L.
Lo, M.-V.C., Wong, F. and Pak, W.L. Increase in intracellular free calcium concentration of Limulus photoreceptors caused by a metabolic inhibitor 20: 539.

PALCA, J.
Bridgeman, B. and Palca, J. The role of microsaccades in high acuity observation tasks 20: 813.

PANTLE, A.
Petersik, J.T. and Pantle, A. Factors controlling the competing sensations produced by a bistable stroboscopic motion display 19: 143.

PAPERMASTER, D.S.
Papermaster, D.S., Reilly, P. and Schneider, B.G. Cone lamellae and red and green rod outer segment disks contain a large intrinsic membrane protein on their margins: an ultrastructural immunocytochemical study of frog retinas 22: 1417.

PARKER, A.
Parker, A. Shifts in perceived periodicity induced by temporal modulation and their influence on the spatial frequency tuning of two aftereffects 21: 1739.

PARKER, D.M.
Parker, D.M. and Salzen, E.A. Evoked potentials and reaction times to the offset and contrast reversal of sinusoidal gratings 22: 205.

PARKER, J.S.
Delori, F.C., Parker, J.S. and Mainster, M.A. Light levels in fundus photography and fluroescein angiography 20: 1099.

PASANTES-MORALES, H.
Pasantes-Morales, H. Taurine-calcium interactions in frog rod outer segments: taurine effects on an ATP-dependent calcium translocation process 22: 1487.

PASTERNAK, T.
Pasternak, T. and Merigan, W.H. The luminance dependence of spatial vision in the cat 21: 1333.

PAULSEN, R.
Pepe, I.M., Schwemer, J. and Paulsen, R. Characteristics of retinal-binding proteins from the honeybee retina 22: 775.

PAULSON, J.A.
Murch, G.M. and Paulson, J.A. Colorimetric matches of McCullough aftereffects 18: 365.

PEARLMAN, A.L.
Sinex, D.G., Burdette, L.J. and Pearlman, A.L. A psychophysical investigation of spatial vision in the normal and reeler mutant mouse 19: 853.

PEASE, P.L.
Pease, P.L. On color Mach bands 18: 751.

Siwoff, R. and Pease, P.L. Saturation of intermittent monochromatic lights 18: 1439.

PEEPLES, D.R.
Teller, D.Y., Peeples, D.R. and Sekel, M. Discrimination of chromatic from white light by two-month-old human infants 18: 41.
Peeples, D.R. and Teller, D.Y. White-adapted photopic spectral sensitivity in human infants 18: 49.
Makous, W.L. and Peeples, D.R. Rod-cone interaction: reconciliation with Flamant and Stiles 19: 695.
Buck, S.L., Peeples, D.R. and Makous, W.L. Spatial patterns of rod-cone interaction 19: 775.

PENDER, E.
de Groot, P.J. and de Pender, E. A transient effect contingent on the direction of polarization of light incident on the cornea 19: 1065.

PENNYPACKER, J.P.
Pennypacker, J.P. Modulation of chondrogenic expression in cell culture by fibronectin 21: 65.

PEPE, I.M.
Pepe, I.M. and Cugnoli, C. Isolation and characterization of a water-soluble photopigment from honeybee compound eye 20: 97.
Pepe, I.M., Schwemer, J. and Paulsen, R. Characteristics of retinal-binding proteins from the honeybee retina 22: 775.

PERLMAN, I.
Normann, R.A. and Perlman, I. Evaluating sensitivity changing mechanisms in light-adapted photoreceptors 19: 391.
Perlman, I. and Normann, R.A. Short-wavelength input to luminosity-type horizontal cells in the turtle retina 19: 903.

PERLMUTTER, A.L.
Perlmutter, A.L. and Kertesz, A.E. Measurement of human vertical fusional response 18: 219.

PESSOA, V.F.
Bousfield, J.D. and Pessoa, V.F. Changes in ganglion cell density during post-metamorphic development in a neotropical tree frog Hyla raniceps 20: 501.
Pessoa, V.F. and Bousfield, J.D. Unusual choroid pigment distribution in the retina of a South America frog 20: 545.

PETERSIK, J.T.
Petersik, J.T. and Pantle, A. Factors controlling the competing sensations produced by a bistable stroboscopic motion display 19: 143.
Petersik, J.T., Beverley, K.I. and Regan, D. Contrast sensitivity of the changing-size channel 21: 829.

PETROV, A.P.
Petrov, A.P. A geometrical explanation of the induced size effect 20: 409.
Petrov, A.P., Pigarev, I.N. and Zenkin, G.M. Some evidence against Fourier analysis as a function of the receptive fields in cat's striate cortex 20: 1023.

PETRY, H.M.
White, K.D., Petry, H.M., Riggs, L.A. and Miller, J. Binocular interactions during establishment of McCollough effects 18: 1201.
Petry, H.M., Donovan, W.J., Moore, R.K., Dixon, W.B. and Riggs, L.A. Changes in the human visually evoked cortical potential in response to chromatic modulation of a sinusoidal grating 22: 745.

PETRY, S.
Petry, S. Perceptual changes during metacontrast 18: 1337.
Petry, S. and Hood, D.C. Sensitivity changes during metacontrast 18: 1343.

PETUCHOWSKI, S.
Loop, M.S., Bruce, L.L. and Petuchowski, S. Cat color vision: the effect of stimulus size, shape and viewing distance 19: 507.
Loop, M.S., Petuchowski, S. and Smith, D.C. Critical flicker fusion in normal and binocularly deprived cats 20: 49.

PFLAUM, M.
Stieve, H. and Pflaum, M. The response height versus stimulus intensity curve of the ventral nerve photoreceptor of Limulus depending on adaptation and external calcium concentration 18: 747.
Stieve, H. and Pflaum, M. Lowering the ratio of extracellular calcium to sodium mimics the effect of light on the photosensory membrane of Limulus ventral nerve photoreceptor 18: 883.

PHILLIPS, G.
Wilson, H.R., Phillips, G., Rentschler, I. and Hilz, R. Spatial probability summation and disinhibition in psychophysically measured line-spread functions 19: 593.

PHILLIPS, R.
Georgeson, M.A. and Phillips, R. Angular selectivity of monocular rivalry: experiment and computer simulation 20: 1007.
PIATIGORSKY, J.
Jones, R.E., DeFeo, D. and Piatigorsky, J. Initial studies of cultured embryonic chick lens epithelial cells infected with a temperature-sensitive Rous sarcoma virus 21: 5.
PICCOLINO, M.
Piccolino, M., Neyton, J. and Gerschenfeld, H.M. Peripheral antagonism in the small field L-horizontal cells (L2-HC) of the turtle retina 21: 1579.
Neyton, J., Piccolino, M. and Gerschenfeld, H.M. Involvement of small field horizontal cells in the feedback effects on green cones 21: 1599.
PICOULT, E.
Matin, L., Pola, J., Matin, E. and Picoult, E. Vernier discrimination with sequentially-flashed lines: roles of eye movements, retinal offsets and short-term memory 21: 647.
PIERANTONI, R.
Pierantoni, R. and Ogden, T.E. The internal horizontal cells of the frog retina: a morphometric analysis 20: 761.
PIGAREV, I.N.
Petrov, A.P., Pigarev, I.N. and Zenkin, G.M. Some evidence against Fourier analysis as a function of the receptive fields in cat's striate cortex 20: 1023.
PIGGINS, D.
Piggins, D., Lishman, R. and Bjorkvoll, M. An inexpensive screen for reflecting polarized light 19: 1185.
PINDZOLA, J.M.
Northmore, D.P.M., Skeen, L.C. and Pindzola, J.M. Visuomotor perimetry in fish: a new approach to the functional analysis of altered visual pathways 21: 843.
PIRCHIO, M.
Fiorentini, A., Maffei, L., Pirchio, M. and Spinelli, D. An electrophysiological correlate of perceptual suppression in anisometropia 18: 1617.
PLEUNE, J.
Mack, A., Fendrich, R. and Pleune, J. Adaptation to an altered relation between retinal image displacements and saccadic eye movements 18: 1321.
PODUGOLNIKOVA, T.A.
Shkolnik-Yarros, E.G. and Podugolnikova, T.A. Bipolar cells of the frog retina: A Golgi study 18: 301.
POKORNY, J.
Bowen, R.W. and Pokorny, J. Target edge sharpness and temporal brightness enhancement 18: 1691.
Karvellas, P.C., Pokorny, J., Smith, V.C. and Tanczos, Z. Hue reversal in the Fechner-Benham color effect following white light adaptation 19: 1277.
Pokorny, J. and Smith, V.C. A variant of red-green color defect 21: 311.
POLA, J.
Wyatt, H.J. and Pola, J. The role of perceived motion in smooth pursuit eye movements 19: 613.
Pola, J. and Wyatt, H.J. Target position and velocity: the stimuli for smooth eye pursuit movements 20: 523.
Matin, L., Pola, J., Matin, E. and Picoult, E. Vernier discrimination with sequentially-flashed lines: roles of eye movements, retinal offsets and short-term memory 21: 647.
POLANSKY, J.R.
Polansky, J.R., Weinreb, R. and Alvarado, J.A. Studies on human trabecular cells propagated in vitro 21: 155.
POLDEN, P.G.
Mollon, J.D. and Polden, P.G. Post-receptoral adaptation 19: 435.
POLLEN, D.A.
Feldon, S.E., Andrews, B.W. and Pollen, D.A. Periodic complex cells in cortical area 19 of the cat 18: 347.
Pollen, D.A., Andrews, B.W. and Feldon, S.E. Spatial frequency selectivity of periodic complex cells in the visual cortex of the cat 18: 665.
Pollen, D.A. and Ronner, S.F. Spatial computation performed by simple and complex cells in the visual cortex of the cat 22: 101.
POOLE, C.L.
Hirst, A.N.,Beurle,R.L., Beverley, K.I. and Poole, C.L. Contrast thresholds for patterns of dynamic visual noise 19: 721.

POPEL, B.
Eckhorn, R. and Popel, B. Responses of cat retinal ganglion cells to the random motion of a spot stimulus 21: 435.
Popel, B. and Eckhorn, R. Dynamic aspects of cat retinal ganglion cell's centre and surround mechanisms: a white noise analysis 21: 1693.
POPELAR, J.
Syka, J., Popelar, J. and Bozkov, V. Responses of neurons in the superior colliculus of the cat to stationary and moving visual stimuli 19: 213.
POST, R.B.
Post, R.B. and Leibowitz, H.W. The effect of convergence on the vestibulo-ocular reflex and implications for perceived movement 22: 461.
POTTALA, E.W.
Vallerga, S., Covacci, R. and Pottala, E.W. Artifical cone responses: a computer-driven hardware model 20: 453.
POTTS, A.M.
Potts, A.M. Culturing cells with direct clinical importance 21: 151.
POTTS, M.J.
Harris, J.P. and Potts, M.J. Interocular transfer of the colour-contingent movement aftereffect: doubts and difficulties 20: 277.
POURCHO, R.G.
Pourcho, R.G. Localization of cholinergic synapses in mammalian retina with peroxidase-conjugated a-bungarotoxin 19: 287.
POWELL, D.J.
Walker, P. and Powell, D.J. The sensitivity of binocular rivalry to changes in the nondominant stimulus 19: 247.
POWERS, M.K.
Powers, M.K. and Easter, S.S. Jr. Behavioral confirmation of the "silent period" during adaptation to bright lights 18: 1075.
Powers, M.K. Light-adapted spectral sensitivity of the goldfish: a reflex measure 18: 1131.
Powers, M.K. and Easter, S.S. Jr. Absolute visual sensitivity of the goldfish 18: 1137.
Powers, M.K. and Easter, S.S. Jr. Wavelength discrimination by the goldfish near absolute visual threshold 18: 1149.
Powers, M.K. and Green, D.G. Single retinal ganglion cell responses in the dark-reared rat: Grating acuity, contrast sensitivity, and defocusing 18: 1533.
Green, D.G., Powers, M.K. and Banks, M.S. Depth of focus, eye size and visual acuity 20: 827.
Powers, M.K., Schneck, M. and Teller, D.Y. Spectral sensitivity of human infants at absolute visual threshold 21: 1005.
Green, D.G. and Powers, M.K. Mechanisms of light adaptation in rat retina 22: 209.
Powers, M.K. and Dobson, V. Effect of focus on visual acuity of human infants 22: 521.
PRABLANC, C.
Prablanc, C., Masse, D. and Echallier, J.F. Error-correcting mechanisms in large saccades 18: 557.
PREHN, H.
Prehn, H. and Scheibner, H. Luminance and chrominance processing of retinal class IV ganglion cells in the frog 18: 25.
PRELATO, M.
Lovisolo, D., Prelato, M. and Veglia, F. The electrical response of the ocellus of Phalangium opilio 18: 1423.
PRESSON, J.
Presson, J. and Gordon, B. Critical period and minimum exposure required for the effects of alternating monocular occlusion in cat visual cortex 19: 807.
PRESTON, G.A.N.
Caelli, T.M., Preston, G.A.N. and Howell, E.R. Implications of spatial summation models for processes of contour perception: a geometric perspective 18: 723.
PRESTRUDE, A.M.
Prestrude, A.M., Watkins, L. and Watkins, J. Interocular light adaptation effect on the Lie "specific threshold" 18: 855.
PRICE, R.L.
Keck, M.J. and Price, R.L. Interocular transfer of the motion aftereffect in strabismus 22: 55.
PRIESTLY, A.
Knowles, A. and Priestly, A. The preparation of 11-cis-retinal 18: 115.
PROENZA, L.M.
Criswell, M.H., Karwoski, C.J. and Proenza, L.M. Species differences in the intraretinal electroretinogram within the leopard frog complex

19: 339.
Karwoski, C.J. and Proenza, L.M. Spatio-temporal variables in the relationship of neuronal activity to potassium and glial responses 21: 1713.

PUGH, E.N. JR.
Pugh, E.N. Jr. and Sigel, C. Evaluation of the candidacy of the Pi-mechanisms of Stiles for color-matching fundamentals 18: 317.
Pugh, E.N. Jr. and Mollon, J.D. A theory of the Pi_1 and Pi_3 color mechanisms of Stiles 19: 293.
Liebman, P.A. and Pugh, E.N. Jr. The control of phosphodiesterase in rod disk membranes: kinetics, possible mechanisms and significance for vision 19: 375.
Wandell, B.A. and Pugh, E.N. Jr. A field-additive pathway detects brief-duration, long-wavelength incremental flashes 20: 613.
Wandell, B.A. and Pugh, E.N. Jr. Detection of long-duration, long-wavelength incremental flashes by a chromatically coded pathway 20: 625.
Pugh, E.N. Jr. and Larimer, J. Test of the identity of the site of blue-yellow hue cancellation and the site of chromatic antagonism in the Pi_1 pathway 20: 779.
Liebman, P.A. and Pugh, E.N. Jr. Gain, speed and sensitivity of GTP binding vs PDE activation in visual excitation 22: 1475.

PULOS, E.
Teller, D.Y., Regal, D.M., Videen, T.O. and Pulos, E. Development of visual acuity in infant monkeys (Macaca nemestrina) during the early postnatal weeks 18: 561.
Pulos, E., Raymond, J.E. and Makous, W.L. Transient sensitization by a contrast flash 20: 281.
Pulos, E., Teller, D.Y. and Buck, S.L. Infant color vision: a search for short-wavelength-sensitive mechanisms by means of chromatic adaptation 20: 485.
Pulos, E. and Makous, W.L. Changes of visual sensitivity caused by on- and off-transients 22: 879.

PURCELL, D.G.
Purcell, D.G., Stewart, A.L. and Hochberg, E.P. Recovery and nonmonotone masking effects 22: 1087.

PURPLE, R.L.
Gur, M. and Purple, R.L. Retinal ganglion cell activity in the ground squirrel under halothane anesthesia 18: 1.
Dawis, S.M. and Purple, R.L. Steady state adaptation in the ground squirrel retina: PIII and b-wave intensity-response functions 21: 1169.
Rosenblum, K., Anderson, M.L. and Purple, R.L. Normal and color defective perception of Fechner-Benham colors: implications for color vision theory 21: 1483.

PYNSENT, P.B.
Duncan, G. and Pynsent, P.B. Dynamics of dark adaptation in the cephalopod retina 19: 359.

QUICK, R.F. JR.
Abel, L.A. and Quick, R.F. Jr. Wiener analysis of grating contrast judgments 18: 1031.

QUINN, B.
Wandell, B.A., Sanchez, J. and Quinn, B. Detection-discrimination in the long-wavelength pathways 22: 1061.

QUON, D.S.
Hall, M.O. and Quon, D.S. Tissue culture of rat pigment epithelium on different supporting media 21: 127.

RACZ, E.
Lolley, R.N. and Racz, E. Calcium modulation of cyclic GMP synthesis in rat visual cells 22: 1481.

RADIL-WEISS, T.
Bozkov, V., Bohdanecky, Z., Radil-Weiss, T., Mitrani, L. and Yakimoff, N. Scanning open and closed polygons 22: 721.

RANSOM-HOGG, A.
Ransom-Hogg, A. and Spillmann, L. Perceptive field size in fovea and periphery of the light- and dark-adapted retina 20: 221.

RAO, J.K.M.
Hargrave, P.A., McDowell, J.H., Siemiatkowski-Juszczak, E.C., Fong, S.-L., Kuhn, H., Wang, J.K., Curtis, D.R., Rao, J.K.M., Argos, P. and Feldmann, R.J. The carboxyl-terminal one-third of bovine rhodopsin: its structure and function 22: 1429.

RAPP, J.
Rapp, J. The kinetics of intermediate process in the photolysis of bovine rhodopsin-II. The intermediate decay sequence from $lumirhodopsin_{497}$ to

metarhodopsin$_{380}$ II 19: 137.

RAPP, L.M.
Rapp, L.M. and Williams, T.P. The role of ocular pigmentation in protecting against retinal light damage 20: 1127.
Rapp, L.M. and Basinger, S.F. The effects of local anaesthetics on retinal function 22: 1097.

RATLIFF, F.
Ratliff, F. and Sirovich, L. Equivalence classes of visual stimuli 18: 845.

RATNER, V.L.
Ratner, V.L., Bagirov, I.G. and Fesenko, E.E. Metarhodopsin I can react with hydroxylamine 21: 251.

RAUH, D.A.
Thomas, C.W., Welch, A.J. and Rauh, D.A. Digital inverse filtering of evoked responses 18: 1457.

RAUK, M.
Allik, J., Dzhafarov, E. and Rauk, M. Position discrimination may be better than detection 22: 1079.

RAYBORN, M.E.
Currie, J.R., Hollyfield, J.G. and Rayborn, M.E. Rod outer segments elongate in constant light: darkness is required for normal shedding 18: 995.
Lolley, R.N., Rayborn, M.E., Hollyfield, J.G. and Farber, D.B. Cyclic GMP and visual cell degeneration in the inherited disorder of rd mice: a progress report 20: 1157.

RAYMOND, J.E.
Pulos, E., Raymond, J.E. and Makous, W.L. Transient sensitization by a contrast flash 20: 281.

REDBURN, D.A.
Thomas, T.N. and Redburn, D.A. Serotonin uptake and release by subcellular fractions of bovine retina 20: 1.
Redburn, D.A. and Thomas, T.N. Evidence for a serotonin neurotransmitter system in bovine retina 21: 1673.

REDDAN, J.R.
Reddan, J.R., Friedman, T.B., Mostafapour, M.K., Bondy, R.L., Sutherland, S.H., McGee, S.J. and Goldenberg, M. Donor age influences the growth of rabbit lens epithelial cells in vitro 21: 11.

REDDIN, S.K.
Georgeson, M.A. and Reddin, S.K. Adaptation to gratings: equal spatial selectivity for light and dark bar width variation 21: 419.

REEVES, A.
Krauskopf, J. and Reeves, A. Measurement of the effect of photon noise on detection 20: 193.
Reeves, A. Transient tritanopia after flicker adaptation 21: 657.
Reeves, A. Transient tritanopia: its abolition at high intensities 21: 665.
Reeves, A. Metacontrast in hue substitution 21: 907.
Reeves, A. Transient desensitization of a red-green opponent site 21: 1267.
Reeves, A. Letter to the editors 22: 711.
Reeves, A. Exchange thresholds for green tests 22: 961.

REEVES, B.C.
Barlow, H.B. and Reeves, B.C. The versatility and absolute efficiency of detecting mirror symmetry in random dot displays 19: 783.

REGAL, D.M.
Teller, D.Y., Regal, D.M., Videen, T.O. and Pulos, E. Development of visual acuity in infant monkeys (Macaca nemestrina) during the early postnatal weeks 18: 561.
Regal, D.M. Development of critical flicker frequency in human infants 21: 549.

REGAN, D.
Regan, D. and Beverley, K.I. Illusory motion in depth: aftereffect of adaptation to changing size 18: 209.
Regan, D. and Beverley, K.I. Looming detectors in the human visual pathway 18: 415.
Regan, D. Assessment of visual acuity by evoked potential recording: ambiguity caused by temporal dependence of spatial frequency selectivity 18: 439.
Regan, D. and Cynader, M. Neurons in area 18 of cat visual cortex selectively sensitive to changing size: nonlinear interactions between responses to two edges 19: 699.
Beverley, K.I. and Regan, D. Separable aftereffects of changing-size and motion-in-depth: different neural mechanisms? 19: 727.

Beverley, K.I. and Regan, D. Visual perception of changing size: the effect of object size 19: 1093.
Regan, D. and Beverley, K.I. Binocular and monocular stimuli for motion in depth: changing-disparity and changing-size feed the same motion-in-depth stage 19: 1331.
Regan, D. Speedy evoked potential methods for assessing vision in normal and amblyopic eyes: pros and cons 20: 265.
Petersik, J.T., Beverley, K.I. and Regan, D. Contrast sensitivity of the changing-size channel 21: 829.
Cynader, M. and Regan, D. Neurons in cat visual cortex tuned to the direction of motion in depth: effect of positional disparity 22: 967.

REID, T.W.
Rubin, N.A., Tarsio, J.F., Borthwick, A.C., Gregerson, D.S. and Reid, T.W. Identification and characterization of a growth factor secreted by an established cell line of human retinoblastoma maintained in serum-free medium 21: 105.

REILLY, P.
Papermaster, D.S., Reilly, P. and Schneider, B.G. Cone lamellae and red and green rod outer segment disks contain a large intrinsic membrane protein on their margins: an ultrastructural immunocytochemical study of frog retinas 22: 1417.

RENTSCHLER, I.
Wilson, H.R., Phillips, G., Rentschler, I. and Hilz, R. Spatial probability summation and disinhibition in psychophysically measured line-spread functions 19: 593.

REUTER, J.H.
Hoffmann, K.-P., Morrone, C.M. and Reuter, J.H. A comparison of the responses of single cells in the LGN and visual cortex to bar and noise stimuli in the cat 20: 771.

REUTER, T.
Donner, K.O., Hemila, S. and Reuter, T. Bleaching and background adaptation in frog rods 19: 399.
Gronholm, M.-L. and Reuter, T. Disinhibitory action of strychnine on ganglion cells in the retina of the frog 21: 1649.

REY, J.
Martinoya, C., Rey, J. and Bloch, S. Limits of the pigeon's binocular field and direction for best binocular viewing 21: 1197.

REYMOND, L.
Reymond, L. and Wolfe, J. Behavioural determination of the contrast sensitivity function of the eagle Aquila audax 21: 263.

REYNOLDS, S.H.
Djamgoz, M.B.A., Reynolds, S.H., Rowe, J.S. and Ruddock, K.H. Control of retinal S-potentials in dark adapted and bleached retinae 21: 1581.

RICHARD, D.S.
Muntz, W.R.A. and Richard, D.S. Photomechanical movements in the trout retina following brief flashes of light 22: 529.

RICHARDS, W.A.
Foley, J.M. and Richards, W.A. Binocular depth mixture with non-symmetric disparities 18: 251.
Friedman, R.B., Kaye, M.G. and Richards, W.A. Effect of vertical disparity upon stereoscopic depth 18: 351.
Richards, W.A. and Lieberman, H.R. Velocity blindness during shearing motion 22: 97.

RICHMOND, B.J.
Judge, S.J., Richmond, B.J. and Chu, F.C. Implantation of magnetic search coils for measurement of eye position: an improved method 20: 535.

RIEMSLAG, F.C.C.
Schellart, N.A.M., Riemslag, F.C.C. and Spekreijse, H. Center-surround organisztion and interactions in receptive fields of goldfish tectal units 19: 459.

RIESENBERG, L.
Ingling, C.R. Jr., Tsuo, B.H.-P., Gast, T.J., Burns, S.A., Emerick, J.O. and Riesenberg, L. The achromatic channel-I. The non-linearity of minimum-border and flicker matches 18: 379.

RIGGS, L.A.
Volkmann, F.C., Riggs, L.A., White, K.D. and Moore, R.K. Contrast sensitivity during saccadic eye movements 18: 1193.
White, K.D., Petry, H.M., Riggs, L.A. and Miller, J. Binocular interactions during establishment of McCollough effects 18: 1201.
Butler, T.W. and Riggs, L.A. Color differences scaled by chromatic modulation sensitivity functions 18: 1407.
King-Smith, P.E. and Riggs, L.A. Visual sensitivity to controlled motion of a line or edge 18: 1509.

Riggs, L.A., Volkmann, F.C. and Moore, R.K. Suppression of the blackout due to blinks 21: 1075.
Riggs, L.A., Volkmann, F.C., Moore, R.K. and Ellicott, A.G. Perception of suprathreshold stimuli during saccadic eye movement 22: 423.
Petry, H.M., Donovan, W.J., Moore, R.K., Dixon, W.B. and Riggs, L.A. Changes in the human visually evoked cortical potential in response to chromatic modulation of a sinusoidal grating 22: 745.
Volkmann, F.C., Riggs, L.A., Ellicott, A.G. and Moore, R.K. Measurements of visual suppression during opening, closing and blinking of the eyes 22: 991.

RIJSDIJK, J.P.
Rijsdijk, J.P., Kroon, J.N. and van der Wildt, G.J. Contrast sensitivity as a function of position on the retina 20: 235.
Kroon, J.N., Rijsdijk, J.P. and van der Wildt, G.J. Peripheral contrast sensitivity for sine-wave gratings and single periods 20: 243.

RINALDUCCI, E.J.
White, T.W. and Rinalducci, E.J. Sensation length and equal brightness 21: 603.

RIPPS, H.
Witkovsky, P., Yang, C.-Y. and Ripps, H. Properties of a blue-sensitive rod in the Xenopus retina 21: 875.

RIVA, C.E.
Riva, C.E., Kelley, J.J., Sinclair, S.H. and Loebl, M. Optical transmission of cataractous lens at 430 nm and blue field entoptoscopy 19: 1181.

ROBBINS, D.O.
Robbins, D.O. and Zwick, H. Long wavelength foveal insensitivity in rhesus 20: 1027.

ROBINSON, D.A.
Kaplan, M.W., Robinson, D.A. and Larsen, L.D. Rod outer segment birefringence bands record daily disc membrane synthesis 22: 1119.

ROBINSON, M.M.
Nelson, R., Kolb, H., Robinson, M.M. and Mariani, A.P. Neural circuitry of the cat retina: cone pathways to ganglion cells 21: 1527.

ROBSON, J.G.
Robson, J.G. and Enroth-Cugell, C. Light distribution in the cat's retinal image 18: 159.
Graham, N., Robson, J.G. and Nachmias, J. Grating summation in fovea and periphery 18: 815.
Robson, J.G. and Graham, N. Probability summation and regional variation in contrast sensitivity across the visual field 21: 409.
Watson, A.B. and Robson, J.G. Discrimination at threshold: labelled detectors in human vision 21: 1115.

RODRIGUEZ-SOSA, L.
Rodriguez-Sosa, L. and Arechiga, H. Range of modulation of light sensitivity by accessory pigments in the crayfish compound eye 22: 1515.

ROGERS, B.
Anstis, S.M., Howard, I.P. and Rogers, B. A Craik-O'Brien-Cornsweet illusion for visual depth 18: 213.
Anstis, S.M., Rogers, B. and Henry, J. Interactions between simultaneous contrast and coloured afterimages 18: 899.
Rogers, B. and Graham, M. Similarities between motion parallax and stereopsis in human depth perception 22: 261.

ROGERS, D.C.
Rogers, D.C. and Hollins, M. Is the binocular rivalry mechanism tritanopic? 22: 515.

ROHLER, R.
Rohler, R. and Howland, H.C. Merits of the Gaussian moment in judging optical line spread width - comment on a paper by W.N. Charman and J.A.M. Jennings 19: 847.

ROMESKIE, M.
Romeskie, M. Chromatic opponent-response functions of anomalous trichromats 18: 1521.

RONNER, S.F.
Pollen, D.A. and Ronner, S.F. Spatial computation performed by simple and complex cells in the visual cortex of the cat 22: 101.

VAN ROOSMALEN, G.R.E.M.
Salceda, R., van Roosmalen, G.R.E.M., Jansen, P.A.A., Bonting, S.L. and Daemen, F.J.M. Nucleotide content of isolated bovine rod outer segments 22: 1469.

ROSE, L.
Yinon, U., Rose, L. and Shapiro, A. Myopia in the eye of developing chicks following monocular and binocular lid closure 20: 137.

ROSE, D.
Rose, D. Mechanisms underlying the receptive field properties of neurons in cat visual cortex 19: 533.
ROSENBERG, R.B.
Lawwill, T., Crockett, R.S., Currier, G. and Rosenberg, R.B. Review of the macaque model of light damage with implications for the use of ophthalmic instrumentation 20: 1113.
ROSENBLUM, K.
Rosenblum, K., Anderson, M.L. and Purple, R.L. Normal and color defective perception of Fechner-Benham colors: implications for color vision theory 21: 1483.
ROSNESS, R.
Skottun, B.C., Nordby, K. and Rosness, R. Temporal summation in a rod monochromat 22: 491.
ROSS, J.
Burr, D.C. and Ross, J. How does binocular delay give information about depth? 19: 523.
Ross, J. and Johnstone, J.R. Phase and detection of compound gratings 20: 189.
Holt, J.J. and Ross, J. Phase perception in the high spatial frequency range 20: 933.
Campbell, F.W., Johnstone, J.R. and Ross, J. An explanation for the visibility of low frequency gratings 21: 723.
Ross, J., Holt, J.J. and Johnstone, J.R. High frequency limitations on Mach bands 21: 1165.
Burr, D.C. and Ross, J. Contrast sensitivity at high velocities 22: 479.
ROSSO, J.
Goodenough, D.R., Sigman, E., Oltman, P.K., Rosso, J. and Mertz, H. Eye torsion in response to a tilted visual stimulus 19: 1177.
ROUFS, J.A.J.
Roufs, J.A.J. and Blommaert, F.J.J. Temporal impulse and step responses of the human eye obtained psychophysically by means of a drift-correcting perturbation technique 21: 1203.
Blommaert, F.J.J. and Roufs, J.A.J. The foveal point spread function as a determinant for detail vision 21: 1223.
ROVAMO, J.
Virsu, V., Rovamo, J., Laurinen, P. and Nasanen, R. Temporal contrast sensitivity and cortical magnification 22: 1211.
ROWE, J.S.
Beauchamp, R.D., Rowe, J.S. and O'Reilly, L.A. Goldfish spectral sensitivity: identification of the three cone mechanisms in heart-rate conditioned fish using colored adapting backgrounds 19: 1295.
Djamgoz, M.B.A., Reynolds, S.H., Rowe, J.S. and Ruddock, K.H. Control of retinal S-potentials in dark adapted and bleached retinae 21: 1581.
ROZHKOVA, G.I.
Rozhkova, G.I., Nickolayev, P.P. and Shchadrin, V.E. Perception of stabilized retinal stimuli in dichoptic viewing conditions 22: 293.
RUBIN, G.S.
Gottesman, J., Rubin, G.S. and Legge, G.E. A power law for perceived contrast in human vision 21: 791.
RUBIN, N.A.
Rubin, N.A., Tarsio, J.F., Borthwick, A.C., Gregerson, D.S. and Reid, T.W. Identification and characterization of a growth factor secreted by an established cell line of human retinoblastoma maintained in serum-free medium 21: 105.
RUDDOCK, K.H.
Burton, G.J. and Ruddock, K.H. Visual adaptation to patterns containing two-dimensional spatial structure 18: 93.
Djamgoz, M.B.A. and Ruddock, K.H. Adaptation effects in electrical responses recorded from postreceptoral neurones in the isolated fish (roach) retina 19: 413.
Djamgoz, M.B.A., Reynolds, S.H., Rowe, J.S. and Ruddock, K.H. Control of retinal S-potentials in dark adapted and bleached retinae 21: 1581.
RUDERT, K.S.
Sillman, A.J., Bolnick, D.A., Clinite, E.W. and Rudert, K.S. The effect of temperature on rapid dark adaptation in bullfrog photoreceptors-a difference between rods and cones 18: 1375.
RUFFOLO, J.J. JR.
Moon, M.E., Clarke, A.M., Ruffolo, J.J. Jr., Mueller, H.A. and Ham, W.T. Jr. Visual performance in the rhesus monkey after exposure to blue light 18: 1573.
Ham, W.T. Jr., Ruffolo, J.J. Jr., Mueller, H.A. and Guerry, D. III The nature of retinal radiation damage: dependence on wavelength, power

level and exposure time 20: 1105.

RUSHTON, W.A.H.
Fulton, A.B. and Rushton, W.A.H. Rod ERG of the mudpuppy: effect of dim red backgrounds 18: 785.
Fulton, A.B. and Rushton, W.A.H. The human rod ERG: correlation with psychophysical responses in light and dark adaptation 18: 793.
Rushton, W.A.H. King Charles II and the blind spot 19: 225.

RUSSELL, P.
Russell, P., Fukui, H.N. and Kinoshita, J.H. Properties of a Na-K ATPase inhibitor in cultured lens epithelial cells 21: 37.
Russell, P., Uga, S., Zigler, J.S. Jr., Kaiser-Kupfer, M. and Kuwabara, T. Studies using human lenses from a family displaying hereditary congenital cataracts 21: 169.

RUSSELL, P.W.
Russell, P.W. Chromatic input to stereopsis 19: 831.

RYCHKOVA, M.P.
Berman, A.L., Shnyrov, V.L., Rychkova, M.P. and Semen'kov, P.G. Thermostability of sea fish rhodopsins 21: 731.

SAARI, J.C.
Futterman, S., Saari, J.C. and Garwin, G.G. Inadequacy of [15-^{3}H] all-trans-retinal as a tracer for 11-cis-retinal formation 19: 951.

SACK, R.A.
Sack, R.A. and Seltzer, S. Catalyzed cis-trans isomerization of retinals by crude tissue extracts 18: 423.

SAGAWA, K.
Sagawa, K. Minimum light intensity required for color rivalry 21: 1467.
Sagawa, K. Dichoptic color fusion studied with wavelength discrimination 22: 945.

SAIDA, S.
Ikeda, M. and Saida, S. Span of recognition in reading 18: 83.

SAITO, T.
Saito, T., Kondo, H. and Toyoda, J.-i. Rod and cone signals in the on-center bipolar cell: their different ionic mechanisms 18: 591.

SAKATA, H.
Sakata, H. Mechanism of Craik-O'Brien effect 21: 693.

SAKITT, B.
Sakitt, B. and Long, G.M. Cones determine subjective offset of a stimulus but rods determine total persistence 19: 1439.
Long, G.M. and Sakitt, B. Differences between flicker and non-flicker persistence tasks: the effects of luminance and the number of cycles in a grating target 21: 1387.
Sakitt, B. Why the cortical magnification factor in rhesus cannot be isotropic 22: 417.

SALCEDA, R.
Salceda, R., van Roosmalen, G.R.E.M., Jansen, P.A.A., Bonting, S.L. and Daemen, F.J.M. Nucleotide content of isolated bovine rod outer segments 22: 1469.

SALZEN, E.A.
Parker, D.M. and Salzen, E.A. Evoked potentials and reaction times to the offset and contrast reversal of sinusoidal gratings 22: 205.

SANCHEZ, J.
Wandell, B.A., Sanchez, J. and Quinn, B. Detection-discrimination in the long-wavelength pathways 22: 1061.

SANDBERG, M.A.
Birch, D.G. and Sandberg, M.A. Psychophysical studies of cone optical bandwidth in patients with retinitis pigmentosa 22: 1113.

SARAI, A.
Kawamura, S., Tokunaga,F., Yoshizawa, T., Sarai, A. and Kakitani, T. Orientational changes of the transition dipole moment of retinal chromophore on the disk membrane due to the conversion of rhodopsin to bathorhodopsin and to isorhodopsin 19: 879.

SAUNDERS, J.E.
Moorhead, I.R. and Saunders, J.E. Discrimination and detection thresholds: the effect of observer criterion on the spatial properties of chromatic and achromatic mechanisms 22: 1057.

SAUNDERS, R.McD.
Grusser-Cornehls, U. and Saunders, R.McD. Chromatic subclasses of frog retinal ganglion cells: studies using black stimuli moving on a monochromatic background 21: 469.
Grusser-Cornehls, U. and Saunders, R.McD. Response of frog retina ganglion cells to moving monochromatic spots under photopic conditions 21: 1617.

SAVION, N.
Gospodarowicz, D., Vlodavsky, I. and Savion, N. The role of fibroblast growth factor and the extracellular matrix in the control of proliferation and differentiation of corneal endothelial cells 21: 87.
SAVOY, R.L.
McCann, J.J., Savoy, R.L. and Hall, J.A. Jr. Visibility of low-frequency sine-wave targets: dependence on number of cycles and surround parameters 18: 891.
SAWYER, R.
Braddick, O.J., Ayling, L., Sawyer, R. and Atkinson, J. A photorefractive study of dark focus and refraction 21: 1761.
SCHEIBNER, H.
Prehn, H. and Scheibner, H. Luminance and chrominance processing of retinal class IV ganglion cells in the frog 18: 25.
SCHELLART, N.A.M.
Schellart, N.A.M., Riemslag, F.C.C. and Spekreijse, H. Center-surround organisztion and interactions in receptive fields of goldfish tectal units 19: 459.
SCHEPENS, C.L.
Schepens, C.L. Introduction to the problem 20: 1037.
SCHNECK, M.
Powers, M.K., Schneck, M. and Teller, D.Y. Spectral sensitivity of human infants at absolute visual threshold 21: 1005.
SCHNEIDER, B.G.
Papermaster, D.S., Reilly, P. and Schneider, B.G. Cone lamellae and red and green rod outer segment disks contain a large intrinsic membrane protein on their margins: an ultrastructural immunocytochemical study of frog retinas 22: 1417.
SCHNEIDER, S.
Benimoff, N.I., Schneider, S. and Hood, D.C. Interactions between rod and cone channels above threshold: a test of various models 22: 1133.
SCHOR, C.M.
Schor, C.M. The influence of rapid prism adaptation upon fixation disparity 19: 757.
Schor, C.M. The relationship between fusional vergence eye movements and fixation disparity 19: 1359.
Green, M.A., Corwin, T.R. and Schor, C.M. Spatiotemporal variations in the square-sine ratio: evidence of independent channels at low spatial frequencies 21: 423.
Schor, C.M. and Tyler, C.W. Spatio-temporal properties of Panum's fusional area 21: 683.
Schor, C.M. and Narayan, V. The influence of field size upon the spatial frequency response of optokinetic nystagmus 21: 985.
SCHUMER, R.
Schumer, R. and Ganz, L. Independent stereoscopic channels for different extents of spatial pooling 19: 1303.
SCHUURMANS, R.P.
Schuurmans, R.P. and Zrenner, E. Responses of the blue sensitive cone system from the visual cortex and the arterially perfused eye in cat and monkey 21: 1611.
Niemeyer, G., Albani, C. and Schuurmans, R.P. Transmitter-related studies in the isolated perfused eye of the cat 21: 1661.
SCHWARTZ, B.D.
Maurice, D.M., McCulley, J.P. and Schwartz, B.D. The use of cultured endothelium in keratoplasty 21: 173.
SCHWARTZ, E.
Schwartz, E. Computational anatomy and functional architecture of striate cortex: a spatial mapping approach to perceptual coding 20: 645.
SCHWARTZ, S.H.
Schwartz, S.H. and Loop, M.S. Evidence for transient luminance and quasi-sustained color mechanisms 22: 445.
SCHWARTZ, T.
Beck, J. and Schwartz, T. Vernier acuity with dot test objects 19: 313.
SCHWEMER, J.
Pepe, I.M., Schwemer, J. and Paulsen, R. Characteristics of retinal-binding proteins from the honeybee retina 22: 775.
SCOBEY, R.P.
Scobey, R.P., Chalupa, L.M. and Hammon, R.W. Suppression of maintained activity of retinal ganglion cells 19: 451.
Scobey, R.P. and Gabor, A.J. The orientation tuning curve: variability of preferred orientation due to methodology 19: 1389.
Johnson, C.A. and Scobey, R.P. Foveal and peripheral displacement thresholds as a function stimulus luminance, line length and duration of

movement 20: 709.
Scobey, R.P. Movement sensitivity of retinal ganglion cells in monkey 21: 181.
Scobey, R.P. and Johnson, C.A. Displacement thresholds for unidirectional and oscillatory movement 21: 1297.
Hammon, R.W. and Scobey, R.P. The luminance and response range of monkey retinal ganglion cells to white light 22: 271.
Johnson, C.A. and Scobey, R.P. Effects of reference lines on displacement thresholds at various durations of movement 22: 819.

SEDGWICK, H.A.
Holtzman, J.D., Sedgwick, H.A. and Festinger, L. Interaction of perceptually monitored and unmonitored efferent commands for smooth pursuit of eye movements 18: 1545.

SEKEL, M.
Teller, D.Y., Peeples, D.R. and Sekel, M. Discrimination of chromatic from white light by two-month-old human infants 18: 41.

SEKI, T.
Seki, T., Hara, R. and Hara, T. Dark regeneration of squid rhodopsin and isorhodopsin 20: 79.

SEKULER, R.
Levinson, E. and Sekuler, R. A two-dimensional analysis of direction-specific adaptation 20: 103.
Tynan, P.D. and Sekuler, R. Motion processing in peripheral vision: reaction time and perceived velocity 22: 61.

SELBY, S.A.
Selby, S.A. and Woodhouse, J.M. The spatial frequency dependence of interocular transfer in amplyopes 21: 1401.

SELTZER, S.
Sack, R.A. and Seltzer, S. Catalyzed cis-trans isomerization of retinals by crude tissue extracts 18: 423.

SEMEN'KOV, P.G.
Berman, A.L., Shnyrov, V.L., Rychkova, M.P. and Semen'kov, P.G. Thermostability of sea fish rhodopsins 21: 731.

SEMMLOW, J.
Semmlow, J. and Heerema, D. The synkinetic interaction of convergence accommodation and accommodative convergence 19: 1237.

SEMPLE-ROWLAND, S.L.
Semple-Rowland, S.L. and Goldstein, E.B. Segregation of vitamin A_1 and vitamin A_2 cone pigments in the bullfrog retina 21: 825.

SHAPIRO, A.
Yinon, U., Rose, L. and Shapiro, A. Myopia in the eye of developing chicks following monocular and binocular lid closure 20: 137.

SHAPLEY, R.
Shapley, R. and Victor, J.D. The contrast gain control of the cat retina 19: 431.

SHARPE, L.T.
Montellese, S., Sharpe, L.T. and Brown, J.L. Changes in critical duration during dark-adaptation 19: 1147.

SHATTUCK-HUFNAGEL, S.
Held, R., Shattuck-Hufnagel, S. and Moskowitz, A. Color-contingent tilt aftereffect: spatial frequency specificity 22: 811.

SHCHADRIN, V.E.
Rozhkova, G.I., Nickolayev, P.P. and Shchadrin, V.E. Perception of stabilized retinal stimuli in dichoptic viewing conditions 22: 293.

SHEEDY, J.E.
Sheedy, J.E. and Fry, G.A. The perceived direction of the binocular image 19: 201.

SHEFNER, J.M.
Shefner, J.M. and Levine, M.W. A comparison of properties of goldfish retinal ganglion cells as a function of lighting conditions during dissection 19: 83.
Levine, M.W. and Shefner, J.M. X-like and not X-like cells in goldfish retina 19: 95.
Shefner, J.M. and Levine, M.W. An analysis of receptor inputs to and spatial distribution of ganglion cell on and off processes 19: 647.

SHERMAN, R.K.
Meyer, G.E. and Sherman, R.K. Reversible figures and the motion after-effect 21: 361.

SHERMAN, S.M.
Kratz, K.E., Webb, S.V. and Sherman, S.M. Electrophysiological classification of X- and Y-cells in the cat's lateral geniculate nucleus 18: 1261.

SHEVELL, S.K.
Shevell, S.K. The dual role of chromatic backgrounds in color perception 18: 1649.
Shevell, S.K. Unambiguous evidence for the additive effect in chromatic adaptation 20: 637.
Shevell, S.K. Color perception under chromatic adaptation: equilibrium yellow and long-wavelength adaptation 22: 279.
SHIGEMATSU, Y.
Shigematsu, Y., Yamada, M. and Fuwa, M. Latency measurement of the color coded S-potentials in the carp retina 18: 1435.
SHIIDA, T.
Kimura, M., Shiida, T., Tanaka, K. and Toyama, K. Three classes of area 19 cortical cells of the cat classified by their neuronal connectivity and photic responsiveness 20: 69.
SHIMAI, K.
Kaneko, A., Nishimura, Y., Tachibana, M., Tauchi, M. and Shimai, K. Physiological and morphological studies of signal pathways in the carp retina 21: 1519.
SHKOLNIK-YARROS, E.G.
Shkolnik-Yarros, E.G. and Podugolnikova, T.A. Bipolar cells of the frog retina: A Golgi study 18: 301.
SHNYROV, V.L.
Berman, A.L., Shnyrov, V.L., Rychkova, M.P. and Semen'kov, P.G. Thermostability of sea fish rhodopsins 21: 731.
SHUKOLYUKOV, S.A.
Kagan, V.E., Arkhipenko, Y.V., Belousova, L.V., Tyurin, V.A., Shvedova, A.A., Shukolyukov, S.A. and Kozlov, Y.P. Effects of products of phospholipid hydrolysis by phospholipases on rhodopsin thermal stability in photoreceptor membranes 21: 1029.
SHUTE, C.C.D.
Shute, C.C.D. Haidinger's brushes 18: 1467.
SHVEDOVA, A.A.
Shvedova, A.A., Sidorov, A.S., Novikov, K.N., Galuschenko, I.V. and Kagan, V.E. Lipid peroxidation and electric activity of the retina 19: 49.
Kagan, V.E., Arkhipenko, Y.V., Belousova, L.V., Tyurin, V.A., Shvedova, A.A., Shukolyukov, S.A. and Kozlov, Y.P. Effects of products of phospholipid hydrolysis by phospholipases on rhodopsin thermal stability in photoreceptor membranes 21: 1029.
SIDOROV, A.S.
Shvedova, A.A., Sidorov, A.S., Novikov, K.N., Galuschenko, I.V. and Kagan, V.E. Lipid peroxidation and electric activity of the retina 19: 49.
SIEGFRIED, J.B.
May, J.G., Cullen, J.K. Jr., Moskowitz-Cook, A. and Siegfried, J.B. Effects of meridional variation on steady-state visual evoked potentials 19: 1395.
SIEMIATKOWSKI-JUSZCZAK, E.C.
Hargrave, P.A., McDowell, J.H., Siemiatkowski-Juszczak, E.C., Fong, S.-L., Kuhn, H., Wang, J.K., Curtis, D.R., Rao, J.K.M., Argos, P. and Feldmann, R.J. The carboxyl-terminal one-third of bovine rhodopsin: its structure and function 22: 1429.
SIGEL, C.
Pugh, E.N. Jr. and Sigel, C. Evaluation of the candidacy of the Pi-mechanisms of Stiles for color-matching fundamentals 18: 317.
SIGMAN, E.
Goodenough, D.R., Sigman, E., Oltman, P.K., Rosso, J. and Mertz, H. Eye torsion in response to a tilted visual stimulus 19: 1177.
SILLMAN, A.J.
Sillman, A.J., Bolnick, D.A., Clinite, E.W. and Rudert, K.S. The effect of temperature on rapid dark adaptation in bullfrog photoreceptors-a difference between rods and cones 18: 1375.
Bolnick, D.A., Walter, A.E. and Sillman, A.J. Barium suppresses slow PIII in perfused bullfrog retina 19: 1117.
SILVEIRA, L.C.L.
Silveira, L.C.L., Pacanco-Diniz, C.W. and Oswaldo-Cruz, E. Contrast sensitivity function and visual acuity of the opossum 22: 1371.
SIMINOFF, R.
Siminoff, R. A cybernetic model of the vertebrate cone retina 21: 1537.
SIMPSON, J.
Abadi, R.V., Carden, D. and Simpson, J. Controlling abnormal eye movements 19: 961.

SINCLAIR, S.H.
Riva, C.E., Kelley, J.J., Sinclair, S.H. and Loebl, M. Optical transmission of cataractous lens at 430 nm and blue field entoptoscopy 19: 1181.
SINEX, D.G.
Sinex, D.G., Burdette, L.J. and Pearlman, A.L. A psychophysical investigation of spatial vision in the normal and reeler mutant mouse 19: 853.
SINGER, W.
Sireteanu, R., Fronius, M. and Singer, W. Binocular interaction in the peripheral visual field of humans with strabismic and anisometropic amblyopia 21: 1065.
SIRETEANU, R.
Sireteanu, R. and Fronius, M. Naso-temporal asymmetries in human amblyopia: consequence of long-term interocular suppression 21: 1055.
Sireteanu, R., Fronius, M. and Singer, W. Binocular interaction in the peripheral visual field of humans with strabismic and anisometropic amblyopia 21: 1065.
Sireteanu, R. Binocular vision in strabismic humans with alternating fixation 22: 889.
Sireteanu, R. and Maurer, D. The development of the kitten's visual field 22: 1105.
SIROVICH, L.
Ratliff, F. and Sirovich, L. Equivalence classes of visual stimuli 18: 845.
SIVAK, J.G.
Millodot, M. and Sivak, J.G. Hypermetropia of small animals and chromatic aberration 18: 125.
Bobier, C.W. and Sivak, J.G. Chromoretinoscopy 18: 247.
Sivak, J.G. and Bobier, W.R. Chromatic aberration of the fish eye and its effect on refractive state 18: 453.
Millodot, M. and Sivak, J.G. Contribution of the cornea and lens to the spherical aberration of the eye 19: 685.
Sivak, J.G. and Mandelman, T. Chromatic dispersion of the ocular media 22: 997.
SIWOFF, R.
Siwoff, R. and Pease, P.L. Saturation of intermittent monochromatic lights 18: 1439.
SKAVENSKI, A.A.
Skavenski, A.A., Hansen, R.M., Steinman, R.M. and Winterson, B.J. Quality of retinal image stabilization during small natural and artificial body rotations in man 19: 675.
Arend, L.E. Jr. and Skavenski, A.A. Free scanning of gratings produces patterned retinal exposure 19: 1413.
SKEEN, L.C.
Northmore, D.P.M., Skeen, L.C. and Pindzola, J.M. Visuomotor perimetry in fish: a new approach to the functional analysis of altered visual pathways 21: 843.
SKOOG, K.-O.
Skoog, K.-O., Welinder, E. and Nilsson, S.E.G. The influence of ethyl alcohol on slow off-responses in the human d.c. registered electroretinogram 18: 1041.
SKOTTUN, B.C.
Skottun, B.C., Nordby, K. and Rosness, R. Temporal summation in a rod monochromat 22: 491.
SLINEY, D.H.
Sliney, D.H. and Wolborsht, M.L. Safety standards and measurement techniques for high intensity light sources 20: 1133.
SLOAN, J.A.
Switkes, E., Mayer, M.J. and Sloan, J.A. Spatial frequency analysis of the visual environment: anisotropy and the carpentered environment hypothesis 18: 1393.
SMEETS, J.L.R.M.
Kooijman, A.C., Steneker, F.W.M. and Smeets, J.L.R.M. Effect of a background on foveal and parafoveal cone dark adaptation 18: 1381.
SMITH, A.T.
Smith, A.T. and Jeffreys, D.A. Size and orientation specificity of transient visual evoked potentials in man 18: 651.
SMITH, D.C.
Loop, M.S., Petuchowski, S. and Smith, D.C. Critical flicker fusion in normal and binocularly deprived cats 20: 49.
SMITH, E.L. III
Harwerth, R.S., Boltz, R.L. and Smith, E.L. III Psychophysical evidence

for sustained and transient channels in the monkey visual system 20: 15.
Boltz, R.L., Smith, E.L. III, Bennett, M.J. and Harwerth, R.S. Vertical fusional vergence ranges of the rhesus monkey 20: 83.
Harwerth, R.S., Crawford, M.L.J., Smith, E.L. III and Boltz, R.L. Behavioral studies of stimulus deprivation amblyopia in monkeys 21: 779.
Smith, E.L. III, Harwerth, R.S., Levi, D.M. and Boltz, R.L. Contrast increment thresholds of rhesus monkeys 22: 1153.

SMITH, R.A.
Chase, W. and Smith, R.A. Spatial frequency channels tuned for depth and motion 21: 621.
Swift, D.J. and Smith, R.A. An action spectrum for spatial-frequency adaptation 22: 235.

SMITH, V.C.
Karvellas, P.C., Pokorny, J., Smith, V.C. and Tanczos, Z. Hue reversal in the Fechner-Benham color effect following white light adaptation 19: 1277.
Pokorny, J. and Smith, V.C. A variant of red-green color defect 21: 311.

SNYDER, A.W.
Snyder, A.W. Reply to "Comments on form dichroism in vertebrate photoreceptors" 18: 355.
Snyder, A.W. Hyperacuity and interpolation by the visual pathways 22: 1219.

SOKOL, S.
Sokol, S. Measurement of infant visual acuity from pattern reversal evoked potentials 18: 33.
Sokol, S. and Jones, K. Implicit time of pattern evoked potentials in infants: an index of maturation of spatial vision 19: 747.
Korth, M. and Sokol, S. Electroretinographic and psychophysical measures of cone spectral mechanisms using the two-color threshold technique 20: 205.
Moskowitz, A. and Sokol, S. Spatial and temporal interaction of pattern-evoked cortical potentials in human infants 20: 699.
Sokol, S. and Moskowitz, A. Effect of retinal blur on the peak latency of the pattern evoked potential 21: 1279.

SOMOHANO, F.
Lopez-Colome, A.M. and Somohano, F. Characterization of [L-^{3}H]aspartate binding to chick retinal subcellular fractions 22: 1495.

SOUSA, A.P.B.
Oswaldo-Cruz, E., Hokoc, J.N. and Sousa, A.P.B. A schematic eye for the opossum 19: 263.

SPEAR, P.D.
Zetlan, S.R., Spear, P.D. and Geisert, E.E. The role of cortico-geniculate projections in the loss of Y-cells in monocularly deprived cats 21: 1035.

SPEKREIJSE, H.
Schellart, N.A.M., Riemslag, F.C.C. and Spekreijse, H. Center-surround organisztion and interactions in receptive fields of goldfish tectal units 19: 459.
van den Berg, T.J.T.P. and Spekreijse, H. A temporal analogue of MacAdam ellipses. Description of rod-cone interaction 20: 767.
Spekreijse, H., Mooy, J.E.M. and van den Berg, T.J.T.P. Photopigments and carp ganglion cell action spectra 21: 1601.
Estevez, O. and Spekreijse, H. The "silent substitution" method in visual research 22: 681.

SPERLING, H.G.
Sperling, H.G., Johnson, C. and Harwerth, R.S. Differential spectral photic damage to primate cones 20: 1117.
Castano, J.A. and Sperling, H.G. Sensitivity of the blue-sensitive cones across the central retina 22: 661.

SPILLMANN, L.
Spillmann, L. and Fuld, K. The equivalent background and retinal eccentricity 19: 117.
Ransom-Hogg, A. and Spillmann, L. Perceptive field size in fovea and periphery of the light- and dark-adapted retina 20: 221.
Levine, J., Spillmann, L. and Wolf, E. Saturation enhancement in colored Hermann grids varying only in chroma 20: 307.
Oehler, R. and Spillmann, L. Illusory colour changes in Hermann grids varying only in hue 21: 527.
Dortmann, U. and Spillmann, L. Facilitation and inhibition in the jerk effect depend upon test flash duration and delay 21: 1783.
Stromeyer, C.F. III, Klein, S., Dawson, B.M. and Spillmann, L. Low spatial-frequency channels in human vision: adaptation and masking 22: 225.

SPINELLI, D.
Fiorentini, A., Maffei, L., Pirchio, M. and Spinelli, D. An electrophysiological correlate of perceptual suppression in anisometropia 18: 1617.
Cattaneo, A. and Spinelli, D. Contrast influence on perceived orientation 22: 783.
SPRINGER, R.M.
Springer, R.M. Suprathreshold information transfer in the visual system: brightness match profiles of high contrast gratings 18: 291.
SRINIVASAN, M.V.
Srinivasan, M.V. and Dvorak, D.R. The waterfall illusion in an insect visual system 19: 1435.
Dvorak, D.R., Srinivasan, M.V. and French, A.S. The contrast sensitivity of fly movement-detecting neurons 20: 397.
Srinivasan, M.V. and Bernard, G.D. A technique for estimating the contribution of photomechanical responses to visual adaptation 20: 511.
STABELL, B.
Stabell, U. and Stabell, B. Scotopic hues of simutaneous contrast 18: 1491.
Stabell, B. and Stabell, U. Rod and cone contributions to change in hue with eccentricity 19: 1121.
Stabell, U. and Stabell, B. Change in hue with rod intrusion during dark-adaptation 19: 1127.
Stabell, U. and Stabell, B. Color vision in the peripheral retina under photopic conditions 22: 839.
Stabell, B. and Stabell, U. Bezold-Brucke phenomenon of the far peripheral retina 22: 845.
STABELL, U.
Stabell, U. and Stabell, B. Scotopic hues of simutaneous contrast 18: 1491.
Stabell, B. and Stabell, U. Rod and cone contributions to change in hue with eccentricity 19: 1121.
Stabell, U. and Stabell, B. Change in hue with rod intrusion during dark-adaptation 19: 1127.
Stabell, U. and Stabell, B. Color vision in the peripheral retina under photopic conditions 22: 839.
Stabell, B. and Stabell, U. Bezold-Brucke phenomenon of the far peripheral retina 22: 845.
STAGGS, D.
Bridgeman, B. and Staggs, D. Plasticity in human blindsight 22: 1199.
STARK, L.
Usui, S. and Stark, L. Sensory and motor mechanisms interact to control amplitude of pupil noise 18: 505.
Kenyon, R.V., Ciuffreda, K.J. and Stark, L. Binocular eye movements during accommodative vergence 18: 545.
Ellis, S.R., Wong, J.H. and Stark, L. Absence of accommodation during perceptual reversal of Necker cubes 19: 953.
Nagle, M., Bridgeman, B. and Stark, L. Voluntary nystagmus, saccadic suppression, and stabilization of the visual world 20: 717.
STASSEN, H.P.W.
MacKay, D.M., Gerrits, H.J.M. and Stassen, H.P.W. Interaction of stabilized retinal patterns with spatial visual noise 19: 713.
STEARNS, M.E.
Stearns, M.E. Role of the microtrabecular lattice in axoplasmic transport 21: 71.
STEINBACH, M.J.
Ono, H., Nakamizo, S. and Steinbach, M.J. Nonadditivity of vergence and saccadic eye movement 18: 735.
Miller, J.M., Ono, H. and Steinbach, M.J. Additivity of fusional vergence and pursuit eye movements 20: 43.
Guzman, O. and Steinbach, M.J. Manipulating the contrast of sine wave gratings and other light distributions using polaroid 21: 1025.
STEINBERG, R.H.
Steinberg, R.H., Fisher, S.K. and Anderson, D.H. Disc morphogenesis in vertebrate photoreceptors 21: 1725.
Oakley, B. II and Steinberg, R.H. Effects of maintained illumination upon $[K^+]_o$ in the subretinal space of the frog retina 22: 767.
STEINMAN, R.M.
Kowler, E., Murphy, B.J. and Steinman, R.M. Velocity matching during smooth pursuit of different targets on different backgrounds 18: 603.
Winterson, B.J. and Steinman, R.M. The effect of luminance on human smooth pursuit of perifoveal and foveal targets 18: 1165.
Kowler, E. and Steinman, R.M. Miniature saccades: eye movements that do

not count 19: 105.
Kowler, E. and Steinman, R.M. The effect of expectations on slow oculomotor control-I. Periodic target steps 19: 619.
Kowler, E. and Steinman, R.M. The effect of expectations on slow oculomotor control-II. Single target displacements 19: 633.
Skavenski, A.A., Hansen, R.M., Steinman, R.M. and Winterson, B.J. Quality of retinal image stabilization during small natural and artificial body rotations in man 19: 675.
Winterson, B.J., Collewijn, H. and Steinman, R.M. Compensatory eye movements to miniature rotations in the rabbit: implications for retinal image stability 19: 1155.
Winterson, B.J. and Steinman, R.M. Proprioceptive information neither improves fixation stability nor reduces autokinesis 19: 1289.
Kowler, E. and Steinman, R.M. Small saccades serve no useful purpose: reply to a letter by R.W. Ditchburn 20: 273.
Steinman, R.M. and Collewijn, H. Binocular retinal image motion during active head rotation 20: 415.
Kowler, E. and Steinman, R.M. The effect of expectations on slow oculomotor control-III. Guessing unpredictable target displacements 21: 191.

STELL, W.K.
Kretz, R., Ishida, A.T. and Stell, W.K. Ratfish retina - intracellular recordings and HRP injections in an isolated, superfused all-rod retina 22: 857.

STENEKER, F.W.M.
Kooijman, A.C., Steneker, F.W.M. and Smeets, J.L.R.M. Effect of a background on foveal and parafoveal cone dark adaptation 18: 1381.

STEPHENS, B.R.
Banks, M.S. and Stephens, B.R. The contrast sensitivity of human infants to gratings differing in duty cycle 22: 739.
Banks, M.S., Stephens, B.R. and Dannemiller, J.L. A failure to observe negative preference in infant acuity testing 22: 1025.

STERNHEIM, C.E.
Stromeyer, C.F. III, Kranda, K. and Sternheim, C.E. Selective chromatic adaptation at different spatial frequencies 18: 427.
Sternheim, C.E., Stromeyer, C.F. III and Khoo, M.C.K. Visibility of chromatic flicker upon spectrally mixed adapting fields 19: 175.
Stromeyer, C.F. III and Sternheim, C.E. Visibility of red and green spatial patterns upon spectrally mixed adapting fields 21: 397.

STEWART, A.L.
Purcell, D.G., Stewart, A.L. and Hochberg, E.P. Recovery and nonmonotone masking effects 22: 1087.

STIEVE, H.
Stieve, H., Bruns, M. and Gaube, H. Simultaneous recording by extra- and intracellular electrodes of light responses in the crayfish retina 18: 621.
Stieve, H. and Pflaum, M. The response height versus stimulus intensity curve of the ventral nerve photoreceptor of Limulus depending on adaptation and external calcium concentration 18: 747.
Stieve, H. and Pflaum, M. Lowering the ratio of extracellular calcium to sodium mimics the effect of light on the photosensory membrane of Limulus ventral nerve photoreceptor 18: 883.

STILES, W.S.
Wyszecki, G. and Stiles, W.S. High-level trichromatic color matching and the pigment-bleaching hypothesis 20: 23.

STOBER, S.R.
Brussell, E.M., Stober, S.R. and Favreau, O.E. Contrast reversals in backward masking 18: 225.

STOPER, A.E.
Stoper, A.E. and Mansfield, J.G. Metacontrast and paracontrast suppression of a contourless area 18: 1669.

STOWE, S.
Stowe, S. and Leggett, M. Retina-lamina connectivity and polarization sensitivity in crustacea 18: 1087.

STRASHIMIROV, D.
Vassilev, A. and Strashimirov, D. On the latency of human visually evoked response to sinusoidal gratings 19: 843.

STROMEYER, C.F. III
Stromeyer, C.F. III, Kranda, K. and Sternheim, C.E. Selective chromatic adaptation at different spatial frequencies 18: 427.
Sternheim, C.E., Stromeyer, C.F. III and Khoo, M.C.K. Visibility of chromatic flicker upon spectrally mixed adapting fields 19: 175.
Stromeyer, C.F. III, Kronauer, R.E. and Madsen, J.C. Response saturation

of short-wavelength cone pathways controlled by color-opponent mechanisms 19: 1025.
Klein, S. and Stromeyer, C.F. III On inhibition between spatial frequency channels: adaptation to complex gratings 20: 459.
Stromeyer, C.F. III and Sternheim, C.E. Visibility of red and green spatial patterns upon spectrally mixed adapting fields 21: 397.
Stromeyer, C.F. III, Mulligan, J.B., Birch, D.G. and Dawson, B.M. Adaptation to polarized light in humans 22: 217.
Stromeyer, C.F. III, Klein, S., Dawson, B.M. and Spillmann, L. Low spatial-frequency channels in human vision: adaptation and masking 22: 225.
Buss, C.M., Hayhoe, M.M. and Stromeyer, C.F. III Lateral interactions in the control of visual sensitivity 22: 693.

STRUWE, G.
Dreyfert, T., Holmberg, K. and Struwe, G. Critical flicker fusion frequency of the river lamprey (Lampetra fluviatilis) 19: 551.

STURR, J.F.
White, T.W., Kelly, S.A. and Sturr, J.F. Large field early light adaptation 18: 1679.

SUETTA, G.
Braccini, C., Gambardella, G. and Suetta, G. A noise masking experiment in grating perception at threshold: the implications on binocular summation 20: 373.

SULLIVAN, M.J.
Kertesz, A.E. and Sullivan, M.J. The effect of stimulus size on human cyclofusional response 18: 567.
Sullivan, M.J. and Kertesz, A.E. Binocular coordination of torsional eye movements in cyclofusional response 18: 943.

SUN, T.-T.
Sun, T.-T. and Vidrich, A. Keratin filaments of corneal epithelial cells 21: 55.

SUTHERLAND, S.H.
Reddan, J.R., Friedman, T.B., Mostafapour, M.K., Bondy, R.L., Sutherland, S.H., McGee, S.J. and Goldenberg, M. Donor age influences the growth of rabbit lens epithelial cells in vitro 21: 11.

SUTTER, E.E.
Tyler, C.W. and Sutter, E.E. Depth from spatial frequency difference: an old kind of stereopsis? 19: 859.

SWIFT, D.J.
Swift, D.J. and Smith, R.A. An action spectrum for spatial-frequency adaptation 22: 235.

SWITKES, E.
Switkes, E., Mayer, M.J. and Sloan, J.A. Spatial frequency analysis of the visual environment: anisotropy and the carpentered environment hypothesis 18: 1393.

SYKA, J.
Syka, J., Popelar, J. and Bozkov, V. Responses of neurons in the superior colliculus of the cat to stationary and moving visual stimuli 19: 213.

TACHIBANA, M.
Kaneko, A., Nishimura, Y., Tachibana, M., Tauchi, M. and Shimai, K. Physiological and morphological studies of signal pathways in the carp retina 21: 1519.

TAKEDA, T.
Takeda, T. Discrete potential waves in the photoreceptors of a gastropod mollusc, Hermissenda crassicornis 22: 303.

TAM, W.J.
Ono, H. and Tam, W.J. Asymmetrical vergence and multiple saccades 21: 739.

TANAKA, K.
Tanaka, K. and Toyama, K. Computer-controlled visual stimulator for electrophysiological experiments 18: 743.
Kimura, M., Shiida, T., Tanaka, K. and Toyama, K. Three classes of area 19 cortical cells of the cat classified by their neuronal connectivity and photic responsiveness 20: 69.

TANCZOS, Z.
Karvellas, P.C., Pokorny, J., Smith, V.C. and Tanczos, Z. Hue reversal in the Fechner-Benham color effect following white light adaptation 19: 1277.

TANGNEY, J.
Tangney, J., Weisstein, N. and Berbaum, K. Masking independent of both separation and spatial frequency 19: 817.

TANSLEY, B.W.
Tansley, B.W. and Boynton, R.M. Chromatic border perception: the role of

red- and green-sensitive cones 18: 683.
Tansley, B.W. and Glushko, R.J. Spectral sensitivity of long-wavelength-sensitive photoreceptors in dichromats determined by elimination of border percepts 18: 699.

TARSIO, J.F.
Rubin, N.A., Tarsio, J.F., Borthwick, A.C., Gregerson, D.S. and Reid, T.W. Identification and characterization of a growth factor secreted by an established cell line of human retinoblastoma maintained in serum-free medium 21: 105.

TAUCHI, M.
Kaneko, A., Nishimura, Y., Tachibana, M., Tauchi, M. and Shimai, K. Physiological and morphological studies of signal pathways in the carp retina 21: 1519.

TELLER, D.Y.
Teller, D.Y., Peeples, D.R. and Sekel, M. Discrimination of chromatic from white light by two-month-old human infants 18: 41.
Peeples, D.R. and Teller, D.Y. White-adapted photopic spectral sensitivity in human infants 18: 49.
Teller, D.Y., Regal, D.M., Videen, T.O. and Pulos, E. Development of visual acuity in infant monkeys (Macaca nemestrina) during the early postnatal weeks 18: 561.
Dobson, V., Teller, D.Y. and Belgum, J.H. Visual acuity in human infants assessed with stationary stripes and phase-alternated checkerboards 18: 1233.
Dobson, V. and Teller, D.Y. Visual acuity in human infants: A review and comparison of behavioral and electrophysiological studies 18: 1469.
Pulos, E., Teller, D.Y. and Buck, S.L. Infant color vision: a search for short-wavelength-sensitive mechanisms by means of chromatic adaptation 20: 485.
Powers, M.K., Schneck, M. and Teller, D.Y. Spectral sensitivity of human infants at absolute visual threshold 21: 1005.
Williams, R.A., Boothe, R.G., Kiorpes, L. and Teller, D.Y. Oblique effects in normally reared monkeys (Macaca nemestrina): meridional variations in contrast sensitivity measured with operant techniques 21: 1253.
Hamer, R.D., Alexander, K.R. and Teller, D.Y. Rayleigh discriminations in young human infants 22: 575.
Boothe, R.G. and Teller, D.Y. Meridional variations in acuity and CSF's in monkeys (Macaca nemestrina) reared with externally applied astigmatism 22: 801.
Teller, D.Y., Mayer, D.L., Makous, W.L. and Allen, J.L. Do preferential looking techniques underestimate infant visual acuity? 22: 1017.

TERANISHI, T.
Kato, S., Kuriyama, K., Ito, Y., Teranishi, T. and Negishi, K. [3H]-Dopamine uptake in the dark-adapted fish retina 21: 1189.

THIBOS, L.N.
Levick, W.R., Thibos, L.N. and Morstyn, R. Retinal ganglion cells and optic decussation of white cats 20: 1001.
Thibos, L.N. and Levick, W.R. Astigmatic visual deprivation in cat: behavioral, optical and retinophysiological consequences 22: 43.

THIJSSEN, J.M.
ter Laak, H.J. and Thijssen, J.M. Receptive field properties of optic tract fibres from on-center sustained and transient cells in a tree shrew (Tupaia chinensis) 18: 1097.
ter Laak, H.J. and Thijssen, J.M. Definition of neural response and incremental sensitivity of retinal ganglion cells in a tree shrew (Tupaia chinensis) 19: 885.
ter Laak, H.J., Thijssen, J.M. and Vendrik, A.J.H. Intensity discrimination capacity of retinal ganglion cells of a tree shrew (Tupaia chinensis) 20: 149.

THOMAS, C.W.
Thomas, C.W., Welch, A.J. and Rauh, D.A. Digital inverse filtering of evoked responses 18: 1457.

THOMAS, J.P.
Thomas, J.P. Spatial summation in the fovea: asymmetrical effects of longer and shorter dimensions 18: 1023.

THOMAS, M.V.
Cornwall, M.C. and Thomas, M.V. A rapid cycling dual shutter control system 19: 957.

THOMAS, T.N.
Thomas, T.N. and Redburn, D.A. Serotonin uptake and release by subcellular fractions of bovine retina 20: 1.
Redburn, D.A. and Thomas, T.N. Evidence for a serotonin neurotransmitter

system in bovine retina 21: 1673.

THOMPSON, P.G.
Watson, A.B., Thompson, P.G., Murphy, B.J. and Nachmias, J. Summation and discrimination of gratings moving in opposite directions 20: 341.
Thompson, P.G. Velocity after-effects: the effects of adaptation to moving stimuli on the perception of subsequently seen moving stimuli 21: 337.
Thompson, P.G. Perceived rate of movement depends on contrast 22: 377.

THORELL, L.G.
De Valois, R.L., Albrecht, D.G. and Thorell, L.G. Spatial frequency selectivity of cells in macaque visual cortex 22: 545.

THORN,F.
Gollender, M., Thorn,F. and Erickson, P. Development of axial ocular dimensions following eyelid suture in the cat 19: 221.

THORSON, J.
Foster, D.H., Thorson, J., McIlwain, J.T. and Biederman-Thorson, M. The fine-grain movement illusion: a perceptual probe of neuronal connectivity in the human visual system 21: 1123.

TIETZ, J.D.
Gogel, W.C. and Tietz, J.D. A comparison of oculomotor and motion parallax cues of egocentric distance 19: 1161.

TIMNEY, B.
Anderson, P., Mitchell, D.E. and Timney, B. Residual binocular interaction in stereoblind humans 20: 603.

TOKUNAGA, F.
Nakamura, T., Tokunaga, F. and Yoshizawa, T. Isolation of rod early receptor potential from frog retina 18: 861.

TOKUNAGA,F.
Kawamura, S., Tokunaga,F., Yoshizawa, T., Sarai, A. and Kakitani, T. Orientational changes of the transition dipole moment of retinal chromophore on the disk membrane due to the conversion of rhodopsin to bathorhodopsin and to isorhodopsin 19: 879.

TOLHURST, D.J.
Tolhurst, D.J. and Barfield, L.P. Interactions between spatial frequency channels 18: 951.

TOMEI, F.
Tomei, F. and Wirth, A. The electroretinogram of albinos 18: 1465.

TOMITA, T.
Matsuura, T., Miller, W.H. and Tomita, T. Cone-specific c-wave in the turtle retina 18: 767.
Tomita, T. and Yanagida, T. Origins of the ERG waves 21: 1703.

TOOTELL, R.B.H.
Jacobs, G.H. and Tootell, R.B.H. Spectral components in the b-wave of the ground squirrel electroretinogram 19: 1243.
Tootell, R.B.H. and Jacobs, G.H. A simple surgical procedure for immobilization of rodent eyes 19: 1281.
Jacobs, G.H. and Tootell, R.B.H. Spectrally-opponent responses in ground squirrel optic nerve 20: 9.

TORII, S.
Mitsuboshi, T., Mitsuboshi, M. and Torii, S. The decrease in the threshold on the dark side of the luminance edge in the after-flash effect 22: 1329.

TORNQVIST, K.
Bauer, B., Ehinger, B. and Tornqvist, K. Release of some neurotransmitters from the retina 21: 1665.

TOYAMA, K.
Tanaka, K. and Toyama, K. Computer-controlled visual stimulator for electrophysiological experiments 18: 743.
Kimura, M., Shiida, T., Tanaka, K. and Toyama, K. Three classes of area 19 cortical cells of the cat classified by their neuronal connectivity and photic responsiveness 20: 69.
Kimura, M., Komatsu, Y. and Toyama, K. Differential responses of "simple" and "complex" cells of cat's striate cortex during saccadic eye movements 20: 553.
Toyama, K. and Kozasa, T. Responses of Clare-Bishop neurones to three dimensional movement of a light stimulus 22: 571.

TOYODA, J.-I.
Saito, T., Kondo, H. and Toyoda, J.-i. Rod and cone signals in the on-center bipolar cell: their different ionic mechanisms 18: 591.

TRAPPL, R.
Trappl, R. and Lutzow, A.V. A mathematical model of slow P III of the ERG: variation of stimulus duration 21: 1721.

TREJO, L.J.
Trejo, L.J. and Cicerone, C.M. Retinal sensitivity measured by the pupillary light reflex in RCS and albino rats 22: 1163.
TREVITHICK, J.R.
Creighton, M.O., Mousa, G.Y., Miller, G.G., Blair, D.G. and Trevithick, J.R. Differentiation of rat lens epithelial cells in tissue culture-IV. Some characteristics of the process, including possible in vitro models for pathogenic processes in cataractogenesis 21: 25.
TRICK, G.L.
Trick, G.L. and Guth, S.L. The effect of wavelength on binocular summation 20: 975.
TRIFONOV, Y.A.
Byzov, A.L. and Trifonov, Y.A. Ionic mechanisms underlying the nonlinearity of horizontal cell membrane 21: 1573.
TROOST, B.T.
Bahill, A.T., Iandolo, M.J. and Troost, B.T. Smooth pursuit eye movements in response to unpredictable target waveforms 20: 923.
TROSCIANKO, T.
Troscianko, T. A stereoscopic presentation of the Hermann Grid 22: 485.
Troscianko, T. A given visual field location has a wide range of perceptive field sizes 22: 1363.
TSHERBACH, T.A.
Glezer, V.D., Gauzelman, V.E., Tsherbach, T.A. and Dudkin, K.N. Comments on organization and spatial-frequency characteristics of receptive fields in the visual cortex 18: 887.
TSIN, A.T.C.
Tsin, A.T.C. and Beatty, D.D. Goldfish rhodopsin: $P499_1$ 18: 1453.
Tsin, A.T.C. The visual pigment composition of rainbow trout 19: 131.
Tsin, A.T.C. Steady-state visual pigment composition in rainbow trout 19: 1269.
Tsin, A.T.C., Liebman, P.A., Beatty, D.D. and Drzymala, R. Rod and cone visual pigments in the goldfish 21: 943.
TSUO, B.H.-P.
Ingling, C.R. Jr., Tsuo, B.H.-P., Gast, T.J., Burns, S.A., Emerick, J.O. and Riesenberg, L. The achromatic channel-I. The non-linearity of minimum-border and flicker matches 18: 379.
TSUTSUMI, V.
Frixione, E. and Tsutsumi, V. Photomechanical responses in crustacean retinula cells: the role of microtubules 22: 1507.
TULUNAY-KEESEY, U.
Tulunay-Keesey, U. and Bennis, B.J. Effects of stimulus onset and image motion on contrast sensitivity 19: 767.
TURNBULL, D.F.
Morgan, M.J. and Turnbull, D.F. Smooth eye tracking and the perception of motion in the absence of real movement 18: 1053.
VAN DER TWEEL, L.H.
van der Tweel, L.H., Estevez, O. and Cavonius, C.R. Invariance of the contrast evoked potential with changes in retinal illuminance 19: 1283.
TYLER, C.W.
Tyler, C.W. and Julesz, B. Binocular cross-correlation in time and space 18: 101.
Tyler, C.W. Selectivity for spatial frequency and bar width in cat visual cortex 18: 121.
Tyler, C.W. Some new entoptic phenomena 18: 1633.
Nakayama, K. and Tyler, C.W. Relative motion induced between stationary lines 18: 1663.
Tyler, C.W. and Sutter, E.E. Depth from spatial frequency difference: an old kind of stereopsis? 19: 859.
Tyler, C.W. and Nakayama, K. Grating induction: a new type of aftereffect 20: 437.
Nakayama, K. and Tyler, C.W. Psychophysical isolation of movement sensitivity by removal of familiar position cues 21: 427.
Tyler, C.W., Nakayama, K., Apkarian, P.A. and Levi, D.M. VEP assessment of visual function 21: 607.
Schor, C.M. and Tyler, C.W. Spatio-temporal properties of Panum's fusional area 21: 683.
TYNAN, P.D.
Tynan, P.D. and Sekuler, R. Motion processing in peripheral vision: reaction time and perceived velocity 22: 61.
TYURIN, V.A.
Kagan, V.E., Arkhipenko, Y.V., Belousova, L.V., Tyurin, V.A., Shvedova, A.A., Shukolyukov, S.A. and Kozlov, Y.P. Effects of products of phospholipid hydrolysis by phospholipases on rhodopsin thermal stability

in photoreceptor membranes 21: 1029.

UCHIKAWA, K.
Ikeda, M. and Uchikawa, K. Integrating time for visual pattern perception and a comparison with the tactile mode 18: 1565.
Uchikawa, K. and Ikeda, M. Temporal deterioration of wavelength discrimination with successive comparison method 21: 591.

UGA, S.
Russell, P., Uga, S., Zigler, J.S. Jr., Kaiser-Kupfer, M. and Kuwabara, T. Studies using human lenses from a family displaying hereditary congenital cataracts 21: 169.

UHLRICH, D.J.
Uhlrich, D.J., Blough, P.M. and Blough, D.S. The pigeon's distant visual acuity as a function of viewing angle 22: 429.

UILENREEF, P.L.
Broekhuijsen, M.L., Uilenreef, P.L. and Veringa, F. Flicker and chromatic adaptation 19: 565.

URINOWSKY, E.
Yinon, U., Urinowsky, E. and Barishak, Y.-T.R. Paradoxical pupillary constriction in dark reared chicks 21: 1319.

USUI, S.
Usui, S. and Stark, L. Sensory and motor mechanisms interact to control amplitude of pupil noise 18: 505.

VALBERG, A.
Valberg, A. and Breitmeyer, B.G. The lateral effect of oscillation of peripheral luminance gratings: test of various hypotheses 20: 789.
Breitmeyer, B.G., Valberg, A., Kurtenbach, W. and Neumeyer, C. The lateral effect of oscillation of peripheral luminance gratings on the foveal increment threshold 20: 799.
Valberg, A., Olsen, B.T. and Marthinsen, S. Peripheral contrast reversal inhibits visually evoked potentials in the fovea 21: 947.

VALETON, J.M.
Valeton, J.M. and van Norren, D. Transient tritanopia at the level of the ERG b-wave 19: 689.
van Norren, D. and Valeton, J.M. The human rod ERG: the dark-adapted a-wave response function 19: 1433.
van Norren, D. and Valeton, J.M. Isolation of macaque late receptor potential with fractional recording 21: 1719.
Valeton, J.M. and van Norren, D. Fractional recording and component analysis of primate LERG: separation of photoreceptor and other receptor potentials 22: 381.
Valeton, J.M. and van Norren, D. Intraretinal recordings of slow electrical responses to steady illumination in monkey: isolation of receptor responses and the origin of the light peak 22: 393.

VALLERGA, S.
Vallerga, S., Covacci, R. and Pottala, E.W. Artifical cone responses: a computer-driven hardware model 20: 453.
Vallerga, S. Physiological and morphological identification of amacrine cells in the retina of the larval tiger salamander 21: 1307.
Deplano, S. and Vallerga, S. Morphological characterization of the Boops boops retina 21: 1551.

VANEY, D.I.
Hughes, A. and Vaney, D.I. The refractive state of the rabbit eye: variation with eccentricity and correction for oblique astigmatism 18: 1351.
Vaney, D.I. The grating acuity of the wild European rabbit 20: 87.
Hughes, A. and Vaney, D.I. Contact lenses change the projection of visual field onto rabbit peripheral retina 21: 955.

VASSILEV, A.
Vassilev, A. and Strashimirov, D. On the latency of human visually evoked response to sinusoidal gratings 19: 843.

VEGLIA, F.
Lovisolo, D., Prelato, M. and Veglia, F. The electrical response of the ocellus of Phalangium opilio 18: 1423.

VENDRIK, A.J.H.
ter Laak, H.J., Thijssen, J.M. and Vendrik, A.J.H. Intensity discrimination capacity of retinal ganglion cells of a tree shrew (Tupaia chinensis) 20: 149.

VERHOOSEL, J.C.M.
Bour, L.J. and Verhoosel, J.C.M. Directional sensitivity of photoreceptors for different degrees of coherence and directions of polarization of the incident light 19: 717.

VERINGA, F.
Broekhuijsen, M.L., Uilenreef, P.L. and Veringa, F. Flicker and chromatic

adaptation 19: 565.

VERONEE, C.D.
Crouch, R.K., Veronee, C.D. and Lacy, M.E. Inhibition of rhodopsin regeneration by cyclohexyl derivatives 22: 1451.

VICTOR, J.D.
Shapley, R. and Victor, J.D. The contrast gain control of the cat retina 19: 431.

VIDEEN, T.O.
Teller, D.Y., Regal, D.M., Videen, T.O. and Pulos, E. Development of visual acuity in infant monkeys (Macaca nemestrina) during the early postnatal weeks 18: 561.

VIDRICH, A.
Sun, T.-T. and Vidrich, A. Keratin filaments of corneal epithelial cells 21: 55.

VIRSU, V.
Virsu, V., Rovamo, J., Laurinen, P. and Nasanen, R. Temporal contrast sensitivity and cortical magnification 22: 1211.

VLODAVSKY, I.
Gospodarowicz, D., Vlodavsky, I. and Savion, N. The role of fibroblast growth factor and the extracellular matrix in the control of proliferation and differentiation of corneal endothelial cells 21: 87.

VOLKMANN, F.C.
Volkmann, F.C., Riggs, L.A., White, K.D. and Moore, R.K. Contrast sensitivity during saccadic eye movements 18: 1193.
Riggs, L.A., Volkmann, F.C. and Moore, R.K. Suppression of the blackout due to blinks 21: 1075.
Riggs, L.A., Volkmann, F.C., Moore, R.K. and Ellicott, A.G. Perception of suprathreshold stimuli during saccadic eye movement 22: 423.
Volkmann, F.C., Riggs, L.A., Ellicott, A.G. and Moore, R.K. Measurements of visual suppression during opening, closing and blinking of the eyes 22: 991.

VROLIJK, P.C.
van der Wildt, G.J. and Vrolijk, P.C. Propagation of inhibition 21: 1765.
Vrolijk, P.C. and van der Wildt, G.J. Propagating inhibition as a function of flash diameter and duration 22: 401.

WADE, N.J.
Wade, N.J. and Wenderoth, P. The influence of colour and contour rivalry on the magnitude of the tilt after-effect 18: 827.
Wade, N.J. The influence of colour and contour rivalry on the magnitude of the tilt illusion 20: 229.

WAGNER, H.G.
Levick, W.R., Kirk, D.L. and Wagner, H.G. Neurophysiological tracing of a projection from temporal retina to contralateral visual cortex of the cat 21: 1677.

WAKABAYASHI, S.
Kawamura, S., Wakabayashi, S., Maeda, A. and Yoshizawa, T. Isorhodopsin: conformation and orientation of its chromophore in frog disk membrane 18: 457.

WALKER, P.
Walker, P. and Powell, D.J. The sensitivity of binocular rivalry to changes in the nondominant stimulus 19: 247.

WALRAVEN, J.
Walraven, J. No additive effect of backgrounds in chromatic induction 19: 1061.
Walraven, J. Perceived colour under conditions of chromatic adaptation: evidence for gain control by Pi mechanisms 21: 611.
Werner, J.S. and Walraven, J. Effect of chromatic adaptation on the achromatic locus: the role of contrast, luminance and background color 22: 929.

WALTER, A.E.
Bolnick, D.A., Walter, A.E. and Sillman, A.J. Barium suppresses slow PIII in perfused bullfrog retina 19: 1117.

WALTERS, J.W.
Walters, J.W. and Harwerth, R.S. The mechanism of brightness enhancement 18: 777.

WANDELL, B.A.
Hood, D.C., Ilves, T., Maurer, E., Wandell, B.A. and Buckingham, E. Human cone saturation as a function of ambient intensity: a test of models of shifts in the dynamic range 18: 983.
Wandell, B.A. and Pugh, E.N. Jr. A field-additive pathway detects brief-duration, long-wavelength incremental flashes 20: 613.
Wandell, B.A. and Pugh, E.N. Jr. Detection of long-duration, long-wavelength incremental flashes by a chromatically coded pathway

20: 625.
Wandell, B.A., Sanchez, J. and Quinn, B. Detection-discrimination in the long-wavelength pathways 22: 1061.
Wandell, B.A., Welsh, D. and Maloney, L. Adaptation in the long-wavelength pathways 22: 1071.

WANG, J.K.
Hargrave, P.A., McDowell, J.H., Siemiatkowski-Juszczak, E.C., Fong, S.-L., Kuhn, H., Wang, J.K., Curtis, D.R., Rao, J.K.M., Argos, P. and Feldmann, R.J. The carboxyl-terminal one-third of bovine rhodopsin: its structure and function 22: 1429.

WARD, R.
Morgan, M.J. and Ward, R. Conditions for motion flow in dynamic visual noise 20: 431.

WARE, C.
Ware, C. and Cowan, W.B. Changes in perceived color due to chromatic interactions 22: 1353.

WARTZOK, D.
Wartzok, D. and McCormick, M.G. Color discrimination by a Bering Sea spotted seal, Phoca larqha 18: 781.

WASSERMAN, G.S.
Easland, G.S. and Wasserman, G.S. Multiple intracellular contributions to light adaptation in Limulus ommatidia 19: 1.
Felsten, G. and Wasserman, G.S. Masking-induced sensitivity changes in Limulus photoreceptors 19: 943.
Wasserman, G.S. and Kong, K.-L. Wavelength-discrimination behavior in the grasshopper Phlaeoba 22: 757.

WATANABE, T.
Watanabe, T. and Oono, S. A solid-state television pupillometer 22: 499.

WATKINS, J.
Prestrude, A.M., Watkins, L. and Watkins, J. Interocular light adaptation effect on the Lie "specific threshold" 18: 855.

WATKINS, L.
Prestrude, A.M., Watkins, L. and Watkins, J. Interocular light adaptation effect on the Lie "specific threshold" 18: 855.

WATSON, A.B.
Watson, A.B. Probability summation over time 19: 515.
Watson, A.B. and Nachmias, J. Summation of asynchronous gratings 20: 91.
Watson, A.B., Thompson, P.G., Murphy, B.J. and Nachmias, J. Summation and discrimination of gratings moving in opposite directions 20: 341.
Watson, A.B. and Robson, J.G. Discrimination at threshold: labelled detectors in human vision 21: 1115.
Watson, A.B. A single-channel model does not predict visibility of asynchronous gratings 21: 1799.
Watson, A.B. Summation of grating patches indicates many types of detector at one retinal location 22: 17.
Watson, A.B. Derivation of the impulse response: comments on the method of Roufs and Blommaert 22: 1335.

WATT, R.J.
Watt, R.J. and Andrews, D.P. Contour curvature analysis: hyperacuities in the discrimination of detailed shape 22: 449.
Morgan, M.J. and Watt, R.J. Hyperacuity for luminance phase angle in the human visual system 22: 863.
Morgan, M.J. and Watt, R.J. The modulation transfer function of a display oscilloscope: measurements and comments 22: 1083.
Morgan, M.J. and Watt, R.J. Effect of motion sweep duration and number of stations upon interpolation in discontinuous motion 22: 1277.

WEALE, R.A.
Weale, R.A. Experiments on the Zollner and related optical illusions 18: 203.
Weale, R.A. On matching colours 21: 1431.

WEBB, S.V.
Kratz, K.E., Webb, S.V. and Sherman, S.M. Electrophysiological classification of X- and Y-cells in the cat's lateral geniculate nucleus 18: 1261.

DE WEERT, C.M.M.
de Weert, C.M.M. Colour contours and stereopsis 19: 555.

WEILER, R.
Weiler, R. and Zettler, F. The axon-bearing horizontal cells in the teleost retina are functional as well as structural units 19: 1261.
Zettler, F. and Weiler, R. Propagation of non-spike signals in retinal neurons 21: 1589.
Weiler, R. and Marchiafava, P.L. Physiological and morphological study of the inner plexiform layer in the turtle retina 21: 1635.

WEINREB, R.
Polansky, J.R., Weinreb, R. and Alvarado, J.A. Studies on human trabecular cells propagated in vitro 21: 155.
WEISSTEIN, N.
Tangney, J., Weisstein, N. and Berbaum, K. Masking independent of both separation and spatial frequency 19: 817.
Williams, M.C. and Weisstein, N. Spatial frequency response and perceived depth in the timecourse of object superiority 21: 631.
Genter, C.R. II and Weisstein, N. Flickering phantoms: a motion illusion without motion 21: 963.
WELCH, A.J.
Thomas, C.W., Welch, A.J. and Rauh, D.A. Digital inverse filtering of evoked responses 18: 1457.
WELINDER, E.
Skoog, K.-O., Welinder, E. and Nilsson, S.E.G. The influence of ethyl alcohol on slow off-responses in the human d.c. registered electroretinogram 18: 1041.
Welinder, E. Cyclic amplitude variations of a slow ERG off-effect, the h-wave, in the Cynomolgus monkey 21: 1159.
WELPE, E.
Welpe, E. Der Violetteffekt, eine neue durch Flimmerlicht induzierte subjektive Farbe 18: 1623.
Welpe, E. Die Sehwinkelkonstanz des subjektiven Schachbrettmusters, ein Hinweis auf den kortikalen Entstehungsort der Grobenkonstanz 19: 795.
WELSH, D.
Wandell, B.A., Welsh, D. and Maloney, L. Adaptation in the long-wavelength pathways 22: 1071.
WENDEROTH, P.
Wade, N.J. and Wenderoth, P. The influence of colour and contour rivalry on the magnitude of the tilt after-effect 18: 827.
Wenderoth, P., Beh, H. and White, D. Perceptual distortion of an oblique line in the presence of an abutting vertical line 18: 923.
Wenderoth, P. A possible confounding between the orthogonal perceived spatial frequency shift and the vertical-horizontal illusion 20: 1021.
WENT, L.N.
van Norren, D. and Went, L.N. New test for the detection of tritan defects evaluated in two surveys 21: 1303.
WERBLIN, F.S.
Kong, R.L. and Werblin, F.S. Electrical properties of cones isolated from the tiger salamander retina 21: 1329.
WERNER, J.S.
Wooten, B.R. and Werner, J.S. Short-wave cone input to the red-green opponent channel 19: 1053.
Werner, J.S. and Walraven, J. Effect of chromatic adaptation on the achromatic locus: the role of contrast, luminance and background color 22: 929.
WEST, R.W.
West, R.W. Bipolar and horizontal cells of the gray squirrel retina: Golgi morphology and receptor connections 18: 129.
WESTHEIMER, G.
Westheimer, G. Spatial phase sensitivity for sinusoidal grating targets 18: 1073.
Butler, T.W. and Westheimer, G. Interference with stereoscopic acuity: spatial, temporal, and disparity tuning 18: 1387.
Westheimer, G. The spatial grain of the perifoveal visual field 22: 157.
Westheimer, G. Do ocular-dominance columns set spatial limits for hyperacuity processing? 22: 1349.
WHEELER, T.G.
Wheeler, T.G. Goldfish retina: dorsal versus ventral areas 18: 1329.
WHITE, D.
Wenderoth, P., Beh, H. and White, D. Perceptual distortion of an oblique line in the presence of an abutting vertical line 18: 923.
WHITE, K.D.
Volkmann, F.C., Riggs, L.A., White, K.D. and Moore, R.K. Contrast sensitivity during saccadic eye movements 18: 1193.
White, K.D., Petry, H.M., Riggs, L.A. and Miller, J. Binocular interactions during establishment of McCollough effects 18: 1201.
WHITE, T.W.
White, T.W., Kelly, S.A. and Sturr, J.F. Large field early light adaptation 18: 1679.
White, T.W., Irvin, G.E. and Williams, M.C. Asymmetry in the brightness and darkness Broca-Sulzer effects 20: 723.
White, T.W. and Rinalducci, E.J. Sensation length and equal brightness

21: 603.

VAN DER WILDT, G.J.
Meijer, J.G., van der Wildt, G.J. and van den Brink, G. Twin-flash response as a function of flash diameter 18: 1111.
Rijsdijk, J.P., Kroon, J.N. and van der Wildt, G.J. Contrast sensitivity as a function of position on the retina 20: 235.
Kroon, J.N., Rijsdijk, J.P. and van der Wildt, G.J. Peripheral contrast sensitivity for sine-wave gratings and single periods 20: 243.
Kroon, J.N. and van der Wildt, G.J. Spatial frequency tuning studies: weighting as a prerequisite for describing psychometric curves by probability summation 20: 253.
van der Wildt, G.J. and Vrolijk, P.C. Propagation of inhibition 21: 1765.
Vrolijk, P.C. and van der Wildt, G.J. Propagating inhibition as a function of flash diameter and duration 22: 401.

WILLIAMS, D.R.
Williams, D.R. and MacLeod, D.I.A. Interchangeable backgrounds for cone afterimages 19: 867.
Krauskopf, J., Williams, D.R. and Heeley, D.W. Computer controlled color mixer with laser primaries 21: 951.
Frome, F.S., MacLeod, D.I.A., Buck, S.L. and Williams, D.R. Large loss of visual sensitivity to flashed peripheral targets 21: 1323.
Williams, D.R., MacLeod, D.I.A. and Hayhoe, M.M. Foveal tritanopia 21: 1341.
Williams, D.R., MacLeod, D.I.A. and Hayhoe, M.M. Punctate sensitivity of the blue-sensitive mechanism 21: 1357.
Krauskopf, J., Williams, D.R. and Heeley, D.W. Cardinal directions of color space 22: 1123.

WILLIAMS, M.C.
White, T.W., Irvin, G.E. and Williams, M.C. Asymmetry in the brightness and darkness Broca-Sulzer effects 20: 723.
Williams, M.C. and Weisstein, N. Spatial frequency response and perceived depth in the timecourse of object superiority 21: 631.

WILLIAMS, R.A.
Williams, R.A. and Fender, D.H. Velocity precision in smooth pursuit eye movements 19: 343.
Williams, R.A., Boothe, R.G., Kiorpes, L. and Teller, D.Y. Oblique effects in normally reared monkeys (Macaca nemestrina): meridional variations in contrast sensitivity measured with operant techniques 21: 1253.

WILLIAMS, T.P.
Williams, T.P. and Gale, J.G. "Compression" of retinal responsivity: V-log I functions and increment thresholds 18: 587.
Rapp, L.M. and Williams, T.P. The role of ocular pigmentation in protecting against retinal light damage 20: 1127.

WILLIAMSON, S.J.
Williamson, S.J., Kaufman, L. and Brenner, D. Latency of the neuromagnetic response of the human visual cortex 18: 107.
Okada, Y.C., Kaufman, L., Brenner, D. and Williamson, S.J. Modulation transfer functions of the human visual system revealed by magnetic field measurements 22: 319.

WILLSHAW, D.J.
Lee, B.B. and Willshaw, D.J. Responses of the various types of cat retinal ganglion cells to moving contours 18: 757.

WILSON, A.E.
Di Lollo, V. and Wilson, A.E. Iconic persistence and perceptual moment as determinants of temporal integration in vision 18: 1607.

WILSON, H.R.
Wilson, H.R. Quantitative prediction of line spread function measurements: implications for channel bandwidths 18: 493.
Wilson, H.R. Quantitative characterization of two types of line-spread function near the fovea 18: 971.
Wilson, H.R. and Bergen, J.R. A four mechanism model for threshold spatial vision 19: 19.
Wilson, H.R., Phillips, G., Rentschler, I. and Hilz, R. Spatial probability summation and disinhibition in psychophysically measured line-spread functions 19: 593.
Wilson, H.R. Spatiotemporal characterization of a transient mechanism in the human visual system 20: 443.

WINKELMANN, E.
Winkelmann, E. and Brauer, K. Some aspects of neuronal organization in rat's visual structures 21: 1681.

WINTERSON, B.J.
Winterson, B.J. and Steinman, R.M. The effect of luminance on human

smooth pursuit of perifoveal and foveal targets 18: 1165.
Skavenski, A.A., Hansen, R.M., Steinman, R.M. and Winterson, B.J. Quality of retinal image stabilization during small natural and artificial body rotations in man 19: 675.
Winterson, B.J., Collewijn, H. and Steinman, R.M. Compensatory eye movements to miniature rotations in the rabbit: implications for retinal image stability 19: 1155.
Winterson, B.J. and Steinman, R.M. Proprioceptive information neither improves fixation stability nor reduces autokinesis 19: 1289.

WIOLAND, N.
Wioland, N. and Bonaventure, N. Colour coding in the chicken ERG 21: 1621.
Bonaventure, N. and Wioland, N. Involvement of GABA in ganglion cell receptive field organization in the frog retina 21: 1653.

WIRTH, A.
Tomei, F. and Wirth, A. The electroretinogram of albinos 18: 1465.

WISE, V.L.
DeBruyn, E.J., Wise, V.L. and Casagrande, V.A. The size and topographic arrangement of retinal ganglion cells in the galago 20: 315.

WISOWATY, J.
Wisowaty, J. and Boynton, R.M. Temporal modulation sensitivity of the blue mechanism: measurements made without chromatic adaptation 20: 895.

WITKOVSKY, P.
Engbretson, G.A., Hassin, G. and Witkovsky, P. The threshold versus pigment relation of Xenopus rods 19: 367.
Witkovsky, P., Levine, J.S., Engbretson, G.A., Hassin, G. and MacNichol, E.F. Jr. A microspectrophotometric study of normal and artificial visual pigments in the photoreceptors of Xenopus laevis 21: 867.
Witkovsky, P., Yang, C.-Y. and Ripps, H. Properties of a blue-sensitive rod in the Xenopus retina 21: 875.

WOLBORSHT, M.L.
Sliney, D.H. and Wolborsht, M.L. Safety standards and measurement techniques for high intensity light sources 20: 1133.

WOLF, E.
Levine, J., Spillmann, L. and Wolf, E. Saturation enhancement in colored Hermann grids varying only in chroma 20: 307.

WOLF, W.
Wolf, W., Hauske, G. and Lupp, U. How presaccadic gratings modify postsaccadic modulation transfer function 18: 1173.
Wolf, W., Hauske, G. and Lupp, U. Interaction of pre- and postsaccadic patterns having the same coordinates in space 20: 117.
Deubel, H., Wolf, W. and Hauske, G. Corrective saccades: effect of shifting the saccade goal 22: 353.

WOLFE, J.
Reymond, L. and Wolfe, J. Behavioural determination of the contrast sensitivity function of the eagle Aquila audax 21: 263.

WOLFE, J.M.
Wolfe, J.M. and Held, R. Eye torsion and visual tilt are mediated by different binocular processes 19: 917.
Held, R., Gwiazda, J.,Brill, S., Mohindra, I. and Wolfe, J.M. Infant visual acuity is underestimated because near threshold gratings are not preferentially fixated 19: 1377.
Wolfe, J.M., Held, R. and Bauer, J.A. Jr. A binocular contribution to the production of optokinetic nystagmus in normal and stereoblind subjects 21: 587.
Wolfe, J.M. and Held, R. A purely binocular mechanism in human vision 21: 1755.
Wolfe, J.M. and Held, R. Gravity and the tilt aftereffect 22: 1075.

WONG, E.
Mack, A., Fendrich, R. and Wong, E. Is perceived motion a stimulus for smooth pursuit 22: 77.

WONG, F.
Wong, F., Lantz, R.C. and Mauro, A. The role of calcium ions in the suppression of the photoresponse during anoxia and application of metabolic inhibitors 19: 251.
Lo, M.-V.C., Wong, F. and Pak, W.L. Increase in intracellular free calcium concentration of Limulus photoreceptors caused by a metabolic inhibitor 20: 539.

WONG, J.H.
Ellis, S.R., Wong, J.H. and Stark, L. Absence of accommodation during perceptual reversal of Necker cubes 19: 953.

WONG, S.
Freeman, R.D., Wong, S. and Zezula, S. Optical development of the kitten

cornea 18: 409.
WOOD, I.C.J.
Wood, I.C.J. and Kulikowski, J.J. Pattern and movement detection in patients with reduced visual acuity 18: 331.
WOODHOUSE, J.M.
Selby, S.A. and Woodhouse, J.M. The spatial frequency dependence of interocular transfer in amplyopes 21: 1401.
WOOTEN, B.R.
Wooten, B.R. and Werner, J.S. Short-wave cone input to the red-green opponent channel 19: 1053.
WRIGHT, M.J.
Wright, M.J. Contrast sensitivity and adaptation as a function of grating length 22: 139.
Wright, M.J. and Johnston, A. The effects of contrast and length of gratings on the visual evoked potential 22: 1389.
WUNK, D.F.
Wunk, D.F. and Freeman, J.A. An electronically-controlled visual stimulus generator for quantitative mapping of visual receptive fields 19: 599.
WURTZ, R.H.
Campbell, F.W. and Wurtz, R.H. Saccadic omission: why we do not see a grey-out during a saccadic eye movement 18: 1297.
WYATT, H.J.
Wyatt, H.J. Purkinje's methods for visualizing the internal retinal circulation: a look at the source 18: 875.
Wyatt, H.J. and Pola, J. The role of perceived motion in smooth pursuit eye movements 19: 613.
Pola, J. and Wyatt, H.J. Target position and velocity: the stimuli for smooth eye pursuit movements 20: 523.
Wyatt, H.J. and Musselman, J.F. Pupillary light reflex in humans: evidence for an unbalanced pathway from nasal retina, and for signal cancellation in brainstem 21: 513.
WYSZECKI, G.
Wyszecki, G. Color matching at moderate to high levels of retinal illuminance: A pilot study 18: 341.
Wyszecki, G. and Stiles, W.S. High-level trichromatic color matching and the pigment-bleaching hypothesis 20: 23.
YAKIMOFF, N.
Mitrani, L., Dimitrov, G., Yakimoff, N. and Mateef, S. Oculomotor and perceptual localization during smooth eye movements 19: 609.
Bozkov, V., Bohdanecky, Z., Radil-Weiss, T., Mitrani, L. and Yakimoff, N. Scanning open and closed polygons 22: 721.
YAMADA, M.
Shigematsu, Y., Yamada, M. and Fuwa, M. Latency measurement of the color coded S-potentials in the carp retina 18: 1435.
YAMAGAMI, K.
Kawabata, N., Yamagami, K. and Noaki, M. Visual fixation points and depth perception 18: 853.
Nagano, T. and Yamagami, K. Temporal sensitivities to square-wave gratings, sawtooth-wave gratings and their fundamentals: more evidence for multiple spatial frequency channels in human vision 22: 1053.
YANAGIDA, T.
Tomita, T. and Yanagida, T. Origins of the ERG waves 21: 1703.
YANG, C.
Meyer, G.E., Jackson, W.E. and Yang, C. Spatial frequency, orientation and color: interocular effects of adaptation on the perceived duration of gratings 19: 1197.
YANG, C.-Y.
Witkovsky, P., Yang, C.-Y. and Ripps, H. Properties of a blue-sensitive rod in the Xenopus retina 21: 875.
YAU, K.-W.
Lamb, T.D., Baylor, D.A. and Yau, K.-W. The membrane current of single rod outer segments 19: 385.
Yau, K.-W., Lamb, T.D., Matthews, G. and Baylor, D.A. Current fluctuations across single rod outer segments 19: 387.
YELLOTT, J.I. JR.
Yellott, J.I. Jr. Spectral analysis of spatial sampling by photoreceptors: topological disorder prevents aliasing 22: 1205.
YINON, U.
Yinon, U., Rose, L. and Shapiro, A. Myopia in the eye of developing chicks following monocular and binocular lid closure 20: 137.
Yinon, U., Urinowsky, E. and Barishak, Y.-T.R. Paradoxical pupillary constriction in dark reared chicks 21: 1319.

YOSHIDA, M.
Yoshida, M. Some observations on the patency in the outer segments of photoreceptors of the nocturnal gecko 18: 137.
YOSHIZAWA, T.
Kawamura, S., Wakabayashi, S., Maeda, A. and Yoshizawa, T. Isorhodopsin: conformation and orientation of its chromophore in frog disk membrane 18: 457.
Matsumoto, H. and Yoshizawa, T. Recognition of opsin to the longitudinal length of retinal isomers in the formation of rhodopsin 18: 607.
Nakamura, T., Tokunaga, F. and Yoshizawa, T. Isolation of rod early receptor potential from frog retina 18: 861.
Kawamura, S., Tokunaga,F., Yoshizawa, T., Sarai, A. and Kakitani, T. Orientational changes of the transition dipole moment of retinal chromophore on the disk membrane due to the conversion of rhodopsin to bathorhodopsin and to isorhodopsin 19: 879.
YOUNG, D.C.
Young, D.C. Dark adaptation in five-year-old children and adults 21: 811.
YOUNG, R.S.L.
Young, R.S.L. and Fishman, G.A. Sensitivity losses in a long wavelength sensitive mechanism of patients with retinitis pigmentosa 22: 163.
YOUNG, R.W.
Young, R.W. Visual cells, daily rhythms, and vision research 18: 573.
YUE, B.Y.J.T.
Yue, B.Y.J.T. and Baum, J.L. Studies of corneas in vivo and in vitro 21: 41.
YUND, E.W.
De Valois, R.L., Yund, E.W. and Hepler, N. The orientation and direction selectivity of cells in macaque visual cortex 22: 531.
ZAAGMAN, W.H.
Mastebroek, H.A.K., Zaagman, W.H. and Lenting, B.P.M. Movement detection: performance of a wide-field element in the visual system of the blowfly 20: 467.
ZEE, D.S.
Muratore, R. and Zee, D.S. Pursuit after-nystagmus 19: 1057.
Leigh, R.J., Newman, S.A., Zee, D.S. and Miller, N.R. Visual following during stimulation of an immobile eye (the open loop condition) 22: 1193.
ZENKIN, G.M.
Petrov, A.P., Pigarev, I.N. and Zenkin, G.M. Some evidence against Fourier analysis as a function of the receptive fields in cat's striate cortex 20: 1023.
ZETLAN, S.R.
Zetlan, S.R., Spear, P.D. and Geisert, E.E. The role of cortico-geniculate projections in the loss of Y-cells in monocularly deprived cats 21: 1035.
ZETTLER, F.
Weiler, R. and Zettler, F. The axon-bearing horizontal cells in the teleost retina are functional as well as structural units 19: 1261.
Zettler, F. and Weiler, R. Propagation of non-spike signals in retinal neurons 21: 1589.
ZEZULA, S.
Freeman, R.D., Wong, S. and Zezula, S. Optical development of the kitten cornea 18: 409.
ZIGLER, J.S. JR.
Russell, P., Uga, S., Zigler, J.S. Jr., Kaiser-Kupfer, M. and Kuwabara, T. Studies using human lenses from a family displaying hereditary congenital cataracts 21: 169.
ZIGMAN, S.
Zigman, S. Ultraviolet light and human lens pigmentation 18: 509.
ZIMMERMAN, G.
Zimmerman, G. How to make metal-filled microelectrodes in a reproducible way 18: 869.
ZIMMERN, R.
Hess, R.F., Campbell, F.W. and Zimmern, R. Differences in the neural basis of human amblyopias: the effect of mean luminance 20: 295.
ZRENNER, E.
Gouras, P. and Zrenner, E. Color coding in primate retina 21: 1591.
Zrenner, E. and Gouras, P. Characteristics of the blue sensitive cone mechanism in primate retinal ganglion cells 21: 1605.
Schuurmans, R.P. and Zrenner, E. Responses of the blue sensitive cone system from the visual cortex and the arterially perfused eye in cat and monkey 21: 1611.

ZUIDAM, I.
Zuidam, I. and Collewijn, H. Vergence eye movements of the rabbit in visuomotor behavior 19: 185.
ZUIDEMA, P.
Zuidema, P., Gresnigt, A.M., Bouman, M.A. and Koenderink, J.J. A quanta coincidence model for absolute threshold vision incorporating deviations from Ricco's law 18: 1685.
ZWAS, F.
Zwas, F. Wavelength variation in directional sensitivity of the long- and medium-wave sensitive foveal cones of red-green dichromats 19: 1067.
Alpern, M. and Zwas, F. The wavelength variation of the directional sensitivity of the Stiles Pi_1u 19: 1077.
ZWICK, H.
Robbins, D.O. and Zwick, H. Long wavelength foveal insensitivity in rhesus 20: 1027.

ABERRATION
Hypermetropia of small animals and chromatic aberration 18: 125.
Chromoretinoscopy 18: 247.
Chromatic aberration of the fish eye and its effect on refractive state 18: 453.
Contribution of the cornea and lens to the spherical aberration of the eye 19: 685.
A useful table of reduced schematic eyes for vertebrates which includes computed longitudinal chromatic aberrations 19: 1273.
The artefact of retinoscopy in the rat and rabbit eye has its origin at the retina-vitreous interface rather than in longitudinal chromatic aberration 19: 1293.
Depth of focus, eye size and visual acuity 20: 827.
Off-axis image quality in the human eye 21: 445.
An analytic, gradient index schematic lens and eye for the rat which predicts aberrations for finite pupils 21: 1129.
Chromatic dispersion of the ocular media 22: 997.

ABSOLUTE THRESHOLD (SEE DETECTION THRESHOLD)

ACCOMMODATION
Hypermetropia of small animals and chromatic aberration 18: 125.
Binocular eye movements during accommodative vergence 18: 545.
The synkinetic interaction of convergence accommodation and accommodative convergence 19: 1237.
A photorefractive study of infant accommodation 19: 1319.
A comparison of accommodative responsiveness and contrast sensitivity for sinusoidal gratings 20: 159.
The influence of the spatial distribution of a target on the dynamic response and fluctuations of the accommodation of the human eye 21: 1287.
Effects of stimulus vergence on mean accommodation response, microfluctuations of accommodation and optical quality of the human eye 22: 561.
Model of the accommodative mechanism in the human eye 22: 917.

ACUITY (SEE ALSO STEREOPSIS; VERNIER ACUITY)
Visual acuity in cats with central retinal lesions 18: 15.
Measurement of infant visual acuity from pattern reversal evoked potentials 18: 33.
Contrast sensitivity and acuity of a conscious cat measured by the occipital evoked potential 18: 175.
Pattern and movement detection in patients with reduced visual acuity 18: 331.
Assessment of visual acuity by evoked potential recording: ambiguity caused by temporal dependence of spatial frequency selectivity 18: 439.
Development of visual acuity in infant monkeys (Macaca nemestrina) during the early postnatal weeks 18: 561.
Binocular summation: a study of contrast sensitivity, visual acuity and recognition 18: 579.
Acuity for spatial separation as a function of stimulus size 18: 615.
Quantitative characterization of two types of line-spread function near the fovea 18: 971.
High-pass spatial frequency letters as clinical optotypes 18: 1063.
Spatial phase sensitivity for sinusoidal grating targets 18: 1073.
Effects of target size and eccentricity on visual detection and resolution 18: 1217.
Visual acuity in human infants assessed with stationary stripes and phase-alternated checkerboards 18: 1233.
Interference with stereoscopic acuity: spatial, temporal, and disparity tuning 18: 1387.
Visual acuity in human infants: A review and comparison of behavioral and electrophysiological studies 18: 1469.
Single retinal ganglion cell responses in the dark-reared rat: Grating acuity, contrast sensitivity, and defocusing 18: 1533.
Infant visual acuity and its meridional variation 18: 1557.
Visual performance in the rhesus monkey after exposure to blue light 18: 1573.
Contrast sensitivity and acuity of the goldfish 19: 255.
A psychophysical investigation of spatial vision in the normal and reeler mutant mouse 19: 853.

Infant visual acuity is underestimated because near threshold gratings are not preferentially fixated 19: 1377.
A preliminary report of acuity and contour interactions across the amblyope's visual field 19: 1403.
The grating acuity of the wild European rabbit 20: 87.
The role of microsaccades in high acuity observation tasks 20: 813.
Depth of focus, eye size and visual acuity 20: 827.
Hyperacuity in the detection of absolute and differential displacements of random dot patterns 20: 947.
Long wavelength foveal insensitivity in rhesus 20: 1027.
The detection and recognition of two lines 21: 235.
Why luminance discrimination may be better than detection 21: 273.
Multiplicative intrinsic noise and the limits to visual performance 21: 291.
Psychophysical isolation of movement sensitivity by removal of familiar position cues 21: 427.
Off-axis image quality in the human eye 21: 445.
Saccades to step-ramp stimuli 21: 479.
A local mechanism for differential velocity detection 21: 491.
Subthreshold addition of real and apparent motion 21: 557.
Vernier discrimination with sequentially-flashed lines: roles of eye movements, retinal offsets and short-term memory 21: 647.
Visual acuity development in infant monkeys (Macaca nemestrina) having known gestational ages 21: 805.
Naso-temporal asymmetries in human amblyopia: consequence of long-term interocular suppression 21: 1055.
Detection of differential displacements of random dot patterns at different dot densities 21: 1193.
Effect of retinal blur on the peak latency of the pattern evoked potential 21: 1279.
Long term visual deprivation in a human 22: 27.
Astigmatic visual deprivation in cat: behavioral, optical and retinophysiological consequences 22: 43.
The spatial grain of the perifoveal visual field 22: 157.
The pigeon's distant visual acuity as a function of viewing angle 22: 429.
Ganglion cell acuity in hooded rats 22: 441.
Contour curvature analysis: hyperacuities in the discrimination of detailed shape 22: 449.
Stereoacuity development for crossed and uncrossed disparities in human infants 22: 507.
Effect of focus on visual acuity of human infants 22: 521.
Meridional variations in acuity and CSF's in monkeys (Macaca nemestrina) reared with externally applied astigmatism 22: 801.
Hyperacuity for luminance phase angle in the human visual system 22: 863.
Do preferential looking techniques underestimate infant visual acuity? 22: 1017.
A failure to observe negative preference in infant acuity testing 22: 1025.
Visual acuity development in infants and young children, as assessed by operant preferential looking 22: 1141.
Hyperacuity and interpolation by the visual pathways 22: 1219.
Do ocular-dominance columns set spatial limits for hyperacuity processing? 22: 1349.
Contrast sensitivity function and visual acuity of the opossum 22: 1371.

ADAPTATION
Psychophysical tests of models of the response function 19: 401.
A technique for estimating the contribution of photomechanical responses to visual adaptation 20: 511.
Discrimination and detection of changes in luminance 20: 671.
Variations in brightness at two retinal locations 21: 885.
Psychophysical relationships among mechanisms sensitive to pattern, motion and flicker 21: 971.
A purely binocular mechanism in human vision 21: 1755.
Contrast sensitivity and adaptation as a function of grating length 22: 139.
A given visual field location has a wide range of perceptive field sizes 22: 1363.

ADAPTATION, CHROMATIC
Selective chromatic adaptation at different spatial frequencies 18: 427.
Visibility of chromatic flicker upon spectrally mixed adapting fields 19: 175.

Flicker and chromatic adaptation 19: 565.
Effects of chromatic adaptation on color discrimination and color appearance 19: 891.
Goldfish spectral sensitivity: identification of the three cone mechanisms in heart-rate conditioned fish using colored adapting backgrounds 19: 1295.
The effects of coloured surrounds on colour naming and luminosity 19: 1381.
Infant color vision: a search for short-wavelength-sensitive mechanisms by means of chromatic adaptation 20: 485.
Unambiguous evidence for the additive effect in chromatic adaptation 20: 637.
Red-green opponent colors equilibria measured on chromatic adapting fields: evidence for gain changes and restoring forces 21: 501.
Perceived colour under conditions of chromatic adaptation: evidence for gain control by Pi mechanisms 21: 611.
Post-receptor chromatic mechanisms revealed by flickering vs fused adaptation 22: 69.
Color perception under chromatic adaptation: equilibrium yellow and long-wavelength adaptation 22: 279.
Sensitivity of the blue-sensitive cones across the central retina 22: 661.
Effect of chromatic adaptation on the achromatic locus: the role of contrast, luminance and background color 22: 929.
Adaptation in the long-wavelength pathways 22: 1071.

ADAPTATION, DARK (SEE ALSO BLEACHING)
The effects of photopigment depletion on brightness and threshold 18: 269.
Adaptation, afterimages and cone saturation 18: 279.
The response height versus stimulus intensity curve of the ventral nerve photoreceptor of Limulus depending on adaptation and external calcium concentration 18: 747.
The human rod ERG: correlation with psychophysical responses in light and dark adaptation 18: 793.
Interocular light adaptation effect on the Lie "specific threshold" 18: 855.
Absolute visual sensitivity of the goldfish 18: 1137.
L'electroretinogramme des Opilions epigees et cavernicoles 18: 1229.
The effect of temperature on rapid dark adaptation in bullfrog photoreceptors-a difference between rods and cones 18: 1375.
Effect of a background on foveal and parafoveal cone dark adaptation 18: 1381.
Primate cone sensitivity to flicker during light and dark adaptation as indicated by the foveal local electroretinogram 19: 109.
The equivalent background and retinal eccentricity 19: 117.
Attenuation of the frog's cone system during rapid dark-adaptation 19: 279.
Dynamics of dark adaptation in the cephalopod retina 19: 359.
Effects of Ba^{2+} upon the dark-adapted intensity-response curve of toad rods 19: 395.
Bleaching and background adaptation in frog rods 19: 399.
Evidence for the equivalent-background hypothesis in cones 19: 799.
Change in hue with rod intrusion during dark-adaptation 19: 1127.
Changes in critical duration during dark-adaptation 19: 1147.
The increase in sensitivity following light illumination in frog photoreceptors 19: 1171.
The human rod ERG: the dark-adapted a-wave response function 19: 1433.
Dark regeneration of squid rhodopsin and isorhodopsin 20: 79.
Measurement of the effect of photon noise on detection 20: 193.
Perceptive field size in fovea and periphery of the light- and dark-adapted retina 20: 221.
Separation by programmed-gradient high-pressure liquid chromatography of vitamin A isomers, their esters, aldehydes, oximes and vitamin A_2: presence of retinyl ester in dark-adapted goldfish pigment epithelium 20: 355.
Comments on the testing of two prominent dark-adaptation hypotheses 20: 807.
Surround configuration and cone dark adaptation 20: 883.
Responses to single photons in a fly optomotor neurone 21: 279.
Dark adaptation in five-year-old children and adults 21: 811.
[^{3}H]-Dopamine uptake in the dark-adapted fish retina 21: 1189.
Transient desensitization of a red-green opponent site 21: 1267.
Paradoxical pupillary constriction in dark reared chicks 21: 1319.
Guanosine augments rod responses in dark adapted retinae but decreases

them in light adapted ones 21: 1505.
Control of retinal S-potentials in dark adapted and bleached retinae 21: 1581.
How the latencies of excitation and inhibition determine ganglion cell thresholds and discharge patterns in the frog 21: 1689.
Dynamic aspects of cat retinal ganglion cell's centre and surround mechanisms: a white noise analysis 21: 1693.
The involvement of rod photoreceptors in dark adaptation 21: 1773.
Discrete potential waves in the photoreceptors of a gastropod mollusc, Hermissenda crassicornis 22: 303.
Photomechanical movements in the trout retina following brief flashes of light 22: 529.
Early dark adaptation, the receptor potential and lateral effects on the retina 22: 645.
Studies on light-sensitive units in the deep mesencephalon of blinded frogs 22: 835.
The effects of local anaesthetics on retinal function 22: 1097.
Cyclic nucleotide levels in light- and dark-adapted ground squirrel whole eyes 22: 1237.
Calcium modulation of cyclic GMP synthesis in rat visual cells 22: 1481.
Photomechanical responses in crustacean retinula cells: the role of microtubules 22: 1507.
Range of modulation of light sensitivity by accessory pigments in the crayfish compound eye 22: 1515.

ADAPTATION, LIGHT
The response height versus stimulus intensity curve of the ventral nerve photoreceptor of Limulus depending on adaptation and external calcium concentration 18: 747.
Rod ERG of the mudpuppy: effect of dim red backgrounds 18: 785.
The human rod ERG: correlation with psychophysical responses in light and dark adaptation 18: 793.
Local control of retinomotor activity in the fish retina 18: 937.
Enhancement of hyperpolarizing S-potentials by surround illumination in a teleost retina 18: 1005.
Receptive field properties of optic tract fibres from on-center sustained and transient cells in a tree shrew (Tupaia chinensis) 18: 1097.
Light-adapted spectral sensitivity of the goldfish: a reflex measure 18: 1131.
Light adaptation of the frog's 580 cone system: a comparison of receptor and ganglion cell sensitivity changes 18: 1155.
Goldfish retina: dorsal versus ventral areas 18: 1329.
Large field early light adaptation 18: 1679.
Multiple intracellular contributions to light adaptation in Limulus ommatidia 19: 1.
Primate cone sensitivity to flicker during light and dark adaptation as indicated by the foveal local electroretinogram 19: 109.
Midbrain reticular stimulation and brightness detection 19: 123.
Pupillary response to light in gekkonid lizards having various times of daily activity 19: 235.
Local stimulation and local adaptation of single isolated frog rod outer segments 19: 381.
Evaluating sensitivity changing mechanisms in light-adapted photoreceptors 19: 391.
Bleaching and background adaptation in frog rods 19: 399.
Transmission of visual signals to bipolar cells near absolute threshold 19: 419.
Center-surround organisztion and interactions in receptive fields of goldfish tectal units 19: 459.
Rod-cone interaction: reconciliation with Flamant and Stiles 19: 695.
Spatial patterns of rod-cone interaction 19: 775.
Light adaptation in a normal and a rod monochromat: psychophysical and VEP increment threshold comparisons 19: 825.
Hue reversal in the Fechner-Benham color effect following white light adaptation 19: 1277.
Invariance of the contrast evoked potential with changes in retinal illuminance 19: 1283.
Perceptive field size in fovea and periphery of the light- and dark-adapted retina 20: 221.
Change of threshold after light-adaptation of the chromatic response of the frog's pineal organ (Stirnorgan) 20: 379.
Background adaptation in developing rat retina: an electroretinographic study 20: 819.

Visibility of red and green spatial patterns upon spectrally mixed adapting fields 21: 397.
Cyclic amplitude variations of a slow ERG off-effect, the h-wave, in the Cynomolgus monkey 21: 1159.
Steady state adaptation in the ground squirrel retina: PIII and b-wave intensity-response functions 21: 1169.
[^{3}H]-Dopamine uptake in the dark-adapted fish retina 21: 1189.
Guanosine augments rod responses in dark adapted retinae but decreases them in light adapted ones 21: 1505.
How the latencies of excitation and inhibition determine ganglion cell thresholds and discharge patterns in the frog 21: 1689.
Visual detection and resolution as a function of adaptation and glare 21: 1793.
Mechanisms of light adaptation in rat retina 22: 209.
Adaptation to polarized light in humans 22: 217.
Diffuse and local effects of light adaptation in photoreceptors of the honey bee drone 22: 311.
Modulation transfer functions of the human visual system revealed by magnetic field measurements 22: 319.
Cyclic nucleotide levels in light- and dark-adapted ground squirrel whole eyes 22: 1237.
Saturation and adaptation in the rod system 22: 1299.
Calcium modulation of cyclic GMP synthesis in rat visual cells 22: 1481.
Photomechanical responses in crustacean retinula cells: the role of microtubules 22: 1507.

ADAPTATION, POST-RECEPTORAL
Post-receptoral adaptation 19: 435.
Photopic adaptation in the red-green spectral range 21: 565.
Post-receptor chromatic mechanisms revealed by flickering vs fused adaptation 22: 69.

ADAPTATION, SPATIAL
The decay of grating adaptation 18: 89.
Visual adaptation to patterns containing two-dimensional spatial structure 18: 93.
Complete adaptation to patterned stimuli: a necessary and sufficient condition for Weber's law for contrast 18: 1223.
Visual perception of changing size: the effect of object size 19: 1093.
Spatial frequency, orientation and color: interocular effects of adaptation on the perceived duration of gratings 19: 1197.
A perceived spatial frequency shift at orientations orthogonal to adapting gratings 19: 1229.
A two-dimensional analysis of direction-specific adaptation 20: 103.
Grating induction: a new type of aftereffect 20: 437.
On inhibition between spatial frequency channels: adaptation to complex gratings 20: 459.
Adaptation to gratings: equal spatial selectivity for light and dark bar width variation 21: 419.
Low spatial-frequency channels in human vision: adaptation and masking 22: 225.
An action spectrum for spatial-frequency adaptation 22: 235.

AFTEREFFECTS (SEE ALSO ILLUSION; PERSISTENCE)
Illusory motion in depth: aftereffect of adaptation to changing size 18: 209.
Adaptation, afterimages and cone saturation 18: 279.
Colorimetric matches of McCullough aftereffects 18: 365.
Looming detectors in the human visual pathway 18: 415.
Subharmonics in adaptation to sine wave gratings 18: 741.
The influence of colour and contour rivalry on the magnitude of the tilt after-effect 18: 827.
Diffusion not the cause of after-image blurring 18: 837.
Interocular transfer of color-contingent motion aftereffects: positive aftereffects 18: 841.
Interocular light adaptation effect on the Lie "specific threshold" 18: 855.
Interactions between simultaneous contrast and coloured afterimages 18: 899.
The time-course of induction of complementary images 18: 913.
The range of spatial frequency contingent color aftereffects 18: 917.
Interactions between spatial frequency channels 18: 951.
Binocular interactions during establishment of McCollough effects

18: 1201.
Adaptation to an altered relation between retinal image displacements and saccadic eye movements 18: 1321.
Nicotine and the decay of the McCollough effect 18: 1449.
Comparable retention times for the negative colour afterimage and the McCollough effect 18: 1601.
"Monocular rivalry" of a complex waveform 18: 1641.
Separable aftereffects of changing-size and motion-in-depth: different neural mechanisms? 19: 727.
The influence of rapid prism adaptation upon fixation disparity 19: 757.
Interchangeable backgrounds for cone afterimages 19: 867.
The role of test pattern background hue in the McCollough effect 19: 939.
Visual perception of changing size: the effect of object size 19: 1093.
Spatial frequency, orientation and color: interocular effects of adaptation on the perceived duration of gratings 19: 1197.
A perceived spatial frequency shift at orientations orthogonal to adapting gratings 19: 1229.
Binocular and monocular stimuli for motion in depth: changing-disparity and changing-size feed the same motion-in-depth stage 19: 1331.
The waterfall illusion in an insect visual system 19: 1435.
Linear summation of tilt illusion and tilt aftereffect 20: 39.
A two-dimensional analysis of direction-specific adaptation 20: 103.
Interocular transfer of the colour-contingent movement aftereffect: doubts and difficulties 20: 277.
Grating induction: a new type of aftereffect 20: 437.
On inhibition between spatial frequency channels: adaptation to complex gratings 20: 459.
Residual binocular interaction in stereoblind humans 20: 603.
A preliminary investigation of neural function and dysfunction in amblyopia-I. Size-selective channels 20: 749.
Comments on the testing of two prominent dark-adaptation hypotheses 20: 807.
Velocity after-effects: the effects of adaptation to moving stimuli on the perception of subsequently seen moving stimuli 21: 337.
Colour selectivity in the tilt after-effect: comments upon Wade and Wenderoth 21: 355.
Reversible figures and the motion after-effect 21: 361.
Interocular transfer of the motion after-effect is not reduced by binocular rivalry 21: 801.
Shifts in perceived periodicity induced by temporal modulation and their influence on the spatial frequency tuning of two aftereffects 21: 1739.
Interocular transfer of the motion aftereffect in strabismus 22: 55.
An action spectrum for spatial-frequency adaptation 22: 235.
Color-contingent tilt aftereffect: spatial frequency specificity 22: 811.
Gravity and the tilt aftereffect 22: 1075.
Problems for an after-image explanation of monocular rivalry 22: 1233.
Directional specificity in tilt aftereffect induced with moving contours: a reexamination 22: 1273.
The delayed rod afterimage 22: 1313.
Assessment of retinal image displacement during head movement using an afterimage method 22: 1379.

AFTERIMAGE (SEE AFTEREFFECTS)

ALIGNMENT (SEE VERNIER ACUITY)

AMACRINE CELLS
Localization of cholinergic synapses in mammalian retina with peroxidase-conjugated a-bungarotoxin 19: 287.
Adaptation effects in electrical responses recorded from postreceptoral neurones in the isolated fish (roach) retina 19: 413.
Serotonin uptake and release by subcellular fractions of bovine retina 20: 1.
A class of catfish amacrine cells responds preferentially to objects which move vertically 20: 961.
Amacrine cells, bipolar cells and ganglion cells of the cat retina: a Golgi study 21: 1081.
Physiological and morphological identification of amacrine cells in the retina of the larval tiger salamander 21: 1307.
Growth-related changes in the receptive field properties of retinal ganglion cells in goldfish 21: 1491.
Amacrine cells of the cat retina 21: 1625.
Physiological and morphological study of the inner plexiform layer in the

turtle retina 21: 1635.
The amacrine cells as an important processing site of pattern-induced flicker colors 21: 1639.
Evidence for a serotonin neurotransmitter system in bovine retina 21: 1673.
Spatial organization of neurochemically classified interneurons of the goldfish retina-I. Local patterns 22: 589.

AMBLYOPIA
On the relationship between pattern and movement perception in strabismic amblyopia 18: 375.
The influence of field size for a periodic stimulus in strabismic amblyopia 18: 501.
The luminance-dependent nature of the visual abnormality in strabismic amblyopia 18: 931.
A preliminary report of acuity and contour interactions across the amblyope's visual field 19: 1403.
Speedy evoked potential methods for assessing vision in normal and amblyopic eyes: pros and cons 20: 265.
Differences in the neural basis of human amblyopias: the effect of mean luminance 20: 295.
A preliminary investigation of neural function and dysfunction in amblyopia-I. Size-selective channels 20: 749.
A preliminary investigation of neural function and dysfunction in amblyopia-II. Activity within an amblyopic "channel" 20: 755.
A preliminary investigation of neural function and dysfunction in amblyopia-III. Co-operative activity of amblyopic channels 20: 757.
Behavioral studies of stimulus deprivation amblyopia in monkeys 21: 779.
Naso-temporal asymmetries in human amblyopia: consequence of long-term interocular suppression 21: 1055.
Binocular interaction in the peripheral visual field of humans with strabismic and anisometropic amblyopia 21: 1065.
The spatial frequency dependence of interocular transfer in amplyopes 21: 1401.
Meridional variations in acuity and CSF's in monkeys (Macaca nemestrina) reared with externally applied astigmatism 22: 801.
The discriminability of spatial phase relationships in amblyopia 22: 1005.

APPARATUS (SEE ALSO TECHNIQUES)
Computer-controlled visual stimulator for electrophysiological experiments 18: 743.
How to make metal-filled microelectrodes in a reproducible way 18: 869.
On-line computation of photoreceptor spectral sensitivity - a low cost solution with a programmable pocket calculator 18: 879.
Orientable head-holder for use in visual research 18: 1079.
Grating generation by microcomputer 18: 1083.
A large format optical display for the generation of generalized psychophysical stimuli 19: 99.
An electronically-controlled visual stimulus generator for quantitative mapping of visual receptive fields 19: 599.
A rapid cycling dual shutter control system 19: 957.
An inexpensive screen for reflecting polarized light 19: 1185.
Artifical cone responses: a computer-driven hardware model 20: 453.
Computer controlled color mixer with laser primaries 21: 951.
Calibration of the retinal illuminance provided by Maxwellian views 22: 433.
LEDs: convenient, inexpensive sources for visual experimentation 22: 435.
A solid-state television pupillometer 22: 499.
The modulation transfer function of a display oscilloscope: measurements and comments 22: 1083.

BINOCULAR RIVALRY (SEE ALSO SUPPRESSION)
Stereopsis and binocular rivalry from dichoptic stereograms 18: 239.
Inhibitory effect of binocular rivalry suppression is independent of orientation 18: 541.
The influence of colour and contour rivalry on the magnitude of the tilt after-effect 18: 827.
The sensitivity of binocular rivalry to changes in the nondominant stimulus 19: 247.
The influence of colour and contour rivalry on the magnitude of the tilt illusion 20: 229.
Interocular transfer of the motion after-effect is not reduced by binocular rivalry 21: 801.

Minimum light intensity required for color rivalry 21: 1467.
Long term visual deprivation in a human 22: 27.
Perception of stabilized retinal stimuli in dichoptic viewing conditions 22: 293.
Is the binocular rivalry mechanism tritanopic? 22: 515.
Binocular rivalry: suppression depends on orientation and spatial frequency 22: 787.

BINOCULAR VISION
Binocular cross-correlation in time and space 18: 101.
Singleness of vision and the initial appearance of binocular disparity 18: 117.
Horoptere-Vernier et couleur 18: 445.
Binocular eye movements during accommodative vergence 18: 545.
Qualitative observations in visual science: "The Farnsworth Shelf". Fusion at the site of the "ghosts" 18: 657.
Binocular coordination of torsional eye movements in cyclofusional response 18: 943.
Stereopsis without binocular correlation 18: 1013.
Binocular interactions during establishment of McCollough effects 18: 1201.
Vergence eye movements of the rabbit in visuomotor behavior 19: 185.
The perceived direction of the binocular image 19: 201.
How does binocular delay give information about depth? 19: 523.
The relationship between the apparent vertical and the vertical horopter 19: 655.
Eye torsion and visual tilt are mediated by different binocular processes 19: 917.
Binocular and monocular stimuli for motion in depth: changing-disparity and changing-size feed the same motion-in-depth stage 19: 1331.
A geometrical explanation of the induced size effect 20: 409.
Residual binocular interaction in stereoblind humans 20: 603.
Wavelength difference limit for binocular color fusion 20: 693.
Evoked potentials to dynamic random-dot correlograms in monkey and man: a test for cyclopean perception 21: 177.
Monocular and binocular detection of moving sinusoidal gratings 21: 329.
A binocular contribution to the production of optokinetic nystagmus in normal and stereoblind subjects 21: 587.
Spatio-temporal averaging and the dynamic visual noise stereophenomenon 21: 673.
Spatio-temporal properties of Panum's fusional area 21: 683.
Mechanism of Craik-O'Brien effect 21: 693.
Variations of curvature in binocular visual space estimated by the triangle method 21: 925.
Binocular luminance detection: availability of more than one central interaction 21: 1017.
Binocular interaction in the peripheral visual field of humans with strabismic and anisometropic amblyopia 21: 1065.
Limits of the pigeon's binocular field and direction for best binocular viewing 21: 1197.
Diplopia thresholds and the initiation of vergence eye-movements 21: 1727.
A purely binocular mechanism in human vision 21: 1755.
Interocular transfer of the motion aftereffect in strabismus 22: 55.
Detection of vertical disparities 22: 467.
Binocular vision in strabismic humans with alternating fixation 22: 889.
Dichoptic color fusion studied with wavelength discrimination 22: 945.

BIPOLAR CELLS
Bipolar and horizontal cells of the gray squirrel retina: Golgi morphology and receptor connections 18: 129.
Bipolar cells of the frog retina: A Golgi study 18: 301.
Rod and cone signals in the on-center bipolar cell: their different ionic mechanisms 18: 591.
Localization of cholinergic synapses in mammalian retina with peroxidase-conjugated a-bungarotoxin 19: 287.
Transmission of visual signals to bipolar cells near absolute threshold 19: 419.
Serotonin uptake and release by subcellular fractions of bovine retina 20: 1.
Amacrine cells, bipolar cells and ganglion cells of the cat retina: a Golgi study 21: 1081.
Neural circuitry of the cat retina: cone pathways to ganglion cells 21: 1527.

Characteristics of second order neurons in the dace retina: physiological and morphological studies 21: 1541.
Functional architecture of cone bipolar cells in mammalian retina 21: 1559.
Physiological and morphological study of the inner plexiform layer in the turtle retina 21: 1635.

BLEACHING (SEE ALSO ADAPTATION, DARK)
Diffusion not the cause of after-image blurring 18: 837.
Behavioral confirmation of the "silent period" during adaptation to bright lights 18: 1075.
Reversal of photoreceptor bleaching and adaptation by microsecond flashes 19: 363.
Bleaching and background adaptation in frog rods 19: 399.
Interchangeable backgrounds for cone afterimages 19: 867.
High-level trichromatic color matching and the pigment-bleaching hypothesis 20: 23.
Comments on the testing of two prominent dark-adaptation hypotheses 20: 807.
Surround configuration and cone dark adaptation 20: 883.
A continuously recording retinal densitometer 21: 897.
Control of retinal S-potentials in dark adapted and bleached retinae 21: 1581.
Stabilized vision through a bleaching window 22: 827.

BRIGHTNESS PERCEPTION
Simultaneous brightness contrast induction in pigeons 18: 179.
The effects of photopigment depletion on brightness and threshold 18: 269.
Suprathreshold information transfer in the visual system: brightness match profiles of high contrast gratings 18: 291.
The mechanism of brightness enhancement 18: 777.
The effect of retinal eccentricity on the Broca-Sulzer phenomenon 18: 865.
Metacontrast and paracontrast suppression of a contourless area 18: 1669.
The Broca-Sulzer effect in a Ganzfeld 18: 1675.
Target edge sharpness and temporal brightness enhancement 18: 1691.
Enhancement of apparent contrast in flashed sinusoidal gratings 19: 33.
Midbrain reticular stimulation and brightness detection 19: 123.
Decrement versions of the Broca-Sulzer effect and its spatial analogue 19: 155.
Wavelength-specific brightness contrast as a function of surround luminance 20: 127.
Asymmetry in the brightness and darkness Broca-Sulzer effects 20: 723.
Sensation length and equal brightness 21: 603.
Spatio-temporal averaging and the dynamic visual noise stereophenomenon 21: 673.
Mechanism of Craik-O'Brien effect 21: 693.
A power law for perceived contrast in human vision 21: 791.
Variations in brightness at two retinal locations 21: 885.
Interactions between rod and cone channels above threshold: a test of various models 22: 1133.

BROCA-SULZER EFFECT (SEE BRIGHTNESS PERCEPTION)

CELLS (SEE AMACRINE CELLS; BIPOLAR CELLS; GANGLION CELLS; HORIZONTAL CELLS; LATERAL GENICULATE NUCLEUS; CORTEX)

CHANNELS
Interaction between sustained and transient channels: form inhibits motion in the human visual system 18: 197.
Quantitative prediction of line spread function measurements: implications for channel bandwidths 18: 493.
Grating summation in fovea and periphery 18: 815.
Influence of exposure duration on the tuning of spatial channels 19: 195.
Independent stereoscopic channels for different extents of spatial pooling 19: 1303.
Psychophysical evidence for sustained and transient channels in the monkey visual system 20: 15.
Wavelength-specific brightness contrast as a function of surround luminance 20: 127.
On inhibition between spatial frequency channels: adaptation to complex gratings 20: 459.
A preliminary investigation of neural function and dysfunction in amblyopia-I. Size-selective channels 20: 749.

A preliminary investigation of neural function and dysfunction in amblyopia-II. Activity within an amblyopic "channel" 20: 755.
A preliminary investigation of neural function and dysfunction in amblyopia-III. Co-operative activity of amblyopic channels 20: 757.
Temporal modulation sensitivity of the blue mechanism: measurements made without chromatic adaptation 20: 895.
Spatiotemporal variations in the square-sine ratio: evidence of independent channels at low spatial frequencies 21: 423.
Spatial frequency channels tuned for depth and motion 21: 621.
Spatial frequency uncertainty effects in the detection of sinusoidal gratings 21: 705.
Contrast sensitivity of the changing-size channel 21: 829.
Flicker masking in spatial vision 21: 1377.
Latency for the perceived offset of brief target gratings 21: 1395.
Prediction of the visibility of asynchronous gratings by a single-channel model 21: 1409.
A single-channel model does not predict visibility of asynchronous gratings 21: 1799.
Summation of grating patches indicates many types of detector at one retinal location 22: 17.
Contrast sensitivity and adaptation as a function of grating length 22: 139.
An action spectrum for spatial-frequency adaptation 22: 235.
Simultaneous recognition of two spatial-frequency components 22: 365.
Temporal sensitivities to square-wave gratings, sawtooth-wave gratings and their fundamentals: more evidence for multiple spatial frequency channels in human vision 22: 1053.

CHROMATIC ABERRATION (SEE ABERRATION)

CHROMATIC CONTRAST (SEE COLOR CONTRAST)

CHROMATIC INDUCTION (SEE COLOR CONTRAST)

CLINICAL APPLICATIONS
High-pass spatial frequency letters as clinical optotypes 18: 1063.
Controlling abnormal eye movements 19: 961.
Culturing cells with direct clinical importance 21: 151.
Studies on human trabecular cells propagated in vitro 21: 155.
In vitro biochemistry of trabecular meshwork 21: 161.
The inhibitory factor in aqueous humor 21: 163.
Studies on retinal capillary cells in tissue culture 21: 165.
Studies using human lenses from a family displaying hereditary congenital cataracts 21: 169.
The use of cultured endothelium in keratoplasty 21: 173.
Plasticity in human blindsight 22: 1199.
Two retinal processes displayed in the cat electroretinogram 22: 1525.

COLOR ANOMALY
Discrimination of chromatic from white light by two-month-old human infants 18: 41.
Wavelength discrimination by the goldfish near absolute visual threshold 18: 1149.
Color differences scaled by chromatic modulation sensitivity functions 18: 1407.
Chromatic opponent-response functions of anomalous trichromats 18: 1521.
Optimization of a Rayleigh-type equation for the detection of tritanomaly 19: 1369.
A variant of red-green color defect 21: 311.
Illusory colour changes in Hermann grids varying only in hue 21: 527.
Visual thresholds in dichromats and normals: the importance of post-receptoral processes 21: 573.
Normal and color defective perception of Fechner-Benham colors: implications for color vision theory 21: 1483.
Color vision in the peripheral retina under photopic conditions 22: 839.

COLOR APPEARANCE
Chromatic opponent-response functions of anomalous trichromats 18: 1521.
Der Violetteffekt, eine neue durch Flimmerlicht induzierte subjektive Farbe 18: 1623.
The dual role of chromatic backgrounds in color perception 18: 1649.
Effects of chromatic adaptation on color discrimination and color appearance 19: 891.

Looking at the world through a rose-colored ganzfeld 21: 749.
Color perception under chromatic adaptation: equilibrium yellow and long-wavelength adaptation 22: 279.
Bezold-Brucke phenomenon of the far peripheral retina 22: 845.
Changes in perceived color due to chromatic interactions 22: 1353.

COLOR BLINDNESS (SEE COLOR ANOMALY; DICHROMACY; MONOCHROMACY)

COLOR CODING
Interocular transfer of color-contingent motion aftereffects: positive aftereffects 18: 841.
Latency measurement of the color coded S-potentials in the carp retina 18: 1435.
Red-green opponent colors equilibria measured on chromatic adapting fields: evidence for gain changes and restoring forces 21: 501.
Looking at the world through a rose-colored ganzfeld 21: 749.
Color coding in primate retina 21: 1591.
Colour coding in the chicken ERG 21: 1621.
Cardinal directions of color space 22: 1123.

COLOR CONTRAST
Interactions between simultaneous contrast and coloured afterimages 18: 899.
Color differences scaled by chromatic modulation sensitivity functions 18: 1407.
Scotopic hues of simutaneous contrast 18: 1491.
Comparable retention times for the negative colour afterimage and the McCollough effect 18: 1601.
The dual role of chromatic backgrounds in color perception 18: 1649.
Chromatic input to stereopsis 19: 831.
No additive effect of backgrounds in chromatic induction 19: 1061.
Looking at the world through a rose-colored ganzfeld 21: 749.
Additive effect of backgrounds in chromatic induction 21: 959.
Latencies for chromatic and achromatic visual mechanisms 21: 1457.
Color perception under chromatic adaptation: equilibrium yellow and long-wavelength adaptation 22: 279.
Changes in perceived color due to chromatic interactions 22: 1353.

COLOR DISCRIMINATION
The neural basis for colour discrimination in the domestic cat 18: 233.
Chromatic border perception: the role of red- and green-sensitive cones 18: 683.
Color discrimination by a Bering Sea spotted seal, Phoca largha 18: 781.
Cat color vision: the effect of stimulus size, shape and viewing distance 19: 507.
Effects of chromatic adaptation on color discrimination and color appearance 19: 891.
Temporal deterioration of wavelength discrimination with successive comparison method 21: 591.
Rayleigh discriminations in young human infants 22: 575.
What causes trichromacy? A theoretical analysis using comb-filtered spectra 22: 635.
Color discrimination at threshold: the approach through increment threshold sensitivity 22: 713.
Dichoptic color fusion studied with wavelength discrimination 22: 945.
Detection-discrimination in the long-wavelength pathways 22: 1061.
Cardinal directions of color space 22: 1123.

COLOR MATCHING
Evaluation of the candidacy of the Pi-mechanisms of Stiles for color-matching fundamentals 18: 317.
Color matching at moderate to high levels of retinal illuminance: A pilot study 18: 341.
Colorimetric matches of McCullough aftereffects 18: 365.
Rod and cone contributions to change in hue with eccentricity 19: 1121.
Change in hue with rod intrusion during dark-adaptation 19: 1127.
High-level trichromatic color matching and the pigment-bleaching hypothesis 20: 23.
Saturation enhancement in colored Hermann grids varying only in chroma 20: 307.
Short-flash Bezold-Brucke hue shifts 20: 361.
New test for the detection of tritan defects evaluated in two surveys 21: 1303.

Foveal tritanopia 21: 1341.
On matching colours 21: 1431.
Normal and color defective perception of Fechner-Benham colors: implications for color vision theory 21: 1483.

COLOR OPPONENCY
Retinal ganglion cell activity in the ground squirrel under halothane anesthesia 18: 1.
Macular pigmentation and the spectral sensitivity of retinal ganglion cells of macaques 18: 1273.
Chromatic opponent-response functions of anomalous trichromats 18: 1521.
A comparison of properties of goldfish retinal ganglion cells as a function of lighting conditions during dissection 19: 83.
Signals from blue cones in "red-green" opponent-colour ganglion cells of the macaque retina 19: 441.
Response saturation of short-wavelength cone pathways controlled by color-opponent mechanisms 19: 1025.
Short-wave cone input to the red-green opponent channel 19: 1053.
Unique hues are not invariant with brief stimulus durations 19: 1427.
Spectrally-opponent responses in ground squirrel optic nerve 20: 9.
Short-flash Bezold-Brucke hue shifts 20: 361.
Change of threshold after light-adaptation of the chromatic response of the frog's pineal organ (Stirnorgan) 20: 379.
Wavelength difference limit for binocular color fusion 20: 693.
A temporal analogue of MacAdam ellipses. Description of rod-cone interaction 20: 767.
Test of the identity of the site of blue-yellow hue cancellation and the site of chromatic antagonism in the Pi_1 pathway 20: 779.
Temporal modulation sensitivity of the blue mechanism: measurements made without chromatic adaptation 20: 895.
Additivity of opponent chromatic valence 20: 995.
Cone system saturation: more than one stage of sensitivity loss 21: 319.
Red-green opponent colors equilibria measured on chromatic adapting fields: evidence for gain changes and restoring forces 21: 501.
Additive effect of backgrounds in chromatic induction 21: 959.
Transient desensitization of a red-green opponent site 21: 1267.
Changes in field spectral sensitivities of red-, green- and blue-sensitive colour mechanisms obtained on small background fields 21: 1433.
Color coding in primate retina 21: 1591.
Colour coding in the chicken ERG 21: 1621.
Opponent-color cells can influence detection of small, brief lights 22: 89.
Evidence for transient luminance and quasi-sustained color mechanisms 22: 445.
Ganglion cells mediating the signals of blue sensitive cones in primate retina detect white-yellow borders independently of brightness 22: 675.
Changes in the human visually evoked cortical potential in response to chromatic modulation of a sinusoidal grating 22: 745.
Color-contingent tilt aftereffect: spatial frequency specificity 22: 811.
Adaptation in the long-wavelength pathways 22: 1071.
Cardinal directions of color space 22: 1123.
Changes in perceived color due to chromatic interactions 22: 1353.

COLOR RIVALRY
The influence of colour and contour rivalry on the magnitude of the tilt after-effect 18: 827.
Colour contours and stereopsis 19: 555.
The influence of colour and contour rivalry on the magnitude of the tilt illusion 20: 229.
Minimum light intensity required for color rivalry 21: 1467.

COLOR SELECTIVITY
Responses to wavelength contrast in the afferent visual systems of the cat and the rhesus monkey 19: 1351.
Colour selectivity in the tilt after-effect: comments upon Wade and Wenderoth 21: 355.
The effect of spatial frequency on colour selectivity in the tilt illusion 21: 1235.

CONES
Retinal ganglion cell activity in the ground squirrel under halothane anesthesia 18: 1.
Contrast sensitivity and acuity of a conscious cat measured by the

occipital evoked potential 18: 175.
Rod and cone generation of wavelets in the frog electroretinogram 18: 229.
Visual cells, daily rhythms, and vision research 18: 573.
Rod and cone signals in the on-center bipolar cell: their different ionic mechanisms 18: 591.
The ecology of cone pigments in teleost fishes 18: 715.
Cone-specific c-wave in the turtle retina 18: 767.
Rod-cone interaction in human scotopic vision-IV. Cones stimulated by contrast flashes influence rod threshold 18: 801.
Human cone saturation as a function of ambient intensity: a test of models of shifts in the dynamic range 18: 983.
Visual pigments and colour vision in a nocturnal bird, Strix aluco (tawny owl) 18: 1125.
Light adaptation of the frog's 580 cone system: a comparison of receptor and ganglion cell sensitivity changes 18: 1155.
The effect of temperature on rapid dark adaptation in bullfrog photoreceptors-a difference between rods and cones 18: 1375.
Effect of a background on foveal and parafoveal cone dark adaptation 18: 1381.
Rod threshold: influence of neighboring cones 18: 1611.
Large field early light adaptation 18: 1679.
Primate cone sensitivity to flicker during light and dark adaptation as indicated by the foveal local electroretinogram 19: 109.
Attenuation of the frog's cone system during rapid dark-adaptation 19: 279.
Mixed rod-cone responses in horizontal cells of snapping turtle retina 19: 407.
Post-receptoral adaptation 19: 435.
Signals from blue cones in "red-green" opponent-colour ganglion cells of the macaque retina 19: 441.
Origin of non-linearity of voltage-current relationships of turtle cones 19: 469.
Transient tritanopia at the level of the ERG b-wave 19: 689.
Rod-cone interaction: reconciliation with Flamant and Stiles 19: 695.
Spatial patterns of rod-cone interaction 19: 775.
Evidence for the equivalent-background hypothesis in cones 19: 799.
Interchangeable backgrounds for cone afterimages 19: 867.
Interactions between blue- and red-sensitive colour mechanisms in metacontrast masking 19: 921.
Response saturation of short-wavelength cone pathways controlled by color-opponent mechanisms 19: 1025.
Short-wave cone input to the red-green opponent channel 19: 1053.
Rod and cone contributions to change in hue with eccentricity 19: 1121.
Goldfish spectral sensitivity: identification of the three cone mechanisms in heart-rate conditioned fish using colored adapting backgrounds 19: 1295.
Cones determine subjective offset of a stimulus but rods determine total persistence 19: 1439.
Critical flicker fusion in normal and binocularly deprived cats 20: 49.
Artifical cone responses: a computer-driven hardware model 20: 453.
The chloride effect in chicken red cone receptors 20: 475.
A functional test of foveal fixation based upon differential cone directional sensitivity 20: 557.
Comparative study of ^{3}H-fucose incorporation into vertebrate photoreceptor outer segments 20: 739.
A temporal analogue of MacAdam ellipses. Description of rod-cone interaction 20: 767.
Surround configuration and cone dark adaptation 20: 883.
Increment threshold and detection latency in the rod and cone systems 20: 981.
Differential spectral photic damage to primate cones 20: 1117.
Illusory colour changes in Hermann grids varying only in hue 21: 527.
Segregation of vitamin A_1 and vitamin A_2 cone pigments in the bullfrog retina 21: 825.
Blue cone input to the photopic electroretinogram of the turtle Pseudemys 21: 893.
Steady state adaptation in the ground squirrel retina: PIII and b-wave intensity-response functions 21: 1169.
Rod-cone interaction on large and small backgrounds 21: 1181.
Electrical properties of cones isolated from the tiger salamander retina 21: 1329.
Foveal tritanopia 21: 1341.
Punctate sensitivity of the blue-sensitive mechanism 21: 1357.

Neural circuitry of the cat retina: cone pathways to ganglion cells 21: 1527.
A cybernetic model of the vertebrate cone retina 21: 1537.
Characteristics of second order neurons in the dace retina: physiological and morphological studies 21: 1541.
Functional architecture of cone bipolar cells in mammalian retina 21: 1559.
Involvement of small field horizontal cells in the feedback effects on green cones 21: 1599.
Characteristics of the blue sensitive cone mechanism in primate retinal ganglion cells 21: 1605.
Responses of the blue sensitive cone system from the visual cortex and the arterially perfused eye in cat and monkey 21: 1611.
Isolation of macaque late receptor potential with fractional recording 21: 1719.
Chromatic organization of a cichlid fish retina 21: 1749.
Cones in the eye of the deep-sea teleost Diretmus argenteus 22: 179.
Sensitivity of the blue-sensitive cones across the central retina 22: 661.
Ganglion cells mediating the signals of blue sensitive cones in primate retina detect white-yellow borders independently of brightness 22: 675.
The "silent substitution" method in visual research 22: 681.
Lateral interactions in the control of visual sensitivity 22: 693.
Summation of rod and cone responses at absolute threshold 22: 823.
Field sensitivity of the "red" mechanism derived from primate local electroretinogram 22: 869.
Psychophysical studies of cone optical bandwidth in patients with retinitis pigmentosa 22: 1113.
Interactions between rod and cone channels above threshold: a test of various models 22: 1133.
Receptor interactions and visual persistence 22: 1285.
Cone lamellae and red and green rod outer segment disks contain a large intrinsic membrane protein on their margins: an ultrastructural immunocytochemical study of frog retinas 22: 1417.

CONTOUR PERCEPTION
Acuity for spatial separation as a function of stimulus size 18: 615.
Chromatic border perception: the role of red- and green-sensitive cones 18: 683.
Implications of spatial summation models for processes of contour perception: a geometric perspective 18: 723.
On color Mach bands 18: 751.
Equivalence classes of visual stimuli 18: 845.
Visual sensitivity to controlled motion of a line or edge 18: 1509.
Colour contours and stereopsis 19: 555.
The influence of colour and contour rivalry on the magnitude of the tilt illusion 20: 229.
Mechanism of Craik-O'Brien effect 21: 693.
Perception of stabilized retinal stimuli in dichoptic viewing conditions 22: 293.

CONTRAST DISCRIMINATION
Suprathreshold information transfer in the visual system: brightness match profiles of high contrast gratings 18: 291.
Suprathreshold contrast perception and complex random textures 18: 895.
Contrast effects on smooth-pursuit eye movement velocity 19: 169.
A re-examination of contrast threshold difference between spatial sine-wave and square-wave gratings 19: 603.
Adaptation to gratings: equal spatial selectivity for light and dark bar width variation 21: 419.
A power law for contrast discrimination 21: 457.
The influence of spatial frequency and contrast on the perception of moving patterns 21: 713.
Contrast detection and near-threshold discrimination in human vision 21: 1041.
Contrast increment thresholds of rhesus monkeys 22: 1153.

CONTRAST FLASH (SEE MASKING)

CONTRAST PERCEPTION
Suprathreshold contrast perception and complex random textures 18: 895.
Wiener analysis of grating contrast judgments 18: 1031.
Perceptual changes during metacontrast 18: 1337.
Enhancement of apparent contrast in flashed sinusoidal gratings 19: 33.

The perception of suprathreshold sinusoidal flicker measured by light- and dark-phase matching 19: 335.
Contrast sensation: a linear function of stimulus contrast 19: 1045.
Narrow-band spatial mechanisms in apparent contrast matching 20: 143.
On the psychometric function for contrast detection 21: 215.
A spatial frequency dependent grating-induction effect 22: 119.
Anisotropies of perceived contrast and detection speed 22: 1185.

CONTRAST REVERSAL
Contrast reversals in backward masking 18: 225.
Pattern and movement detection in patients with reduced visual acuity 18: 331.
Structure visibility change with contrast reversal 19: 327.
The detection of movement direction and effects of contrast reversal in the cat's striate cortex 20: 289.
Peripheral contrast reversal inhibits visually evoked potentials in the fovea 21: 947.
Evoked potentials and reaction times to the offset and contrast reversal of sinusoidal gratings 22: 205.

CONTRAST SENSITIVITY
Sustained and transient mechanisms in human vision: temporal and spatial properties 18: 69.
The functional area for summation to threshold for sinusoidal gratings 18: 369.
On the relationship between pattern and movement perception in strabismic amblyopia 18: 375.
The influence of field size for a periodic stimulus in strabismic amblyopia 18: 501.
Pattern thresholds for moving and stationary gratings during smooth eye movement 18: 521.
Binocular summation: a study of contrast sensitivity, visual acuity and recognition 18: 579.
Visibility of low-frequency sine-wave targets: dependence on number of cycles and surround parameters 18: 891.
Space domain properties of a spatial frequency channel in human vision 18: 959.
How presaccadic gratings modify postsaccadic modulation transfer function 18: 1173.
Contrast sensitivity during saccadic eye movements 18: 1193.
Sensitivity changes during metacontrast 18: 1343.
Modification of spatial frequency processing rates with multiple frequency stimuli 18: 1505.
Visual sensitivity to controlled motion of a line or edge 18: 1509.
Contrast sensitivity and acuity of the goldfish 19: 255.
The contrast gain control of the cat retina 19: 431.
Effects of stimulus onset and image motion on contrast sensitivity 19: 767.
Does contrast disparity alone generate stereopsis? 19: 913.
Spatial contrast sensitivity in albino and pigmented rats 19: 933.
Psychophysical evidence for sustained and transient channels in the monkey visual system 20: 15.
A comparison of accommodative responsiveness and contrast sensitivity for sinusoidal gratings 20: 159.
Spatial summation for complex bar patterns 20: 169.
Contrast sensitivity as a function of position on the retina 20: 235.
Peripheral contrast sensitivity for sine-wave gratings and single periods 20: 243.
Differences in the neural basis of human amblyopias: the effect of mean luminance 20: 295.
Sensitivity to spatial phase 20: 391.
The contrast sensitivity of fly movement-detecting neurons 20: 397.
A preliminary investigation of neural function and dysfunction in amblyopia-II. Activity within an amblyopic "channel" 20: 755.
Temporal modulation sensitivity of macaque monkeys 20: 953.
Behavioural determination of the contrast sensitivity function of the eagle Aquila audax 21: 263.
Visual masking and the contrast-flash effect 21: 301.
Monocular and binocular detection of moving sinusoidal gratings 21: 329.
Probability summation and regional variation in contrast sensitivity across the visual field 21: 409.
Pattern discrimination with flickering stimuli 21: 597.
An explanation for the visibility of low frequency gratings 21: 723.

Behavioral studies of stimulus deprivation amblyopia in monkeys 21: 779.
Contrast sensitivity of the changing-size channel 21: 829.
Discrimination at threshold: labelled detectors in human vision 21: 1115.
The foveal point spread function as a determinant for detail vision 21: 1223.
Oblique effects in normally reared monkeys (Macaca nemestrina): meridional variations in contrast sensitivity measured with operant techniques 21: 1253.
The influence of the spatial distribution of a target on the dynamic response and fluctuations of the accommodation of the human eye 21: 1287.
The luminance dependence of spatial vision in the cat 21: 1333.
The spatial frequency dependence of interocular transfer in amplyopes 21: 1401.
On matching colours 21: 1431.
Summation of grating patches indicates many types of detector at one retinal location 22: 17.
Adult levels of meridional anisotropy and contrast threshold in 5-year-olds 22: 135.
Contrast sensitivity and adaptation as a function of grating length 22: 139.
An action spectrum for spatial-frequency adaptation 22: 235.
Contrast paradox of line target upon grating background 22: 337.
Contrast sensitivity at high velocities 22: 479.
Spatial frequency selectivity of cells in macaque visual cortex 22: 545.
The contrast sensitivity of human infants to gratings differing in duty cycle 22: 739.
Contrast influence on perceived orientation 22: 783.
Meridional variations in acuity and CSF's in monkeys (Macaca nemestrina) reared with externally applied astigmatism 22: 801.
Contrast sensitivity in children 22: 953.
The discriminability of spatial phase relationships in amblyopia 22: 1005.
Receptive field properties of X and Y cells in the cat retina derived from contrast sensitivity measurements 22: 1173.
Temporal contrast sensitivity and cortical magnification 22: 1211.
Contrast sensitivity function and visual acuity of the opossum 22: 1371.

CORNEA
Optical development of the kitten cornea 18: 409.
Contribution of the cornea and lens to the spherical aberration of the eye 19: 685.
A transient effect contingent on the direction of polarization of light incident on the cornea 19: 1065.
The role of the macular pigment in the detection of polarized light 20: 213.
Studies of corneas in vivo and in vitro 21: 41.
Intracellular potentials of cultured rabbit corneal endothelial cells: response to temperature and ouabain 21: 45.
Isolation and characterization of the proteoglycans and collagens synthesized by cells in culture 21: 49.
Keratin filaments of corneal epithelial cells 21: 55.
Modulation of chondrogenic expression in cell culture by fibronectin 21: 65.
On the birefringence of the living human eye 21: 1413.
Chromatic dispersion of the ocular media 22: 997.
Eye media absorption in goldfish 22: 1229.

CORTEX
Latency of the neuromagnetic response of the human visual cortex 18: 107.
Selectivity for spatial frequency and bar width in cat visual cortex 18: 121.
Periodic complex cells in cortical area 19 of the cat 18: 347.
Size and orientation specificity of transient visual evoked potentials in man 18: 651.
Spatial frequency selectivity of periodic complex cells in the visual cortex of the cat 18: 665.
Comments on organization and spatial-frequency characteristics of receptive fields in the visual cortex 18: 887.
Orientation selectivity of single cells in striate cortex of cat: the shape of orientation tuning curves 18: 1067.
Selectivity for spatial frequency and bar width in cat visual cortex: reply to Tyler 19: 349.
Mechanisms underlying the receptive field properties of neurons in cat

visual cortex 19: 533.
Neurons in area 18 of cat visual cortex selectively sensitive to changing size: nonlinear interactions between responses to two edges 19: 699.
Critical period and minimum exposure required for the effects of alternating monocular occlusion in cat visual cortex 19: 807.
Binocular summation and the binocularity of cat visual cortex 19: 813.
The orientation tuning curve: variability of preferred orientation due to methodology 19: 1389.
Three classes of area 19 cortical cells of the cat classified by their neuronal connectivity and photic responsiveness 20: 69.
The detection of movement direction and effects of contrast reversal in the cat's striate cortex 20: 289.
Inhibitory sidebands of complex receptive fields in the cat's striate cortex 20: 369.
Differential responses of "simple" and "complex" cells of cat's striate cortex during saccadic eye movements 20: 553.
Parallel visual pathways: a review 20: 561.
Computational anatomy and functional architecture of striate cortex: a spatial mapping approach to perceptual coding 20: 645.
A comparison of the responses of single cells in the LGN and visual cortex to bar and noise stimuli in the cat 20: 771.
Two-dimensional spectral analysis of cortical receptive field profiles 20: 847.
Some evidence against Fourier analysis as a function of the receptive fields in cat's striate cortex 20: 1023.
Neuronal mechanism of response of cat's striate cortex to flicker light stimulation 21: 225.
Spatial and temporal receptive-field analysis of the cat's geniculocortical pathway 21: 385.
Responses of the blue sensitive cone system from the visual cortex and the arterially perfused eye in cat and monkey 21: 1611.
Neurophysiological tracing of a projection from temporal retina to contralateral visual cortex of the cat 21: 1677.
Some aspects of neuronal organization in rat's visual structures 21: 1681.
Spatial computation performed by simple and complex cells in the visual cortex of the cat 22: 101.
Silent periodic cells in the cat striate cortex 22: 191.
Why the cortical magnification factor in rhesus cannot be isotropic 22: 417.
The orientation and direction selectivity of cells in macaque visual cortex 22: 531.
Spatial frequency selectivity of cells in macaque visual cortex 22: 545.
Neurons in cat visual cortex tuned to the direction of motion in depth: effect of positional disparity 22: 967.
Functional size invariance is not provided by the cortical magnification factor 22: 1409.

CORTICAL EVOKED POTENTIALS
Measurement of infant visual acuity from pattern reversal evoked potentials 18: 33.
Contrast sensitivity and acuity of a conscious cat measured by the occipital evoked potential 18: 175.
Pattern and movement detection in man and rabbit: separation and comparison of occipital potentials 18: 183.
Assessment of visual acuity by evoked potential recording: ambiguity caused by temporal dependence of spatial frequency selectivity 18: 439.
Size and orientation specificity of transient visual evoked potentials in man 18: 651.
Lateralized cortical potentials evoked in humans by dynamic random-dot stereogram 18: 1265.
Visual acuity in human infants: A review and comparison of behavioral and electrophysiological studies 18: 1469.
An electrophysiological correlate of perceptual suppression in anisometropia 18: 1617.
Implicit time of pattern evoked potentials in infants: an index of maturation of spatial vision 19: 747.
Light adaptation in a normal and a rod monochromat: psychophysical and VEP increment threshold comparisons 19: 825.
On the latency of human visually evoked response to sinusoidal gratings 19: 843.
Invariance of the contrast evoked potential with changes in retinal illuminance 19: 1283.
Effects of meridional variation on steady-state visual evoked potentials

19: 1395.
The effect of retinal isomers on the VER and ERG of vitamin A deprived rats 20: 109.
Speedy evoked potential methods for assessing vision in normal and amblyopic eyes: pros and cons 20: 265.
Spatial and temporal interaction of pattern-evoked cortical potentials in human infants 20: 699.
Evoked potentials to dynamic random-dot correlograms in monkey and man: a test for cyclopean perception 21: 177.
VEP assessment of visual function 21: 607.
Human fast retinal potentials and the spatial properties of a visual stimulus 21: 627.
Peripheral contrast reversal inhibits visually evoked potentials in the fovea 21: 947.
Effect of retinal blur on the peak latency of the pattern evoked potential 21: 1279.
Evoked potentials and reaction times to the offset and contrast reversal of sinusoidal gratings 22: 205.
Changes in the human visually evoked cortical potential in response to chromatic modulation of a sinusoidal grating 22: 745.
Pattern-evoked potentials and Bloch's law 22: 897.
Steady state visual evoked potentials in the alert primate 22: 1261.
Contrast sensitivity function and visual acuity of the opossum 22: 1371.
The effects of contrast and length of gratings on the visual evoked potential 22: 1389.

CRAIK-O'BRIEN EFFECT (SEE CONTOUR PERCEPTION)

DEPTH PERCEPTION
Illusory motion in depth: aftereffect of adaptation to changing size 18: 209.
A Craik-O'Brien-Cornsweet illusion for visual depth 18: 213.
Binocular depth mixture with non-symmetric disparities 18: 251.
Horoptere-Vernier et couleur 18: 445.
Movement parallax: an asymptotic function of amplitude and velocity of head motion 18: 629.
Linear combinations of stereoscopic depth effects in dichoptic perception of gratings 18: 707.
Visual fixation points and depth perception 18: 853.
Convergent disparity discriminations in narrow-band-filtered random-dot stereograms 19: 63.
Separable aftereffects of changing-size and motion-in-depth: different neural mechanisms? 19: 727.
Die Sehwinkelkonstanz des subjektiven Schachbrettmusters, ein Hinweis auf den kortikalen Entstehungsort der Grobenkonstanz 19: 795.
Depth from spatial frequency difference: an old kind of stereopsis? 19: 859.
A comparison of oculomotor and motion parallax cues of egocentric distance 19: 1161.
Binocular and monocular stimuli for motion in depth: changing-disparity and changing-size feed the same motion-in-depth stage 19: 1331.
The effect of neonatal section of the corpus callosum on the development of depth perception in young cats 20: 177.
Spatial frequency channels tuned for depth and motion 21: 621.
Spatial frequency response and perceived depth in the timecourse of object superiority 21: 631.
Limits of the pigeon's binocular field and direction for best binocular viewing 21: 1197.
Similarities between motion parallax and stereopsis in human depth perception 22: 261.
Responses of Clare-Bishop neurones to three dimensional movement of a light stimulus 22: 571.
Neurons in cat visual cortex tuned to the direction of motion in depth: effect of positional disparity 22: 967.

DETECTION THRESHOLD
Detectability of power fluctuations of temporal visual noise 18: 191.
On the detective quantum efficiency of the human eye 18: 257.
Pattern and movement detection in patients with reduced visual acuity 18: 331.
The efficiency of detecting changes of density in random dot patterns 18: 637.
Detection thresholds of the Hermann Grid illusion 18: 1061.

Twin-flash response as a function of flash diameter 18: 1111.
Effects of target size and eccentricity on visual detection and resolution 18: 1217.
A quanta coincidence model for absolute threshold vision incorporating deviations from Ricco's law 18: 1685.
Transmission of visual signals to bipolar cells near absolute threshold 19: 419.
Contrast thresholds for patterns of dynamic visual noise 19: 721.
Detection of coloured stimuli by independent linear systems 19: 733.
The versatility and absolute efficiency of detecting mirror symmetry in random dot displays 19: 783.
Interaction of pre- and postsaccadic patterns having the same coordinates in space 20: 117.
Intensity discrimination capacity of retinal ganglion cells of a tree shrew (Tupaia chinensis) 20: 149.
Discrimination and detection of changes in luminance 20: 671.
The lateral effect of oscillation of peripheral luminance gratings: test of various hypotheses 20: 789.
Why luminance discrimination may be better than detection 21: 273.
The effect of presentation time on detection and diplopia thresholds for vertical disparities 22: 183.
Propagating inhibition as a function of flash diameter and duration 22: 401.
In search of the elusive long-wave fundamental 22: 627.
Changes of visual sensitivity caused by on- and off-transients 22: 879.
Exchange thresholds for green tests 22: 961.
Discrimination and detection thresholds: the effect of observer criterion on the spatial properties of chromatic and achromatic mechanisms 22: 1057.
Detection-discrimination in the long-wavelength pathways 22: 1061.
The effect of the density of background elements on the conspicuity of objects 22: 1241.

DEUTERANOPIA (SEE DICHROMACY)

DEVELOPMENT
Measurement of infant visual acuity from pattern reversal evoked potentials 18: 33.
Discrimination of chromatic from white light by two-month-old human infants 18: 41.
White-adapted photopic spectral sensitivity in human infants 18: 49.
Development of optical quality in the kitten eye 18: 391.
Development of the optical surfaces of the kitten eye 18: 399.
Optical development of the kitten cornea 18: 409.
Assessment of visual acuity by evoked potential recording: ambiguity caused by temporal dependence of spatial frequency selectivity 18: 439.
Development of visual acuity in infant monkeys (Macaca nemestrina) during the early postnatal weeks 18: 561.
Retinoscopy of infants at a distance: limits of normal and anomalous reflexes 18: 597.
Visual acuity in human infants assessed with stationary stripes and phase-alternated checkerboards 18: 1233.
Visual acuity in human infants: A review and comparison of behavioral and electrophysiological studies 18: 1469.
Infant visual acuity and its meridional variation 18: 1557.
Implicit time of pattern evoked potentials in infants: an index of maturation of spatial vision 19: 747.
The development of photopic spectral sensitivity in human infants 19: 1133.
Astigmatism and orientation preference in human infants 19: 1315.
A photorefractive study of infant accommodation 19: 1319.
Critical flicker fusion in normal and binocularly deprived cats 20: 49.
Eye-opening in kittens: further comments 20: 95.
Myopia in the eye of developing chicks following monocular and binocular lid closure 20: 137.
The effect of neonatal section of the corpus callosum on the development of depth perception in young cats 20: 177.
The discrimination of orientation by young infants 20: 201.
Infant color vision: a search for short-wavelength-sensitive mechanisms by means of chromatic adaptation 20: 485.
Changes in ganglion cell density during post-metamorphic development in a neotropical tree frog Hyla raniceps 20: 501.
Spatial and temporal interaction of pattern-evoked cortical potentials in

human infants 20: 699.
Infant astigmatism: its disappearance with age 20: 891.
Development of critical flicker frequency in human infants 21: 549.
Visual acuity development in infant monkeys (Macaca nemestrina) having known gestational ages 21: 805.
Spectral sensitivity of human infants at absolute visual threshold 21: 1005.
Long term visual deprivation in a human 22: 27.
Adult levels of meridional anisotropy and contrast threshold in 5-year-olds 22: 135.
The postnatal development of monocular optokinetic nystagmus in infants 22: 341.
Stereoacuity development for crossed and uncrossed disparities in human infants 22: 507.
Effect of focus on visual acuity of human infants 22: 521.
Rayleigh discriminations in young human infants 22: 575.
The contrast sensitivity of human infants to gratings differing in duty cycle 22: 739.
Meridional variations in acuity and CSF's in monkeys (Macaca nemestrina) reared with externally applied astigmatism 22: 801.
Contrast sensitivity in children 22: 953.
The development of the kitten's visual field 22: 1105.
Visual acuity development in infants and young children, as assessed by operant preferential looking 22: 1141.

DICHROMACY
Temporal analog of the minimally distinct border 18: 111.
Chromatic border perception: the role of red- and green-sensitive cones 18: 683.
Spectral sensitivity of long-wavelength-sensitive photoreceptors in dichromats determined by elimination of border percepts 18: 699.
Relative modulation sensitivities of the red and green color mechanisms 18: 1593.
A theory of the Pi_1 and Pi_3 color mechanisms of Stiles 19: 293.
Transient tritanopia at the level of the ERG b-wave 19: 689.
Wavelength variation in directional sensitivity of the long- and medium-wave sensitive foveal cones of red-green dichromats 19: 1067.
The wavelength variation of the directional sensitivity of the Stiles Pi_1u 19: 1077.
Optimization of a Rayleigh-type equation for the detection of tritanomaly 19: 1369.
Transient tritanopia: failure of time-intensity reciprocity in adaptation to longwave light 20: 837.
A variant of red-green color defect 21: 311.
Visual thresholds in dichromats and normals: the importance of post-receptoral processes 21: 573.
Transient tritanopia after flicker adaptation 21: 657.
Transient tritanopia: its abolition at high intensities 21: 665.
New test for the detection of tritan defects evaluated in two surveys 21: 1303.
Foveal tritanopia 21: 1341.
Is the binocular rivalry mechanism tritanopic? 22: 515.
In search of the elusive long-wave fundamental 22: 627.
The photopic spectral sensitivity of a dichromatic teleost fish (Perca fluviatilis) 22: 1341.

DIPLOPIA (SEE BINOCULAR VISION)

DIRECTIONAL SELECTIVITY
Local variations in rod receptor orientation 18: 123.
Wavelength variation in directional sensitivity of the long- and medium-wave sensitive foveal cones of red-green dichromats 19: 1067.
The wavelength variation of the directional sensitivity of the Stiles Pi_1u 19: 1077.

DISPARITY (SEE BINOCULAR VISION; STEREOPSIS)

ECCENTRICITY (SEE PERIPHERAL VISION)

ELECTRORETINOGRAM
Differential effects of cobalt ions on rod and cone synaptic activity in the isolated frog retina 18: 145.
Rod and cone generation of wavelets in the frog electroretinogram 18: 229.

Cone-specific c-wave in the turtle retina 18: 767.
Rod ERG of the mudpuppy: effect of dim red backgrounds 18: 785.
The human rod ERG: correlation with psychophysical responses in light and dark adaptation 18: 793.
The influence of ethyl alcohol on slow off-responses in the human d.c. registered electroretinogram 18: 1041.
Relation of the e-wave to ganglion cell activity and rod responses in the frog 18: 1181.
L'electroretinogramme des Opilions epigees et cavernicoles 18: 1229.
Retinal mechanisms of visual latency 18: 1247.
Graded potentials accompanying antidromic invasion of the pigeon retina 18: 1367.
The electroretinogram of albinos 18: 1465.
Visual acuity in human infants: A review and comparison of behavioral and electrophysiological studies 18: 1469.
Dynamic properties of the insect compound eye 18: 1497.
Lipid peroxidation and electric activity of the retina 19: 49.
Retinal degeneration in RCS rats raised under ambient light levels 19: 79.
Primate cone sensitivity to flicker during light and dark adaptation as indicated by the foveal local electroretinogram 19: 109.
B-Wave currents in the frog retina 19: 227.
Attenuation of the frog's cone system during rapid dark-adaptation 19: 279.
Species differences in the intraretinal electroretinogram within the leopard frog complex 19: 339.
Component analysis of the foveal local electroretinogram elicited with sinusoidal flicker 19: 479.
Critical flicker fusion frequency of the river lamprey (Lampetra fluviatilis) 19: 551.
Transient tritanopia at the level of the ERG b-wave 19: 689.
Spectral sensitivity of the endoparietal eye in Limulus polyphemus 19: 1055.
Spectral components in the b-wave of the ground squirrel electroretinogram 19: 1243.
The human rod ERG: the dark-adapted a-wave response function 19: 1433.
The effect of retinal isomers on the VER and ERG of vitamin A deprived rats 20: 109.
Electroretinographic and psychophysical measures of cone spectral mechanisms using the two-color threshold technique 20: 205.
Background adaptation in developing rat retina: an electroretinographic study 20: 819.
Human fast retinal potentials and the spatial properties of a visual stimulus 21: 627.
Blue cone input to the photopic electroretinogram of the turtle Pseudemys 21: 893.
Cyclic amplitude variations of a slow ERG off-effect, the h-wave, in the Cynomolgus monkey 21: 1159.
Colour coding in the chicken ERG 21: 1621.
Transmitter-related studies in the isolated perfused eye of the cat 21: 1661.
The sensitivity of the retinal nerve fibre layer to elevated interocular pressure and graded hypoxia in the cat 21: 1697.
Origins of the ERG waves 21: 1703.
Characteristics of receptor potential and slow P_{III}-component to light and dark flashes in the isolated superfused rabbit retina 21: 1709.
Isolation of macaque late receptor potential with fractional recording 21: 1719.
A mathematical model of slow P III of the ERG: variation of stimulus duration 21: 1721.
Mechanisms of light adaptation in rat retina 22: 209.
Fractional recording and component analysis of primate LERG: separation of photoreceptor and other receptor potentials 22: 381.
Intraretinal recordings of slow electrical responses to steady illumination in monkey: isolation of receptor responses and the origin of the light peak 22: 393.
Effects of maintained illumination upon $[K^+]_o$ in the subretinal space of the frog retina 22: 767.
Field sensitivity of the "red" mechanism derived from primate local electroretinogram 22: 869.
The effects of local anaesthetics on retinal function 22: 1097.
Eye media absorption in goldfish 22: 1229.
Two retinal processes displayed in the cat electroretinogram 22: 1525.

ENTOPTIC PHENOMENA
Polarized light retinal photography of a monkey eye 18: 19.
Purkinje's methods for visualizing the internal retinal circulation: a look at the source 18: 875.
Haidinger's brushes 18: 1467.
Some new entoptic phenomena 18: 1633.
King Charles II and the blind spot 19: 225.
Optical transmission of cataractous lens at 430 nm and blue field entoptoscopy 19: 1181.
On the birefringence of the living human eye 21: 1413.
Letter to the editors 22: 711.

EYE-MOVEMENTS
Span of recognition in reading 18: 83.
Measurement of human vertical fusional response 18: 219.
Oculomotor and perceptual localization during smooth eye movements 19: 609.
The effect of expectations on slow oculomotor control-II. Single target displacements 19: 633.
Effects of stimulus onset and image motion on contrast sensitivity 19: 767.
Controlling abnormal eye movements 19: 961.
A comparison of oculomotor and motion parallax cues of egocentric distance 19: 1161.
Eye movements in paralyzed cats induced by drugs and sympathetic stimulation 19: 1249.
A simple surgical procedure for immobilization of rodent eyes 19: 1281.
Proprioceptive information neither improves fixation stability nor reduces autokinesis 19: 1289.
Congenital nystagmus modifies orientational detection 19: 1409.
Free scanning of gratings produces patterned retinal exposure 19: 1413.
Proprioception provides a major input to the horizontal oculomotor system of crayfish 20: 349.
Binocular retinal image motion during active head rotation 20: 415.
Ocular translation and cyclotorsion due to changes in fixation distance 20: 595.
Angular selectivity of monocular rivalry: experiment and computer simulation 20: 1007.
Optic nerve distention in a cichlid fish 20: 1015.
Vernier discrimination with sequentially-flashed lines: roles of eye movements, retinal offsets and short-term memory 21: 647.
Limits of the pigeon's binocular field and direction for best binocular viewing 21: 1197.
A note on the remote oculometer technique for recording eye movements 22: 201.
Monocular rivalry occurs without eye movements 22: 203.
Scanning open and closed polygons 22: 721.
Effect of motion sweep duration and number of stations upon interpolation in discontinuous motion 22: 1277.

EYE-MOVEMENTS, OPTOKINETIC NYSTAGMUS
Stereoscopic contours induce optokinetic nystagmus 18: 1189.
Visual acuity in human infants: A review and comparison of behavioral and electrophysiological studies 18: 1469.
The optokinetic reactions of the rabbit: relation to the visual streak 19: 9.
A psychophysical investigation of spatial vision in the normal and reeler mutant mouse 19: 853.
Pursuit after-nystagmus 19: 1057.
Optokinetic reactions in man elicited by localized retinal motion stimuli 19: 1105.
A comparison between saccades and quick phases of vestibular nystagmus in the cat 20: 865.
A binocular contribution to the production of optokinetic nystagmus in normal and stereoblind subjects 21: 587.
The influence of field size upon the spatial frequency response of optokinetic nystagmus 21: 985.
The postnatal development of monocular optokinetic nystagmus in infants 22: 341.

EYE-MOVEMENTS, SACCADIC
Corrective saccades: effects of altering visual feedback 18: 63.
Changing fixation in the transverse plane at eye level and Hering's law of

equal innervation 18: 511.
Error-correcting mechanisms in large saccades 18: 557.
Nonadditivity of vergence and saccadic eye movement 18: 735.
How presaccadic gratings modify postsaccadic modulation transfer function 18: 1173.
Contrast sensitivity during saccadic eye movements 18: 1193.
Primary and secondary saccades to goals defined by instructions 18: 1279.
Saccadic omission: why we do not see a grey-out during a saccadic eye movement 18: 1297.
Adaptation to an altered relation between retinal image displacements and saccadic eye movements 18: 1321.
"Monocular rivalry" of a complex waveform 18: 1641.
Investigation into corrective saccadic eye movements for refixation amplitudes of 10 degrees and below 19: 57.
Miniature saccades: eye movements that do not count 19: 105.
The effect of expectations on slow oculomotor control-I. Periodic target steps 19: 619.
An analysis of the saccadic system by means of double step stimuli 19: 967.
Processing of direction and magnitude by the saccadic eye-movement system 19: 1421.
Information used by the perceptual and oculomotor systems regarding the amplitude of saccadic and pursuit eye movements 20: 59.
Interaction of pre- and postsaccadic patterns having the same coordinates in space 20: 117.
The function of small saccades 20: 271.
Small saccades serve no useful purpose: reply to a letter by R.W. Ditchburn 20: 273.
The predictability of saccadic latency in a novel voluntary oculomotor task 20: 329.
Differential responses of "simple" and "complex" cells of cat's striate cortex during saccadic eye movements 20: 553.
Voluntary nystagmus, saccadic suppression, and stabilization of the visual world 20: 717.
The role of microsaccades in high acuity observation tasks 20: 813.
A comparison between saccades and quick phases of vestibular nystagmus in the cat 20: 865.
Oblique saccades of the cat: a comparison between the durations of horizontal and vertical components 20: 875.
Direction-specific and position-specific effects upon detection of displacements during saccadic eye movements 21: 255.
Spatial and temporal factors in the predictive generation of saccadic eye movements 21: 347.
Saccades to step-ramp stimuli 21: 479.
Asymmetrical vergence and multiple saccades 21: 739.
Saccadic suppression and the dual mechanism theory of direction constancy 22: 335.
Corrective saccades: effect of shifting the saccade goal 22: 353.
Perception of suprathreshold stimuli during saccadic eye movement 22: 423.
Global visual processing for saccadic eye movements 22: 1033.

EYE-MOVEMENTS, SMOOTH PURSUIT
The loss of position constancy during pursuit eye movements 18: 55.
Pattern thresholds for moving and stationary gratings during smooth eye movement 18: 521.
Pursuit eye movements of a disappearing moving target 18: 537.
Velocity matching during smooth pursuit of different targets on different backgrounds 18: 603.
Smooth eye tracking and the perception of motion in the absence of real movement 18: 1053.
The effect of luminance on human smooth pursuit of perifoveal and foveal targets 18: 1165.
Interaction of perceptually monitored and unmonitored efferent commands for smooth pursuit of eye movements 18: 1545.
Contrast effects on smooth-pursuit eye movement velocity 19: 169.
Velocity precision in smooth pursuit eye movements 19: 343.
The role of perceived motion in smooth pursuit eye movements 19: 613.
Pursuit after-nystagmus 19: 1057.
Spatial localization during pursuit eye movements 19: 1213.
Additivity of fusional vergence and pursuit eye movements 20: 43.
Information used by the perceptual and oculomotor systems regarding the amplitude of saccadic and pursuit eye movements 20: 59.
Target position and velocity: the stimuli for smooth eye pursuit movements

20: 523.
Smooth pursuit eye movements in response to unpredictable target waveforms 20: 923.
The effect of expectations on slow oculomotor control-III. Guessing unpredictable target displacements 21: 191.
Is perceived motion a stimulus for smooth pursuit 22: 77.
Retinal location and visual localization during pursuit eye movement 22: 1047.

EYE-MOVEMENTS, TORSIONAL
The effect of stimulus size on human cyclofusional response 18: 567.
Binocular coordination of torsional eye movements in cyclofusional response 18: 943.
Compensatory eye movements to miniature rotations in the rabbit: implications for retinal image stability 19: 1155.
Eye torsion in response to a tilted visual stimulus 19: 1177.
Ocular translation and cyclotorsion due to changes in fixation distance 20: 595.

EYE-MOVEMENTS, VERGENCE
Changing fixation in the transverse plane at eye level and Hering's law of equal innervation 18: 511.
Binocular eye movements during accommodative vergence 18: 545.
Nonadditivity of vergence and saccadic eye movement 18: 735.
Convergent disparity discriminations in narrow-band-filtered random-dot stereograms 19: 63.
Vergence eye movements of the rabbit in visuomotor behavior 19: 185.
The influence of rapid prism adaptation upon fixation disparity 19: 757.
The synkinetic interaction of convergence accommodation and accommodative convergence 19: 1237.
The relationship between fusional vergence eye movements and fixation disparity 19: 1359.
Additivity of fusional vergence and pursuit eye movements 20: 43.
Asymmetrical vergence and multiple saccades 21: 739.
Diplopia thresholds and the initiation of vergence eye-movements 21: 1727.
Comparison of subjective and objective measurements of ocular alignment in the vertical direction 22: 983.

EYE-MOVEMENTS, VESTIBULO-OCULAR
Gain of the vestibulo-ocular reflex in monkey at high rotational frequencies 18: 311.
Quality of retinal image stabilization during small natural and artificial body rotations in man 19: 675.
Compensatory eye movements to miniature rotations in the rabbit: implications for retinal image stability 19: 1155.
Binocular retinal image motion during active head rotation 20: 415.
Directional changes in the vestibular ocular response as a result of adaption to optical tilt 22: 37.
The effect of convergence on the vestibulo-ocular reflex and implications for perceived movement 22: 461.
Visual following during stimulation of an immobile eye (the open loop condition) 22: 1193.

FLICKER
Temporal analog of the minimally distinct border 18: 111.
Ganglion cell responses of the mudpuppy retina to sinusoidal flicker 18: 153.
The achromatic channel-I. The non-linearity of minimum-border and flicker matches 18: 379.
The mechanism of brightness enhancement 18: 777.
A sensitization effect with rectilinear stimuli 18: 1045.
Saturation of intermittent monochromatic lights 18: 1439.
Dynamic properties of the insect compound eye 18: 1497.
Relative modulation sensitivities of the red and green color mechanisms 18: 1593.
Der Violetteffekt, eine neue durch Flimmerlicht induzierte subjektive Farbe 18: 1623.
Primate cone sensitivity to flicker during light and dark adaptation as indicated by the foveal local electroretinogram 19: 109.
Visibility of chromatic flicker upon spectrally mixed adapting fields 19: 175.
The perception of suprathreshold sinusoidal flicker measured by light- and dark-phase matching 19: 335.

Component analysis of the foveal local electroretinogram elicited with sinusoidal flicker 19: 479.
Directional and nondirectional coding of a spatio-temporal modulated stimulus 19: 545.
Critical flicker fusion frequency of the river lamprey (Lampetra fluviatilis) 19: 551.
Flicker and chromatic adaptation 19: 565.
Die Sehwinkelkonstanz des subjektiven Schachbrettmusters, ein Hinweis auf den kortikalen Entstehungsort der Grobenkonstanz 19: 795.
Spatial frequency and temporal frequency selectivity of single cells in the pigeon optic tectum 19: 1001.
The peripheral critical flicker frequency 19: 1019.
Wavelength variation in directional sensitivity of the long- and medium-wave sensitive foveal cones of red-green dichromats 19: 1067.
Critical flicker fusion in normal and binocularly deprived cats 20: 49.
Spatiotemporal characterization of a transient mechanism in the human visual system 20: 443.
Velocity specificity of the flicker to pattern sensitivity ratio in human vision 20: 687.
Temporal modulation sensitivity of macaque monkeys 20: 953.
Neuronal mechanism of response of cat's striate cortex to flicker light stimulation 21: 225.
Phase effects in monoptic and dichoptic temporal integration: flicker and motion detection 21: 365.
Development of critical flicker frequency in human infants 21: 549.
Pattern discrimination with flickering stimuli 21: 597.
Transient tritanopia after flicker adaptation 21: 657.
Flickering phantoms: a motion illusion without motion 21: 963.
Psychophysical relationships among mechanisms sensitive to pattern, motion and flicker 21: 971.
Transient desensitization of a red-green opponent site 21: 1267.
Flicker masking in spatial vision 21: 1377.
Differences between flicker and non-flicker persistence tasks: the effects of luminance and the number of cycles in a grating target 21: 1387.
The amacrine cells as an important processing site of pattern-induced flicker colors 21: 1639.
Shifts in perceived periodicity induced by temporal modulation and their influence on the spatial frequency tuning of two aftereffects 21: 1739.
Post-receptor chromatic mechanisms revealed by flickering vs fused adaptation 22: 69.
In search of the elusive long-wave fundamental 22: 627.
Stabilized vision through a bleaching window 22: 827.

FORM PERCEPTION

High-pass spatial frequency letters as clinical optotypes 18: 1063.
Gross vision of a word enhances the perceptibility of its component letters: a model 18: 1599.
Form information is necessary for the perception of motion 19: 839.
Visual perception of changing size: the effect of object size 19: 1093.

FOVEA

Lateral masking in foveal and eccentric vision 18: 335.
Grating summation in fovea and periphery 18: 815.
Quantitative characterization of two types of line-spread function near the fovea 18: 971.
Spatial summation in the fovea: asymmetrical effects of longer and shorter dimensions 18: 1023.
Effect of a background on foveal and parafoveal cone dark adaptation 18: 1381.
Diffusion of the human retina and quality of the optics of the eye on the fovea and the peripheral retina 19: 907.
Visual resolution and contour interaction in the fovea and periphery 19: 1187.
Perceptive field size in fovea and periphery of the light- and dark-adapted retina 20: 221.
Contrast sensitivity as a function of position on the retina 20: 235.
A functional test of foveal fixation based upon differential cone directional sensitivity 20: 557.
A light microscopic study of the bifoveate retina in the lizard Anolis carolinensis: general observations and convergence ratios 20: 679.
Foveal and peripheral displacement thresholds as a function stimulus luminance, line length and duration of movement 20: 709.
The lateral effect of oscillation of peripheral luminance gratings on the

foveal increment threshold 20: 799.
Long wavelength foveal insensitivity in rhesus 20: 1027.
Metacontrast in the fovea 21: 297.
A local mechanism for differential velocity detection 21: 491.
Variations in brightness at two retinal locations 21: 885.
Peripheral contrast reversal inhibits visually evoked potentials in the fovea 21: 947.
Wavelength dependence of the shape of foveal absolute threshold probability of detection functions 21: 995.
Temporal impulse and step responses of the human eye obtained psychophysically by means of a drift-correcting perturbation technique 21: 1203.
The foveal point spread function as a determinant for detail vision 21: 1223.
Foveal tritanopia 21: 1341.
Punctate sensitivity of the blue-sensitive mechanism 21: 1357.
Facilitation and inhibition in the jerk effect depend upon test flash duration and delay 21: 1783.
Summation of grating patches indicates many types of detector at one retinal location 22: 17.

GANGLION CELLS
Retinal ganglion cell activity in the ground squirrel under halothane anesthesia 18: 1.
Luminance and chrominance processing of retinal class IV ganglion cells in the frog 18: 25.
Ganglion cell responses of the mudpuppy retina to sinusoidal flicker 18: 153.
The neural basis for colour discrimination in the domestic cat 18: 233.
Responses of the various types of cat retinal ganglion cells to moving contours 18: 757.
Receptive field properties of optic tract fibres from on-center sustained and transient cells in a tree shrew (Tupaia chinensis) 18: 1097.
Light adaptation of the frog's 580 cone system: a comparison of receptor and ganglion cell sensitivity changes 18: 1155.
Relation of the e-wave to ganglion cell activity and rod responses in the frog 18: 1181.
Electrophysiological classification of X- and Y-cells in the cat's lateral geniculate nucleus 18: 1261.
Macular pigmentation and the spectral sensitivity of retinal ganglion cells of macaques 18: 1273.
Antidromic invasion of ganglion cells in the pigeon retina 18: 1357.
Single retinal ganglion cell responses in the dark-reared rat: Grating acuity, contrast sensitivity, and defocusing 18: 1533.
A comparison of properties of goldfish retinal ganglion cells as a function of lighting conditions during dissection 19: 83.
X-like and not X-like cells in goldfish retina 19: 95.
Non-directional and directional ganglion cells in the pigeon retina 19: 321.
Scotopic increment thresholds in retinal ganglion cells 19: 425.
The contrast gain control of the cat retina 19: 431.
Signals from blue cones in "red-green" opponent-colour ganglion cells of the macaque retina 19: 441.
Suppression of maintained activity of retinal ganglion cells 19: 451.
An analysis of receptor inputs to and spatial distribution of ganglion cell on and off processes 19: 647.
Size and distribution of ganglion cells in the bovine retina 19: 667.
Definition of neural response and incremental sensitivity of retinal ganglion cells in a tree shrew (Tupaia chinensis) 19: 885.
The responses of retinal ganglion cells to stationary and moving visual stimuli 19: 1203.
Responses to wavelength contrast in the afferent visual systems of the cat and the rhesus monkey 19: 1351.
Spectrally-opponent responses in ground squirrel optic nerve 20: 9.
Intensity discrimination capacity of retinal ganglion cells of a tree shrew (Tupaia chinensis) 20: 149.
The size and topographic arrangement of retinal ganglion cells in the galago 20: 315.
Changes in ganglion cell density during post-metamorphic development in a neotropical tree frog Hyla raniceps 20: 501.
Class I retinal ganglion cells in the toad, Bufo spinulosus 20: 549.
Parallel visual pathways: a review 20: 561.
Retinal ganglion cells and optic decussation of white cats 20: 1001.

Movement sensitivity of retinal ganglion cells in monkey 21: 181.
Responses to single photons in a fly optomotor neurone 21: 279.
Responses of cat retinal ganglion cells to the random motion of a spot stimulus 21: 435.
Chromatic subclasses of frog retinal ganglion cells: studies using black stimuli moving on a monochromatic background 21: 469.
The physiological basis of variations in visual latency 21: 815.
One brush tailed possum can browse as much pasture as 0.06 sheep which may indicate why this "arboreal" animal has a visual streak: some comments on the "terrain" theory 21: 957.
Amacrine cells, bipolar cells and ganglion cells of the cat retina: a Golgi study 21: 1081.
Growth-related changes in the receptive field properties of retinal ganglion cells in goldfish 21: 1491.
Growth-related changes in the size of receptive field centers of retinal ganglion cells in goldfish 21: 1497.
Physiological and morphological studies of signal pathways in the carp retina 21: 1519.
Neural circuitry of the cat retina: cone pathways to ganglion cells 21: 1527.
Color coding in primate retina 21: 1591.
Photopigments and carp ganglion cell action spectra 21: 1601.
Characteristics of the blue sensitive cone mechanism in primate retinal ganglion cells 21: 1605.
Response of frog retina ganglion cells to moving monochromatic spots under photopic conditions 21: 1617.
Physiological and morphological study of the inner plexiform layer in the turtle retina 21: 1635.
Effect of synaptic transmitter drugs on receptive fields of rabbit retinal ganglion cells 21: 1643.
Disinhibitory action of strychnine on ganglion cells in the retina of the frog 21: 1649.
Involvement of GABA in ganglion cell receptive field organization in the frog retina 21: 1653.
Neurophysiological tracing of a projection from temporal retina to contralateral visual cortex of the cat 21: 1677.
Some aspects of neuronal organization in rat's visual structures 21: 1681.
The difference between X- and Y-type responses in ganglion cells of the cat's retina 21: 1685.
How the latencies of excitation and inhibition determine ganglion cell thresholds and discharge patterns in the frog 21: 1689.
Dynamic aspects of cat retinal ganglion cell's centre and surround mechanisms: a white noise analysis 21: 1693.
Mechanisms of light adaptation in rat retina 22: 209.
Light-evoked sustained inhibition in mudpuppy retinal ganglion cells 22: 257.
The luminance and response range of monkey retinal ganglion cells to white light 22: 271.
Ganglion cell acuity in hooded rats 22: 441.
Ganglion cells mediating the signals of blue sensitive cones in primate retina detect white-yellow borders independently of brightness 22: 675.
Receptive field properties of X and Y cells in the cat retina derived from contrast sensitivity measurements 22: 1173.

GRATINGS

The decay of grating adaptation 18: 89.
Visual adaptation to patterns containing two-dimensional spatial structure 18: 93.
The functional area for summation to threshold for sinusoidal gratings 18: 369.
Subharmonics in adaptation to sine wave gratings 18: 741.
Wiener analysis of grating contrast judgments 18: 1031.
Spatial phase sensitivity for sinusoidal grating targets 18: 1073.
Grating generation by microcomputer 18: 1083.
Enhancement of apparent contrast in flashed sinusoidal gratings 19: 33.
Stereopsis by harmonic analysis 19: 73.
A re-examination of contrast threshold difference between spatial sine-wave and square-wave gratings 19: 603.
On the latency of human visually evoked response to sinusoidal gratings 19: 843.
Single-neuron responses to moving sine-wave gratings in the pigeon optic tectum 19: 993.
Infant visual acuity is underestimated because near threshold gratings are

not preferentially fixated 19: 1377.
Free scanning of gratings produces patterned retinal exposure 19: 1413.
The grating acuity of the wild European rabbit 20: 87.
Summation of asynchronous gratings 20: 91.
Interaction of pre- and postsaccadic patterns having the same coordinates in space 20: 117.
A comparison of accommodative responsiveness and contrast sensitivity for sinusoidal gratings 20: 159.
Spatial summation for complex bar patterns 20: 169.
Phase and detection of compound gratings 20: 189.
Peripheral contrast sensitivity for sine-wave gratings and single periods 20: 243.
Grating induction: a new type of aftereffect 20: 437.
Velocity specificity of the flicker to pattern sensitivity ratio in human vision 20: 687.
The lateral effect of oscillation of peripheral luminance gratings: test of various hypotheses 20: 789.
Monocular and binocular detection of moving sinusoidal gratings 21: 329.
Superposition of edges and gratings: interaction between central and peripheral regions 21: 373.
Adaptation to gratings: equal spatial selectivity for light and dark bar width variation 21: 419.
Spatiotemporal variations in the square-sine ratio: evidence of independent channels at low spatial frequencies 21: 423.
Psychophysical isolation of movement sensitivity by removal of familiar position cues 21: 427.
A power law for contrast discrimination 21: 457.
Spatial frequency uncertainty effects in the detection of sinusoidal gratings 21: 705.
An explanation for the visibility of low frequency gratings 21: 723.
Single-cell responses to bar width and to sine-wave grating frequency in the pigeon optic tectum 21: 745.
Reply to Harris and Potts: interocular transfer of color-contingent motion aftereffects can lead to positive aftereffects 21: 751.
The statistical efficiency for detecting sinusoidal modulation of average dot density in random figures 21: 765.
Manipulating the contrast of sine wave gratings and other light distributions using polaroid 21: 1025.
Learning in grating waveform discrimination: specificity for orientation and spatial frequency 21: 1149.
Oblique effects in normally reared monkeys (Macaca nemestrina): meridional variations in contrast sensitivity measured with operant techniques 21: 1253.
Differences between flicker and non-flicker persistence tasks: the effects of luminance and the number of cycles in a grating target 21: 1387.
Latency for the perceived offset of brief target gratings 21: 1395.
Prediction of the visibility of asynchronous gratings by a single-channel model 21: 1409.
A purely binocular mechanism in human vision 21: 1755.
Propagation of inhibition 21: 1765.
A single-channel model does not predict visibility of asynchronous gratings 21: 1799.
Spatial computation performed by simple and complex cells in the visual cortex of the cat 22: 101.
Evoked potentials and reaction times to the offset and contrast reversal of sinusoidal gratings 22: 205.
Contrast paradox of line target upon grating background 22: 337.
Detectability of amplitude- and frequency-modulation of suprathreshold sine-wave gratings 22: 407.
The effects of contrast and length of gratings on the visual evoked potential 22: 1389.

HAIDINGER'S BRUSHES (SEE ENTOPTIC PHENOMENA)

HORIZONTAL CELLS
Bipolar and horizontal cells of the gray squirrel retina: Golgi morphology and receptor connections 18: 129.
Enhancement of hyperpolarizing S-potentials by surround illumination in a teleost retina 18: 1005.
Latency measurement of the color coded S-potentials in the carp retina 18: 1435.
Mixed rod-cone responses in horizontal cells of snapping turtle retina 19: 407.

Adaptation effects in electrical responses recorded from postreceptoral neurones in the isolated fish (roach) retina 19: 413.
GABA and the lateral spread of tonic activity in frog retina 19: 501.
Short-wavelength input to luminosity-type horizontal cells in the turtle retina 19: 903.
The axon-bearing horizontal cells in the teleost retina are functional as well as structural units 19: 1261.
The internal horizontal cells of the frog retina: a morphometric analysis 20: 761.
Characteristics of second order neurons in the dace retina: physiological and morphological studies 21: 1541.
Frequency transfer properties of cat retina horizontal cells 21: 1565.
Ionic mechanisms underlying the nonlinearity of horizontal cell membrane 21: 1573.
Peripheral antagonism in the small field L-horizontal cells (L2-HC) of the turtle retina 21: 1579.
Control of retinal S-potentials in dark adapted and bleached retinae 21: 1581.
Anatomy and physiology of the horizontal cells of the visual streak region of the turtle retina 21: 1585.
Propagation of non-spike signals in retinal neurons 21: 1589.
Involvement of small field horizontal cells in the feedback effects on green cones 21: 1599.
Pharmacological manipulation of spatial properties of S-potentials 21: 1657.
Spatial organization of neurochemically classified interneurons of the goldfish retina-I. Local patterns 22: 589.
The cells horizontal cells talk to 22: 653.
A-type horizontal cells of the superior edge of the linear visual streak of the rabbit retina have oriented, elongated dendritic trees 22: 905.

ILLUSION (SEE ALSO AFTEREFFECTS)
The loss of position constancy during pursuit eye movements 18: 55.
Experiments on the Zollner and related optical illusions 18: 203.
A Craik-O'Brien-Cornsweet illusion for visual depth 18: 213.
Perceptual distortion of an oblique line in the presence of an abutting vertical line 18: 923.
Detection thresholds of the Hermann Grid illusion 18: 1061.
Interaction of stabilized retinal patterns with spatial visual noise 19: 713.
Absence of accommodation during perceptual reversal of Necker cubes 19: 953.
The waterfall illusion in an insect visual system 19: 1435.
Linear summation of tilt illusion and tilt aftereffect 20: 39.
The influence of colour and contour rivalry on the magnitude of the tilt illusion 20: 229.
Saturation enhancement in colored Hermann grids varying only in chroma 20: 307.
A possible confounding between the orthogonal perceived spatial frequency shift and the vertical-horizontal illusion 20: 1021.
Illusory colour changes in Hermann grids varying only in hue 21: 527.
Analysis of the angle perception based on the angle matching technique 21: 701.
Alpha-stripes: a spatial periodicity appearing in stroboscopically illuminated moving random dot patterns 21: 913.
Flickering phantoms: a motion illusion without motion 21: 963.
The fine-grain movement illusion: a perceptual probe of neuronal connectivity in the human visual system 21: 1123.
High frequency limitations on Mach bands 21: 1165.
The effect of spatial frequency on colour selectivity in the tilt illusion 21: 1235.
A spatial frequency dependent grating-induction effect 22: 119.
The effect of convergence on the vestibulo-ocular reflex and implications for perceived movement 22: 461.
A stereoscopic presentation of the Hermann Grid 22: 485.
The induced effect: arguments against the theory of Arditi, Kaufman and Movshon (1981) 22: 1225.
A visual illusion of movement 22: 1413.

IMAGE QUALITY
Light distribution in the cat's retinal image 18: 159.
Chromoretinoscopy 18: 247.
Development of optical quality in the kitten eye 18: 391.

Development of the optical surfaces of the kitten eye 18: 399.
The artifact of retinoscopy 18: 1091.
The refractive state of the rabbit eye: variation with eccentricity and correction for oblique astigmatism 18: 1351.
Merits of the Gaussian moment in judging optical line spread width - comment on a paper by W.N. Charman and J.A.M. Jennings 19: 847.
Merits of the Gaussian moment in judging optical line spread widths 19: 851.
Diffusion of the human retina and quality of the optics of the eye on the fovea and the peripheral retina 19: 907.
Properties of annular artificial pupils 19: 947.
Optical transmission of cataractous lens at 430 nm and blue field entoptoscopy 19: 1181.
Spatial localization during pursuit eye movements 19: 1213.
The synkinetic interaction of convergence accommodation and accommodative convergence 19: 1237.
Transient threshold increase due to combined changes in direction of propagation and plane of polarization 19: 1253.
The artefact of retinoscopy in the rat and rabbit eye has its origin at the retina-vitreous interface rather than in longitudinal chromatic aberration 19: 1293.
Astigmatism and orientation preference in human infants 19: 1315.
Depth of focus, eye size and visual acuity 20: 827.
Off-axis image quality in the human eye 21: 445.
Contact lenses change the projection of visual field onto rabbit peripheral retina 21: 955.
An analytic, gradient index schematic lens and eye for the rat which predicts aberrations for finite pupils 21: 1129.
Effects of stimulus vergence on mean accommodation response, microfluctuations of accommodation and optical quality of the human eye 22: 561.

INCREMENT THRESHOLD
Adaptation, afterimages and cone saturation 18: 279.
"Compression" of retinal responsivity: V-log I functions and increment thresholds 18: 587.
Behavioral confirmation of the "silent period" during adaptation to bright lights 18: 1075.
Rod threshold: influence of neighboring cones 18: 1611.
The equivalent background and retinal eccentricity 19: 117.
Scotopic increment thresholds in retinal ganglion cells 19: 425.
Light adaptation in a normal and a rod monochromat: psychophysical and VEP increment threshold comparisons 19: 825.
Definition of neural response and incremental sensitivity of retinal ganglion cells in a tree shrew (Tupaia chinensis) 19: 885.
Transient sensitization by a contrast flash 20: 281.
The lateral effect of oscillation of peripheral luminance gratings on the foveal increment threshold 20: 799.
Increment threshold and detection latency in the rod and cone systems 20: 981.
Cone system saturation: more than one stage of sensitivity loss 21: 319.
Transient tritanopia: its abolition at high intensities 21: 665.
Behavioral studies of stimulus deprivation amblyopia in monkeys 21: 779.
Spatial frequency effects in masking by light 21: 861.
Properties of a blue-sensitive rod in the Xenopus retina 21: 875.
Additive effect of backgrounds in chromatic induction 21: 959.
Wavelength dependence of the shape of foveal absolute threshold probability of detection functions 21: 995.
Large loss of visual sensitivity to flashed peripheral targets 21: 1323.
The compression model: a re-examination 21: 1511.
Sensitivity of the blue-sensitive cones across the central retina 22: 661.
Color discrimination at threshold: the approach through increment threshold sensitivity 22: 713.
Contrast increment thresholds of rhesus monkeys 22: 1153.
A given visual field location has a wide range of perceptive field sizes 22: 1363.

INTEROCULAR TRANSFER (SEE AFTEREFFECTS)

LATENCY
Latency of the neuromagnetic response of the human visual cortex 18: 107.
Retinal mechanisms of visual latency 18: 1247.
Modification of spatial frequency processing rates with multiple frequency

stimuli 18: 1505.
Reaction time as a measure of suprathreshold grating detection 18: 1579.
On the latency of human visually evoked response to sinusoidal gratings 19: 843.
Increment threshold and detection latency in the rod and cone systems 20: 981.
Spatial and temporal factors in the predictive generation of saccadic eye movements 21: 347.
Saccades to step-ramp stimuli 21: 479.
The physiological basis of variations in visual latency 21: 815.
Effect of retinal blur on the peak latency of the pattern evoked potential 21: 1279.
Latency for the perceived offset of brief target gratings 21: 1395.
Latencies for chromatic and achromatic visual mechanisms 21: 1457.

LATERAL GENICULATE NUCLEUS
Electrophysiological classification of X- and Y-cells in the cat's lateral geniculate nucleus 18: 1261.
Responses to wavelength contrast in the afferent visual systems of the cat and the rhesus monkey 19: 1351.
Three classes of area 19 cortical cells of the cat classified by their neuronal connectivity and photic responsiveness 20: 69.
Parallel visual pathways: a review 20: 561.
A comparison of the responses of single cells in the LGN and visual cortex to bar and noise stimuli in the cat 20: 771.
Spatial and temporal receptive-field analysis of the cat's geniculocortical pathway 21: 385.
The role of cortico-geniculate projections in the loss of Y-cells in monocularly deprived cats 21: 1035.

LENS
Ultraviolet light and human lens pigmentation 18: 509.
A schematic eye for the opossum 19: 263.
A schematic eye for the rat 19: 569.
Contribution of the cornea and lens to the spherical aberration of the eye 19: 685.
Optical transmission of cataractous lens at 430 nm and blue field entoptoscopy 19: 1181.
Retinoscopy of aquatic eyes 20: 197.
Initial studies of cultured embryonic chick lens epithelial cells infected with a temperature-sensitive Rous sarcoma virus 21: 5.
Donor age influences the growth of rabbit lens epithelial cells in vitro 21: 11.
Differentiation of rat lens epithelial cells in tissue culture-IV. Some characteristics of the process, including possible in vitro models for pathogenic processes in cataractogenesis 21: 25.
Properties of a Na-K ATPase inhibitor in cultured lens epithelial cells 21: 37.
A tissue culture system for studying lens cell differentiation 21: 113.
An analytic, gradient index schematic lens and eye for the rat which predicts aberrations for finite pupils 21: 1129.
The influence of the spatial distribution of a target on the dynamic response and fluctuations of the accommodation of the human eye 21: 1287.
Model of the accommodative mechanism in the human eye 22: 917.
Chromatic dispersion of the ocular media 22: 997.
Eye media absorption in goldfish 22: 1229.

LIGHT DAMAGE
Introduction to the problem 20: 1037.
Potential hazards from specific ophthalmic devices 20: 1039.
Retinal damage produced by intraocular fiber optic light 20: 1055.
Retinal laser photocoagulation: benefits and risks 20: 1073.
Fluorescein angiography: risks 20: 1083.
Light levels in fundus photography and fluroescein angiography 20: 1099.
The nature of retinal radiation damage: dependence on wavelength, power level and exposure time 20: 1105.
Review of the macaque model of light damage with implications for the use of ophthalmic instrumentation 20: 1113.
Differential spectral photic damage to primate cones 20: 1117.
The role of ocular pigmentation in protecting against retinal light damage 20: 1127.
Safety standards and measurement techniques for high intensity light

sources 20: 1133.
The effect of long-term constant light on the frog pigment epithelium 20: 1143.
RNA metabolism in the retina in relation to cyclic lighting 20: 1151.
Cyclic GMP and visual cell degeneration in the inherited disorder of rd mice: a progress report 20: 1157.
Possible mechanisms of photoreceptor damage by light in mammalian eyes 20: 1163.
Interaction of environmental light and eye pigmentation with inherited retinal degenerations 20: 1173.
Light deprivation and retinitis pigmentosa 20: 1179.
Alteration in directional sensitivity of the retina by monocular occlusion 20: 1185.
Degenerative retinal diseases and exposure to light: methods of epidemiological study 20: 1191.

LUMINANCE
Luminance and chrominance processing of retinal class IV ganglion cells in the frog 18: 25.
Simultaneous brightness contrast induction in pigeons 18: 179.
A Craik-O'Brien-Cornsweet illusion for visual depth 18: 213.
The luminance-dependent nature of the visual abnormality in strabismic amblyopia 18: 931.
A sensitization effect with rectilinear stimuli 18: 1045.
The effect of luminance on human smooth pursuit of perifoveal and foveal targets 18: 1165.
Suppression of maintained activity of retinal ganglion cells 19: 451.
Spatial contrast sensitivity in albino and pigmented rats 19: 933.
The effects of coloured surrounds on colour naming and luminosity 19: 1381.
Wavelength-specific brightness contrast as a function of surround luminance 20: 127.
Contrast sensitivity as a function of position on the retina 20: 235.
Differences in the neural basis of human amblyopias: the effect of mean luminance 20: 295.
Discrimination and detection of changes in luminance 20: 671.
Foveal and peripheral displacement thresholds as a function stimulus luminance, line length and duration of movement 20: 709.
Movement sensitivity of retinal ganglion cells in monkey 21: 181.
Displacement detection in human vision 21: 205.
Behavioural determination of the contrast sensitivity function of the eagle Aguila audax 21: 263.
Why luminance discrimination may be better than detection 21: 273.
Development of critical flicker frequency in human infants 21: 549.
A power law for perceived contrast in human vision 21: 791.
Metacontrast in hue substitution 21: 907.
Binocular luminance detection: availability of more than one central interaction 21: 1017.
Displacement thresholds for unidirectional and oscillatory movement 21: 1297.
The luminance dependence of spatial vision in the cat 21: 1333.
Differences between flicker and non-flicker persistence tasks: the effects of luminance and the number of cycles in a grating target 21: 1387.
Latencies for chromatic and achromatic visual mechanisms 21: 1457.
Monocular sensitivity during binocular viewing 22: 1.
The luminance and response range of monkey retinal ganglion cells to white light 22: 271.
Evidence for transient luminance and quasi-sustained color mechanisms 22: 445.
Effect of chromatic adaptation on the achromatic locus: the role of contrast, luminance and background color 22: 929.

MACH BANDS (SEE CONTOUR PERCEPTION)

MASKING
Contrast reversals in backward masking 18: 225.
Lateral masking in foveal and eccentric vision 18: 335.
Metacontrast as a function of the spatial frequency composition of the target and mask 18: 1117.
Complete adaptation to patterned stimuli: a necessary and sufficient condition for Weber's law for contrast 18: 1223.
Saccadic omission: why we do not see a grey-out during a saccadic eye movement 18: 1297.

Grey-out elimination: the roles of spatial waveform, frequency and phase 18: 1305.
Perceptual changes during metacontrast 18: 1337.
Sensitivity changes during metacontrast 18: 1343.
Disinhibition in metacontrast masking of vernier acuity targets: sustained channels inhibit transient channels 18: 1401.
Metacontrast with black and white stimuli: evidence for inhibition of on- and off-sustained activity by either on- or off-transient activity 18: 1443.
Dissociation and interaction of form and motion information in the human visual system 18: 1485.
Metacontrast and paracontrast suppression of a contourless area 18: 1669.
Masking independent of both separation and spatial frequency 19: 817.
Form information is necessary for the perception of motion 19: 839.
Interactions between blue- and red-sensitive colour mechanisms in metacontrast masking 19: 921.
Masking-induced sensitivity changes in Limulus photoreceptors 19: 943.
Transient sensitization by a contrast flash 20: 281.
A noise masking experiment in grating perception at threshold: the implications on binocular summation 20: 373.
Metacontrast in the fovea 21: 297.
Visual masking and the contrast-flash effect 21: 301.
Superposition of edges and gratings: interaction between central and peripheral regions 21: 373.
Spatial frequency response and perceived depth in the timecourse of object superiority 21: 631.
A power law for perceived contrast in human vision 21: 791.
Spatial frequency effects in masking by light 21: 861.
Metacontrast in hue substitution 21: 907.
Flicker masking in spatial vision 21: 1377.
Low spatial-frequency channels in human vision: adaptation and masking 22: 225.
Propagating inhibition as a function of flash diameter and duration 22: 401.
Recovery and nonmonotone masking effects 22: 1087.
The decrease in the threshold on the dark side of the luminance edge in the after-flash effect 22: 1329.

McCOLLOUGH EFFECT (SEE AFTEREFFECTS)

METACONTRAST (SEE MASKING)

MONOCHROMACY
Light adaptation in a normal and a rod monochromat: psychophysical and VEP increment threshold comparisons 19: 825.
Temporal summation in a rod monochromat 22: 491.

MONOCULAR RIVALRY
Spatial frequency and orientation specificity of simultaneous and successive inhibition on monocular rivalry 18: 1461.
"Monocular rivalry" of a complex waveform 18: 1641.
Angular selectivity of monocular rivalry: experiment and computer simulation 20: 1007.
Monocular rivalry occurs without eye movements 22: 203.
Problems for an after-image explanation of monocular rivalry 22: 1233.

MONOCULAR VISION
Binocular and monocular stimuli for motion in depth: changing-disparity and changing-size feed the same motion-in-depth stage 19: 1331.
Sighting dominance: an explanation based on the processing of visual direction in tests of sightin dominance 21: 855.
The role of cortico-geniculate projections in the loss of Y-cells in monocularly deprived cats 21: 1035.
Monocular sensitivity during binocular viewing 22: 1.
The postnatal development of monocular optokinetic nystagmus in infants 22: 341.

MORPHOLOGY (SEE NEUROANATOMY)

MOVEMENT PERCEPTION
Pattern and movement detection in man and rabbit: separation and comparison of occipital potentials 18: 183.
Illusory motion in depth: aftereffect of adaptation to changing size

18: 209.
Spatial resolution for the detection of pattern and movement (real and apparent) 18: 237.
On the relationship between pattern and movement perception in strabismic amblyopia 18: 375.
Looming detectors in the human visual pathway 18: 415.
Velocity discrimination by pigeons 18: 531.
Pursuit eye movements of a disappearing moving target 18: 537.
Movement parallax: an asymptotic function of amplitude and velocity of head motion 18: 629.
Responses of the various types of cat retinal ganglion cells to moving contours 18: 757.
Interocular transfer of color-contingent motion aftereffects: positive aftereffects 18: 841.
Smooth eye tracking and the perception of motion in the absence of real movement 18: 1053.
Dissociation and interaction of form and motion information in the human visual system 18: 1485.
Relative motion induced between stationary lines 18: 1663.
Factors controlling the competing sensations produced by a bistable stroboscopic motion display 19: 143.
Responses of neurons in the superior colliculus of the cat to stationary and moving visual stimuli 19: 213.
Perception of continuity in stroboscopic motion: a temporal frequency analysis 19: 491.
Directional and nondirectional coding of a spatio-temporal modulated stimulus 19: 545.
The role of perceived motion in smooth pursuit eye movements 19: 613.
Neurons in area 18 of cat visual cortex selectively sensitive to changing size: nonlinear interactions between responses to two edges 19: 699.
Separable aftereffects of changing-size and motion-in-depth: different neural mechanisms? 19: 727.
Critical period and minimum exposure required for the effects of alternating monocular occlusion in cat visual cortex 19: 807.
Acuity for apparent vernier offset 19: 835.
Form information is necessary for the perception of motion 19: 839.
Binocular and monocular stimuli for motion in depth: changing-disparity and changing-size feed the same motion-in-depth stage 19: 1331.
A two-dimensional analysis of direction-specific adaptation 20: 103.
Hyperacuity in the detection of absolute and differential displacements of random dot patterns 20: 947.
Movement sensitivity of retinal ganglion cells in monkey 21: 181.
Displacement detection in human vision 21: 205.
Velocity after-effects: the effects of adaptation to moving stimuli on the perception of subsequently seen moving stimuli 21: 337.
Reversible figures and the motion after-effect 21: 361.
Phase effects in monoptic and dichoptic temporal integration: flicker and motion detection 21: 365.
Psychophysical isolation of movement sensitivity by removal of familiar position cues 21: 427.
Responses of cat retinal ganglion cells to the random motion of a spot stimulus 21: 435.
Subthreshold addition of real and apparent motion 21: 557.
Spatial frequency channels tuned for depth and motion 21: 621.
The influence of spatial frequency and contrast on the perception of moving patterns 21: 713.
Interocular transfer of the motion after-effect is not reduced by binocular rivalry 21: 801.
Contrast sensitivity of the changing-size channel 21: 829.
Alpha-stripes: a spatial periodicity appearing in stroboscopically illuminated moving random dot patterns 21: 913.
Flickering phantoms: a motion illusion without motion 21: 963.
Psychophysical relationships among mechanisms sensitive to pattern, motion and flicker 21: 971.
Displacement thresholds for unidirectional and oscillatory movement 21: 1297.
Perceived direction of motion under retinal image stabilization 21: 1423.
Differential motion hyperacuity under conditions of common image motion 21: 1475.
Motion processing in peripheral vision: reaction time and perceived velocity 22: 61.
Is perceived motion a stimulus for smooth pursuit 22: 77.
Velocity blindness during shearing motion 22: 97.

Similarities between motion parallax and stereopsis in human depth perception 22: 261.
Perceived rate of movement depends on contrast 22: 377.
The effect of convergence on the vestibulo-ocular reflex and implications for perceived movement 22: 461.
Contrast sensitivity at high velocities 22: 479.
Responses of Clare-Bishop neurones to three dimensional movement of a light stimulus 22: 571.
Effects of reference lines on displacement thresholds at various durations of movement 22: 819.
Does segregation of differently moving areas depend on relative or absolute displacement? 22: 851.
Neurons in cat visual cortex tuned to the direction of motion in depth: effect of positional disparity 22: 967.
The basis of area and dot number effects in random dot motion perception 22: 1253.
A visual illusion of movement 22: 1413.

NEUROANATOMY
Local variations in rod receptor orientation 18: 123.
Bipolar and horizontal cells of the gray squirrel retina: Golgi morphology and receptor connections 18: 129.
Some observations on the patency in the outer segments of photoreceptors of the nocturnal gecko 18: 137.
Bipolar cells of the frog retina: A Golgi study 18: 301.
Light- and electron-microscopic investigation of the optic nerve fiber layer in the river lamprey (Lampetra fluviatilis) 18: 1313.
Goldfish retina: dorsal versus ventral areas 18: 1329.
Innervation patterns of single optic nerve fibers in the Limulus brain: a modification of the cobalt staining technique for cut axons 18: 1427.
Midbrain reticular stimulation and brightness detection 19: 123.
Localization of cholinergic synapses in mammalian retina with peroxidase-conjugated a-bungarotoxin 19: 287.
Size and distribution of ganglion cells in the bovine retina 19: 667.
The axon-bearing horizontal cells in the teleost retina are functional as well as structural units 19: 1261.
The size and topographic arrangement of retinal ganglion cells in the galago 20: 315.
Wandering phagocytes at the retinal epithelium-photoreceptor interface in the teleost retina 20: 495.
Changes in ganglion cell density during post-metamorphic development in a neotropical tree frog Hyla raniceps 20: 501.
A light microscopic study of the bifoveate retina in the lizard Anolis carolinensis: general observations and convergence ratios 20: 679.
The internal horizontal cells of the frog retina: a morphometric analysis 20: 761.
A class of catfish amacrine cells responds preferentially to objects which move vertically 20: 961.
Amacrine cells, bipolar cells and ganglion cells of the cat retina: a Golgi study 21: 1081.
Physiological and morphological identification of amacrine cells in the retina of the larval tiger salamander 21: 1307.
Physiological and morphological studies of signal pathways in the carp retina 21: 1519.
A cybernetic model of the vertebrate cone retina 21: 1537.
Characteristics of second order neurons in the dace retina: physiological and morphological studies 21: 1541.
Morphological characterization of the Boops boops retina 21: 1551.
Functional architecture of cone bipolar cells in mammalian retina 21: 1559.
Spatial organization of neurochemically classified interneurons of the goldfish retina-I. Local patterns 22: 589.
A-type horizontal cells of the superior edge of the linear visual streak of the rabbit retina have oriented, elongated dendritic trees 22: 905.
A simple method of obtaining retinal whole-mounts 22: 1221.
The carboxyl-terminal one-third of bovine rhodopsin: its structure and function 22: 1429.

NOISE
Detectability of power fluctuations of temporal visual noise 18: 191.
On the detective quantum efficiency of the human eye 18: 257.
Sensory and motor mechanisms interact to control amplitude of pupil noise 18: 505.

The efficiency of detecting changes of density in random dot patterns 18: 637.
Response properties of peripheral retinula cells within Drosophila visual mutants to monochromatic Gaussian white-noise stimuli 18: 809.
The time-course of induction of complementary images 18: 913.
Wiener analysis of grating contrast judgments 18: 1031.
Lateralized cortical potentials evoked in humans by dynamic random-dot stereogram 18: 1265.
A quanta coincidence model for absolute threshold vision incorporating deviations from Ricco's law 18: 1685.
Interaction of stabilized retinal patterns with spatial visual noise 19: 713.
Contrast thresholds for patterns of dynamic visual noise 19: 721.
The versatility and absolute efficiency of detecting mirror symmetry in random dot displays 19: 783.
Measurement of the effect of photon noise on detection 20: 193.
A noise masking experiment in grating perception at threshold: the implications on binocular summation 20: 373.
Conditions for motion flow in dynamic visual noise 20: 431.
A comparison of the responses of single cells in the LGN and visual cortex to bar and noise stimuli in the cat 20: 771.
The lateral effect of oscillation of peripheral luminance gratings: test of various hypotheses 20: 789.
Multiplicative intrinsic noise and the limits to visual performance 21: 291.
Spatio-temporal averaging and the dynamic visual noise stereophenomenon 21: 673.
The statistical efficiency for detecting sinusoidal modulation of average dot density in random figures 21: 765.
The physiological basis of variations in visual latency 21: 815.
Alpha-stripes: a spatial periodicity appearing in stroboscopically illuminated moving random dot patterns 21: 913.
Dynamic aspects of cat retinal ganglion cell's centre and surround mechanisms: a white noise analysis 21: 1693.
The effect of the density of background elements on the conspicuity of objects 22: 1241.

OBITUARY
Teuber, H.-L. 18: 357.
Murphy, B.J. 18: 530.
Heller, J. 20: 641.
Futterman, S. 20: 735.
Bernschein, S. 21: 175.
Svaetichin, G. 22: 339.
Rushton, W.A.H. 22: 611.

OCULAR DIMENSIONS
A geometric method for measuring the distance between a point on the surface of the eye and the tip of a needle or instrument within the eye 18: 1697.
Development of axial ocular dimensions following eyelid suture in the cat 19: 221.
A schematic eye for the opossum 19: 263.
A schematic eye for the rat 19: 569.
A useful table of reduced schematic eyes for vertebrates which includes computed longitudinal chromatic aberrations 19: 1273.
Myopia in the eye of developing chicks following monocular and binocular lid closure 20: 137.
Depth of focus, eye size and visual acuity 20: 827.
Contact lenses change the projection of visual field onto rabbit peripheral retina 21: 955.
An analytic, gradient index schematic lens and eye for the rat which predicts aberrations for finite pupils 21: 1129.

OPTIC TECTUM
Responses of neurons in the superior colliculus of the cat to stationary and moving visual stimuli 19: 213.
Center-surround organisztion and interactions in receptive fields of goldfish tectal units 19: 459.
Single-neuron responses to moving sine-wave gratings in the pigeon optic tectum 19: 993.
Spatial frequency and temporal frequency selectivity of single cells in the pigeon optic tectum 19: 1001.

Single-cell responses to bar width and to sine-wave grating frequency in the pigeon optic tectum 21: 745.
Reply to Harris and Potts: interocular transfer of color-contingent motion aftereffects can lead to positive aftereffects 21: 751.
Visuomotor perimetry in fish: a new approach to the functional analysis of altered visual pathways 21: 843.
Tectal processing of visual signals from the caudalmost part of the frog visual field 22: 347.

ORIENTATION PERCEPTION
Visual adaptation to patterns containing two-dimensional spatial structure 18: 93.
Experiments on the Zollner and related optical illusions 18: 203.
Inhibitory effect of binocular rivalry suppression is independent of orientation 18: 541.
Perceptual distortion of an oblique line in the presence of an abutting vertical line 18: 923.
Orientation selectivity of single cells in striate cortex of cat: the shape of orientation tuning curves 18: 1067.
A facilitation effect in orientation discrimination 18: 1239.
Spatial frequency and orientation specificity of simultaneous and successive inhibition on monocular rivalry 18: 1461.
Vernier acuity with dot test objects 19: 313.
Eye torsion in response to a tilted visual stimulus 19: 1177.
Astigmatism and orientation preference in human infants 19: 1315.
The orientation tuning curve: variability of preferred orientation due to methodology 19: 1389.
Congenital nystagmus modifies orientational detection 19: 1409.
Linear summation of tilt illusion and tilt aftereffect 20: 39.
The discrimination of orientation by young infants 20: 201.
Eye torsion and the apparent horizon under head tilt and visual field rotation 21: 543.
Analysis of the angle perception based on the angle matching technique 21: 701.
A simple explanation of the induced size effects 21: 755.
Visuomotor perimetry in fish: a new approach to the functional analysis of altered visual pathways 21: 843.
Variations of curvature in binocular visual space estimated by the triangle method 21: 925.
Learning in grating waveform discrimination: specificity for orientation and spatial frequency 21: 1149.
Directional changes in the vestibular ocular response as a result of adaption to optical tilt 22: 37.
Adult levels of meridional anisotropy and contrast threshold in 5-year-olds 22: 135.
The dependence of the induced effect on orientation and a hypothesis concerning disparity computations in general 22: 247.
The orientation and direction selectivity of cells in macaque visual cortex 22: 531.
Contrast influence on perceived orientation 22: 783.
Binocular rivalry: suppression depends on orientation and spatial frequency 22: 787.
Gravity and the tilt aftereffect 22: 1075.
Directional specificity in tilt aftereffect induced with moving contours: a reexamination 22: 1273.

PATHOLOGY
Visual acuity in cats with central retinal lesions 18: 15.
Visual performance in the rhesus monkey after exposure to blue light 18: 1573.
Retinal degeneration in RCS rats raised under ambient light levels 19: 79.
A psychophysical investigation of spatial vision in the normal and reeler mutant mouse 19: 853.
Controlling abnormal eye movements 19: 961.
Action spectrum for light-induced retinal degeneration in dystrophic rats 19: 1041.
Optical transmission of cataractous lens at 430 nm and blue field entoptoscopy 19: 1181.
Congenital nystagmus modifies orientational detection 19: 1409.
Myopia in the eye of developing chicks following monocular and binocular lid closure 20: 137.
The effect of neonatal section of the corpus callosum on the development of depth perception in young cats 20: 177.

Introduction to the problem 20: 1037.
Potential hazards from specific ophthalmic devices 20: 1039.
Retinal damage produced by intraocular fiber optic light 20: 1055.
Retinal laser photocoagulation: benefits and risks 20: 1073.
Fluorescein angiography: risks 20: 1083.
Light levels in fundus photography and fluroescein angiography 20: 1099.
The nature of retinal radiation damage: dependence on wavelength, power level and exposure time 20: 1105.
Review of the macaque model of light damage with implications for the use of ophthalmic instrumentation 20: 1113.
Differential spectral photic damage to primate cones 20: 1117.
The role of ocular pigmentation in protecting against retinal light damage 20: 1127.
Safety standards and measurement techniques for high intensity light sources 20: 1133.
The effect of long-term constant light on the frog pigment epithelium 20: 1143.
RNA metabolism in the retina in relation to cyclic lighting 20: 1151.
Cyclic GMP and visual cell degeneration in the inherited disorder of rd mice: a progress report 20: 1157.
Possible mechanisms of photoreceptor damage by light in mammalian eyes 20: 1163.
Interaction of environmental light and eye pigmentation with inherited retinal degenerations 20: 1173.
Light deprivation and retinitis pigmentosa 20: 1179.
Alteration in directional sensitivity of the retina by monocular occlusion 20: 1185.
Degenerative retinal diseases and exposure to light: methods of epidemiological study 20: 1191.
Differentiation of rat lens epithelial cells in tissue culture-IV. Some characteristics of the process, including possible in vitro models for pathogenic processes in cataractogenesis 21: 25.
Identification and characterization of a growth factor secreted by an established cell line of human retinoblastoma maintained in serum-free medium 21: 105.
Studies using human lenses from a family displaying hereditary congenital cataracts 21: 169.
The use of cultured endothelium in keratoplasty 21: 173.
Sensitivity losses in a long wavelength sensitive mechanism of patients with retinitis pigmentosa 22: 163.
The effects of local anaesthetics on retinal function 22: 1097.
Psychophysical studies of cone optical bandwidth in patients with retinitis pigmentosa 22: 1113.

PERIPHERAL VISION

Visual acuity in cats with central retinal lesions 18: 15.
Span of recognition in reading 18: 83.
Lateral masking in foveal and eccentric vision 18: 335.
Error-correcting mechanisms in large saccades 18: 557.
Grating summation in fovea and periphery 18: 815.
The effect of retinal eccentricity on the Broca-Sulzer phenomenon 18: 865.
Effects of target size and eccentricity on visual detection and resolution 18: 1217.
A four mechanism model for threshold spatial vision 19: 19.
The equivalent background and retinal eccentricity 19: 117.
Diffusion of the human retina and quality of the optics of the eye on the fovea and the peripheral retina 19: 907.
The peripheral critical flicker frequency 19: 1019.
Visual resolution and contour interaction in the fovea and periphery 19: 1187.
Peripheral contrast sensitivity for sine-wave gratings and single periods 20: 243.
Foveal and peripheral displacement thresholds as a function stimulus luminance, line length and duration of movement 20: 709.
The lateral effect of oscillation of peripheral luminance gratings on the foveal increment threshold 20: 799.
Visual detection and resolution as a function of retinal locus 20: 967.
Binocular interaction in the peripheral visual field of humans with strabismic and anisometropic amblyopia 21: 1065.
The fine-grain movement illusion: a perceptual probe of neuronal connectivity in the human visual system 21: 1123.
Large loss of visual sensitivity to flashed peripheral targets 21: 1323.
Facilitation and inhibition in the jerk effect depend upon test flash

duration and delay 21: 1783.
Motion processing in peripheral vision: reaction time and perceived velocity 22: 61.
The spatial grain of the perifoveal visual field 22: 157.
The pigeon's distant visual acuity as a function of viewing angle 22: 429.
Color vision in the peripheral retina under photopic conditions 22: 839.
Bezold-Brucke phenomenon of the far peripheral retina 22: 845.
Global visual processing for saccadic eye movements 22: 1033.
Temporal contrast sensitivity and cortical magnification 22: 1211.
The basis of area and dot number effects in random dot motion perception 22: 1253.
Spectral sensitivity of the peripheral retina to large and small stimuli 22: 1293.

PERSISTENCE (SEE ALSO AFTEREFFECTS)
Iconic persistence and perceptual moment as determinants of temporal integration in vision 18: 1607.
Spatial frequency, orientation and color: interocular effects of adaptation on the perceived duration of gratings 19: 1197.
Cones determine subjective offset of a stimulus but rods determine total persistence 19: 1439.
Orientation specificity in the visible persistence for checkerboards 21: 1239.
Two components to visible persistence: effects of orientation and contrast 21: 1241.
Receptor interactions and visual persistence 22: 1285.

PHOTOCHEMISTRY
The preparation of 11-cis-retinal 18: 115.
Differential effects of cobalt ions on rod and cone synaptic activity in the isolated frog retina 18: 145.
Catalyzed cis-trans isomerization of retinals by crude tissue extracts 18: 423.
Isorhodopsin: conformation and orientation of its chromophore in frog disk membrane 18: 457.
The spectral absorption of crayfish rhabdoms: pigment, photoproduct and pH sensitivity 18: 463.
Kinetics of cyanoborohydride reduction of bovine rhodopsin 18: 483.
Cyclic GMP: proposed role in visual cell function 18: 497.
Recognition of opsin to the longitudinal length of retinal isomers in the formation of rhodopsin 18: 607.
Thiourea does not block visual pigment responses to prolactin in trout 18: 859.
Lowering the ratio of extracellular calcium to sodium mimics the effect of light on the photosensory membrane of Limulus ventral nerve photoreceptor 18: 883.
The chloride ionochromic response: an in situ effect 18: 1421.
Autofluorescence in the retina of a snail, Helix aspersa 18: 1541.
Lipid peroxidation and electric activity of the retina 19: 49.
The kinetics of intermediate process in the photolysis of bovine rhodopsin-II. The intermediate decay sequence from lumirhodopsin$_{497}$ to metarhodopsin$_{380}$ II 19: 137.
Photoresponses of isolated frog rod outer segments 19: 159.
The role of calcium ions in the suppression of the photoresponse during anoxia and application of metabolic inhibitors 19: 251.
The control of phosphodiesterase in rod disk membranes: kinetics, possible mechanisms and significance for vision 19: 375.
Orientational changes of the transition dipole moment of retinal chromophore on the disk membrane due to the conversion of rhodopsin to bathorhodopsin and to isorhodopsin 19: 879.
Inadequacy of [15-^{3}H] all-trans-retinal as a tracer for 11-cis-retinal formation 19: 951.
The reactivity of the sulfhydryl groups of rhodopsin in rod outer segment membranes 19: 1143.
Serotonin uptake and release by subcellular fractions of bovine retina 20: 1.
Isolation and characterization of a water-soluble photopigment from honeybee compound eye 20: 97.
Separation by programmed-gradient high-pressure liquid chromatography of vitamin A isomers, their esters, aldehydes, oximes and vitamin A$_2$: presence of retinyl ester in dark-adapted goldfish pigment epithelium 20: 355.
Increase in intracellular free calcium concentration of Limulus

photoreceptors caused by a metabolic inhibitor 20: 539.
Neurotransmitter candidates in the visual system of Limulus polyphemus: synthesis and distribution of octopamine 20: 911.
The gecko visual pigments: the nitrate effect 20: 937.
Dual pathways in the photolysis of rhodopsin: studies using a direct chemical method 21: 833.
Photoreactions of cephalopod rhodopsin 21: 935.
Effects of products of phospholipid hydrolysis by phospholipases on rhodopsin thermal stability in photoreceptor membranes 21: 1029.
[^{3}H]-Dopamine uptake in the dark-adapted fish retina 21: 1189.
Effect of synaptic transmitter drugs on receptive fields of rabbit retinal ganglion cells 21: 1643.
Disinhibitory action of strychnine on ganglion cells in the retina of the frog 21: 1649.
Involvement of GABA in ganglion cell receptive field organization in the frog retina 21: 1653.
Pharmacological manipulation of spatial properties of S-potentials 21: 1657.
Transmitter-related studies in the isolated perfused eye of the cat 21: 1661.
Release of some neurotransmitters from the retina 21: 1665.
Spatio-temporal variables in the relationship of neuronal activity to potassium and glial responses 21: 1713.
The action of phosphodiesterase inhibitors on the hypersensitivity of frog photoreceptor 22: 151.

PHOTOPIC VISION
The development of photopic spectral sensitivity in human infants 19: 1133.
A field-additive pathway detects brief-duration, long-wavelength incremental flashes 20: 613.
Photopic adaptation in the red-green spectral range 21: 565.
Dark adaptation in five-year-old children and adults 21: 811.
Response of frog retina ganglion cells to moving monochromatic spots under photopic conditions 21: 1617.
Color vision in the peripheral retina under photopic conditions 22: 839.

PHOTOPIGMENTS
Pineal photoreceptors: Evidence for a vertebrate visual pigment with two physiologically active states 18: 29.
The effects of photopigment depletion on brightness and threshold 18: 269.
Catalyzed cis-trans isomerization of retinals by crude tissue extracts 18: 423.
Isorhodopsin: conformation and orientation of its chromophore in frog disk membrane 18: 457.
The spectral absorption of crayfish rhabdoms: pigment, photoproduct and pH sensitivity 18: 463.
The effects of screening pigments on the spectral sensitivity of some crustacea with scotopic (superposition) eyes 18: 475.
Kinetics of cyanoborohydride reduction of bovine rhodopsin 18: 483.
Ultraviolet light and human lens pigmentation 18: 509.
Rhodopsins of oceanic decapods 18: 601.
Recognition of opsin to the longitudinal length of retinal isomers in the formation of rhodopsin 18: 607.
The ecology of cone pigments in teleost fishes 18: 715.
Thiourea does not block visual pigment responses to prolactin in trout 18: 859.
Visual pigments and colour vision in a nocturnal bird, Strix aluco (tawny owl) 18: 1125.
Shapes of spectral bands of visual pigments 18: 1417.
The chloride ionochromic response: an in situ effect 18: 1421.
Goldfish rhodopsin: $P499_1$ 18: 1453.
Autofluorescence in the retina of a snail, Helix aspersa 18: 1541.
The visual pigment composition of rainbow trout 19: 131.
The kinetics of intermediate process in the photolysis of bovine rhodopsin-II. The intermediate decay sequence from lumirhodopsin$_{497}$ to metarhodopsin$_{380}$ II 19: 137.
Reversal of photoreceptor bleaching and adaptation by microsecond flashes 19: 363.
The threshold versus pigment relation of Xenopus rods 19: 367.
The control of phosphodiesterase in rod disk membranes: kinetics, possible mechanisms and significance for vision 19: 375.
Visual pigments of bioluminescent and nonbioluminescent deep-sea fishes

19: 589.
Evidence for the equivalent-background hypothesis in cones 19: 799.
Orientational changes of the transition dipole moment of retinal chromophore on the disk membrane due to the conversion of rhodopsin to bathorhodopsin and to isorhodopsin 19: 879.
Inadequacy of [15-^{3}H] all-trans-retinal as a tracer for 11-cis-retinal formation 19: 951.
The orientation of the chromophore of vertebrate rhodopsin in the "meta" intermediate states and the reversibility of the meta II-meta III transition 19: 1005.
Action spectrum for light-induced retinal degeneration in dystrophic rats 19: 1041.
The reactivity of the sulfhydryl groups of rhodopsin in rod outer segment membranes 19: 1143.
Steady-state visual pigment composition in rainbow trout 19: 1269.
Dark regeneration of squid rhodopsin and isorhodopsin 20: 79.
Isolation and characterization of a water-soluble photopigment from honeybee compound eye 20: 97.
The effect of retinal isomers on the VER and ERG of vitamin A deprived rats 20: 109.
The role of the macular pigment in the detection of polarized light 20: 213.
Spectral sensitivity of screening-pigment migration in retinula cells of the crayfish Procambarus 20: 385.
The chloride effect in chicken red cone receptors 20: 475.
Unusual choroid pigment distribution in the retina of a South America frog 20: 545.
Visual receptor pigments in the African cichlid fish, Haplochromis burtoni 20: 857.
The gecko visual pigments: the nitrate effect 20: 937.
Metarhodopsin I can react with hydroxylamine 21: 251.
Chicken blue and chicken violet, short wavelength sensitive visual pigments 21: 581.
Thermostability of sea fish rhodopsins 21: 731.
Segregation of vitamin A_1 and vitamin A_2 cone pigments in the bullfrog retina 21: 825.
Dual pathways in the photolysis of rhodopsin: studies using a direct chemical method 21: 833.
A microspectrophotometric study of normal and artificial visual pigments in the photoreceptors of Xenopus laevis 21: 867.
A continuously recording retinal densitometer 21: 897.
Photoreactions of cephalopod rhodopsin 21: 935.
Rod and cone visual pigments in the goldfish 21: 943.
Effects of products of phospholipid hydrolysis by phospholipases on rhodopsin thermal stability in photoreceptor membranes 21: 1029.
Polynomial expressions of pigment nomograms 21: 1427.
Photopigments and carp ganglion cell action spectra 21: 1601.
Chromatic organization of a cichlid fish retina 21: 1749.
A new detergent for the study of visual pigments 22: 495.
Photomechanical movements in the trout retina following brief flashes of light 22: 529.
What causes trichromacy? A theoretical analysis using comb-filtered spectra 22: 635.
Spectral dimorphism of crayfish visual pigment in solution 22: 727.
Wavelength-discrimination behavior in the grasshopper Phlaeoba 22: 757.
Characteristics of retinal-binding proteins from the honeybee retina 22: 775.
Light-induced transmission changes in isolated vertebrate retinas 22: 1093.
The effects of local anaesthetics on retinal function 22: 1097.
The carboxyl-terminal one-third of bovine rhodopsin: its structure and function 22: 1429.
Functional domains of rhodopsin 22: 1439.
Rhodopsin-phospholipid complexes in apolar solvents: characteristics and mechanism of extraction 22: 1443.
Interference of detergents in immunoassays of rhodopsin 22: 1447.
Inhibition of rhodopsin regeneration by cyclohexyl derivatives 22: 1451.
Gain, speed and sensitivity of GTP binding vs PDE activation in visual excitation 22: 1475.
Range of modulation of light sensitivity by accessory pigments in the crayfish compound eye 22: 1515.

PHOTORECEPTORS (SEE ALSO CONES; RODS)

Pineal photoreceptors: Evidence for a vertebrate visual pigment with two physiologically active states 18: 29.
Some observations on the patency in the outer segments of photoreceptors of the nocturnal gecko 18: 137.
Differential effects of cobalt ions on rod and cone synaptic activity in the isolated frog retina 18: 145.
Comments on form dichroism in vertebrate photoreceptors 18: 353.
Reply to "Comments on form dichroism in vertebrate photoreceptors" 18: 355.
Cyclic GMP: proposed role in visual cell function 18: 497.
Simultaneous recording by extra- and intracellular electrodes of light responses in the crayfish retina 18: 621.
Spectral sensitivity of long-wavelength-sensitive photoreceptors in dichromats determined by elimination of border percepts 18: 699.
The response height versus stimulus intensity curve of the ventral nerve photoreceptor of Limulus depending on adaptation and external calcium concentration 18: 747.
Color discrimination by a Bering Sea spotted seal, Phoca largha 18: 781.
Isolation of rod early receptor potential from frog retina 18: 861.
On-line computation of photoreceptor spectral sensitivity - a low cost solution with a programmable pocket calculator 18: 879.
Lowering the ratio of extracellular calcium to sodium mimics the effect of light on the photosensory membrane of Limulus ventral nerve photoreceptor 18: 883.
Local control of retinomotor activity in the fish retina 18: 937.
Rod outer segments elongate in constant light: darkness is required for normal shedding 18: 995.
Retina-lamina connectivity and polarization sensitivity in crustacea 18: 1087.
The effect of temperature on rapid dark adaptation in bullfrog photoreceptors-a difference between rods and cones 18: 1375.
The electrical response of the ocellus of Phalangium opilio 18: 1423.
Autofluorescence in the retina of a snail, Helix aspersa 18: 1541.
Multiple intracellular contributions to light adaptation in Limulus ommatidia 19: 1.
Temperature dependence of the dynamic response of the Limulus retina 19: 91.
The role of calcium ions in the suppression of the photoresponse during anoxia and application of metabolic inhibitors 19: 251.
Dynamics of dark adaptation in the cephalopod retina 19: 359.
Reversal of photoreceptor bleaching and adaptation by microsecond flashes 19: 363.
Local stimulation and local adaptation of single isolated frog rod outer segments 19: 381.
Evaluating sensitivity changing mechanisms in light-adapted photoreceptors 19: 391.
Psychophysical tests of models of the response function 19: 401.
Origin of non-linearity of voltage-current relationships of turtle cones 19: 469.
Component analysis of the foveal local electroretinogram elicited with sinusoidal flicker 19: 479.
Critical flicker fusion frequency of the river lamprey (Lampetra fluviatilis) 19: 551.
An analysis of receptor inputs to and spatial distribution of ganglion cell on and off processes 19: 647.
Directional sensitivity of photoreceptors for different degrees of coherence and directions of polarization of the incident light 19: 717.
Masking-induced sensitivity changes in Limulus photoreceptors 19: 943.
Barium suppresses slow PIII in perfused bullfrog retina 19: 1117.
The increase in sensitivity following light illumination in frog photoreceptors 19: 1171.
Characteristics of slow potentials from the frog epiphysis (Rana esculenta): possible mass photoreceptor potentials 19: 1343.
Spectral sensitivity of screening-pigment migration in retinula cells of the crayfish Procambarus 20: 385.
The chloride effect in chicken red cone receptors 20: 475.
Wandering phagocytes at the retinal epithelium-photoreceptor interface in the teleost retina 20: 495.
Increase in intracellular free calcium concentration of Limulus photoreceptors caused by a metabolic inhibitor 20: 539.
A field-additive pathway detects brief-duration, long-wavelength incremental flashes 20: 613.
Detection of long-duration, long-wavelength incremental flashes by a

chromatically coded $_3$pathway 20: 625.
Comparative study of ^{3}H-fucose incorporation into vertebrate photoreceptor outer segments 20: 739.
Neurotransmitter candidates in the visual system of Limulus polyphemus: synthesis and distribution of octopamine 20: 911.
RNA metabolism in the retina in relation to cyclic lighting 20: 1151.
Cyclic GMP and visual cell degeneration in the inherited disorder of rd mice: a progress report 20: 1157.
Possible mechanisms of photoreceptor damage by light in mammalian eyes 20: 1163.
Responses to single photons in a fly optomotor neurone 21: 279.
Visual masking and the contrast-flash effect 21: 301.
Thermostability of sea fish rhodopsins 21: 731.
A microspectrophotometric study of normal and artificial visual pigments in the photoreceptors of Xenopus laevis 21: 867.
Properties of a blue-sensitive rod in the Xenopus retina 21: 875.
Rod and cone visual pigments in the goldfish 21: 943.
Effects of products of phospholipid hydrolysis by phospholipases on rhodopsin thermal stability in photoreceptor membranes 21: 1029.
Rod-cone interaction on large and small backgrounds 21: 1181.
Electrical properties of cones isolated from the tiger salamander retina 21: 1329.
Morphological characterization of the Boops boops retina 21: 1551.
Characteristics of receptor potential and slow P_{III}-component to light and dark flashes in the isolated superfused rabbit retina 21: 1709.
Spatio-temporal variables in the relationship of neuronal activity to potassium and glial responses 21: 1713.
Isolation of macaque late receptor potential with fractional recording 21: 1719.
Disc morphogenesis in vertebrate photoreceptors 21: 1725.
Chromatic organization of a cichlid fish retina 21: 1749.
The involvement of rod photoreceptors in dark adaptation 21: 1773.
The action of phosphodiesterase inhibitors on the hypersensitivity of frog photoreceptor 22: 151.
Discrete potential waves in the photoreceptors of a gastropod mollusc, Hermissenda crassicornis 22: 303.
Diffuse and local effects of light adaptation in photoreceptors of the honey bee drone 22: 311.
Modulation transfer functions of the human visual system revealed by magnetic field measurements 22: 319.
Fractional recording and component analysis of primate LERG: separation of photoreceptor and other receptor potentials 22: 381.
Intraretinal recordings of slow electrical responses to steady illumination in monkey: isolation of receptor responses and the origin of the light peak 22: 393.
The "silent substitution" method in visual research 22: 681.
Spectral dimorphism of crayfish visual pigment in solution 22: 727.
Wavelength-discrimination behavior in the grasshopper Phlaeoba 22: 757.
Ratfish retina - intracellular recordings and HRP injections in an isolated, superfused all-rod retina 22: 857.
Light-induced transmission changes in isolated vertebrate retinas 22: 1093.
Spectral analysis of spatial sampling by photoreceptors: topological disorder prevents aliasing 22: 1205.
Cone lamellae and red and green rod outer segment disks contain a large intrinsic membrane protein on their margins: an ultrastructural immunocytochemical study of frog retinas 22: 1417.
The carboxyl-terminal one-third of bovine rhodopsin: its structure and function 22: 1429.
Functional domains of rhodopsin 22: 1439.
Rhodopsin-phospholipid complexes in apolar solvents: characteristics and mechanism of extraction 22: 1443.
Interference of detergents in immunoassays of rhodopsin 22: 1447.
Inhibition of rhodopsin regeneration by cyclohexyl derivatives 22: 1451.
Vitamin A transport between retina and pigment epithelium - an interstitial protein carrying endogenous retinol (interstitial retinol-binding protein) 22: 1457.
Nucleotide content of isolated bovine rod outer segments 22: 1469.
Gain, speed and sensitivity of GTP binding vs PDE activation in visual excitation 22: 1475.
Calcium modulation of cyclic GMP synthesis in rat visual cells 22: 1481.
Taurine-calcium interactions in frog rod outer segments: taurine effects on an ATP-dependent calcium translocation process 22: 1487.

Characterization of [L-^{3}H]aspartate binding to chick retinal subcellular fractions 22: 1495.
Octopamine stimulated rise of cAMP in Limulus ventral photoreceptors 22: 1503.
Photomechanical responses in crustacean retinula cells: the role of microtubules 22: 1507.
Range of modulation of light sensitivity by accessory pigments in the crayfish compound eye 22: 1515.
Two retinal processes displayed in the cat electroretinogram 22: 1525.
Local stimulation induces shedding throughout the frog retina 22: 1533.
Metabolism of phospholipids in the retina 22: 1539.

PI MECHANISMS
Evaluation of the candidacy of the Pi-mechanisms of Stiles for color-matching fundamentals 18: 317.
Selective chromatic adaptation at different spatial frequencies 18: 427.
Visibility of chromatic flicker upon spectrally mixed adapting fields 19: 175.
A theory of the Pi_1 and Pi_3 color mechanisms of Stiles 19: 293.
Interactions between blue- and red-sensitive colour mechanisms in metacontrast masking 19: 921.
Response saturation of short-wavelength cone pathways controlled by color-opponent mechanisms 19: 1025.
The wavelength variation of the directional sensitivity of the Stiles Pi_1 u 19: 1077.
Electroretinographic and psychophysical measures of cone spectral mechanisms using the two-color threshold technique 20: 205.
A field-additive pathway detects brief-duration, long-wavelength incremental flashes 20: 613.
Detection of long-duration, long-wavelength incremental flashes by a chromatically coded pathway 20: 625.
Test of the identity of the site of blue-yellow hue cancellation and the site of chromatic antagonism in the Pi_1 pathway 20: 779.
Transient tritanopia: failure of time-intensity reciprocity in adaptation to longwave light 20: 837.
Additivity of opponent chromatic valence 20: 995.
Visibility of red and green spatial patterns upon spectrally mixed adapting fields 21: 397.
Perceived colour under conditions of chromatic adaptation: evidence for gain control by Pi mechanisms 21: 611.
Transient tritanopia after flicker adaptation 21: 657.
Transient tritanopia: its abolition at high intensities 21: 665.
Changes in field spectral sensitivities of red-, green- and blue-sensitive colour mechanisms obtained on small background fields 21: 1433.
Color discrimination at threshold: the approach through increment threshold sensitivity 22: 713.
Field sensitivity of the "red" mechanism derived from primate local electroretinogram 22: 869.
Effect of chromatic adaptation on the achromatic locus: the role of contrast, luminance and background color 22: 929.
Exchange thresholds for green tests 22: 961.

PIGMENT EPITHELIUM
Cone-specific c-wave in the turtle retina 18: 767.
Rod outer segments elongate in constant light: darkness is required for normal shedding 18: 995.
The influence of ethyl alcohol on slow off-responses in the human d.c. registered electroretinogram 18: 1041.
Recherche qualitative de derives indoliques dans l'epithelium pigmentaire retinien de la truite (Salmo irideus) 18: 1587.
Separation by programmed-gradient high-pressure liquid chromatography of vitamin A isomers, their esters, aldehydes, oximes and vitamin A_2: presence of retinyl ester in dark-adapted goldfish pigment epithelium 20: 355.
Wandering phagocytes at the retinal epithelium-photoreceptor interface in the teleost retina 20: 495.
Retinal ganglion cells and optic decussation of white cats 20: 1001.
The effect of long-term constant light on the frog pigment epithelium 20: 1143.
The organization of human retinal pigment epithelium in vitro 21: 119.
Tissue culture of rat pigment epithelium on different supporting media 21: 127.
Binding of neoglycoproteins by the chick pigment epithelial cell in

culture 21: 133.
In vitro culture of human retinal pigment epithelium for biochemical and metabolic study 21: 137.
Phagocytosis of rod outer segments by cultured epithelial cells 21: 143.
The isolation and culturing of retinal pigment epithelium of the rat 21: 147.
Effects of maintained illumination upon $[K^+]_o$ in the subretinal space of the frog retina 22: 767.
Vitamin A transport between retina and pigment epithelium - an interstitial protein carrying endogenous retinol (interstitial retinol-binding protein) 22: 1457.

POLARIZED LIGHT
Polarized light retinal photography of a monkey eye 18: 19.
Comments on form dichroism in vertebrate photoreceptors 18: 353.
Reply to "Comments on form dichroism in vertebrate photoreceptors" 18: 355.
Retina-lamina connectivity and polarization sensitivity in crustacea 18: 1087.
Directional sensitivity of photoreceptors for different degrees of coherence and directions of polarization of the incident light 19: 717.
Orientational changes of the transition dipole moment of retinal chromophore on the disk membrane due to the conversion of rhodopsin to bathorhodopsin and to isorhodopsin 19: 879.
A transient effect contingent on the direction of polarization of light incident on the cornea 19: 1065.
An inexpensive screen for reflecting polarized light 19: 1185.
Transient threshold increase due to combined changes in direction of propagation and plane of polarization 19: 1253.
The role of the macular pigment in the detection of polarized light 20: 213.
On the birefringence of the living human eye 21: 1413.
Adaptation to polarized light in humans 22: 217.

PROTANOPIA (SEE DICHROMACY)

PUPILS
Sensory and motor mechanisms interact to control amplitude of pupil noise 18: 505.
Pupillary response to light in gekkonid lizards having various times of daily activity 19: 235.
Properties of annular artificial pupils 19: 947.
A technique for estimating the contribution of photomechanical responses to visual adaptation 20: 511.
Pupillary light reflex in humans: evidence for an unbalanced pathway from nasal retina, and for signal cancellation in brainstem 21: 513.
Paradoxical pupillary constriction in dark reared chicks 21: 1319.
Retinal sensitivity measured by the pupillary light reflex in RCS and albino rats 22: 1163.

RECEPTIVE FIELDS (SEE ALSO INDIVIDUAL CELL TYPES)
Ganglion cell responses of the mudpuppy retina to sinusoidal flicker 18: 153.
Periodic complex cells in cortical area 19 of the cat 18: 347.
Comments on organization and spatial-frequency characteristics of receptive fields in the visual cortex 18: 887.
A sensitization effect with rectilinear stimuli 18: 1045.
Orientation selectivity of single cells in striate cortex of cat: the shape of orientation tuning curves 18: 1067.
Receptive field properties of optic tract fibres from on-center sustained and transient cells in a tree shrew (Tupaia chinensis) 18: 1097.
Responses of neurons in the superior colliculus of the cat to stationary and moving visual stimuli 19: 213.
Non-directional and directional ganglion cells in the pigeon retina 19: 321.
The contrast gain control of the cat retina 19: 431.
Suppression of maintained activity of retinal ganglion cells 19: 451.
Center-surround organisztion and interactions in receptive fields of goldfish tectal units 19: 459.
Mechanisms underlying the receptive field properties of neurons in cat visual cortex 19: 533.
An electronically-controlled visual stimulus generator for quantitative mapping of visual receptive fields 19: 599.

Short-wavelength input to luminosity-type horizontal cells in the turtle retina 19: 903.
Single-neuron responses to moving sine-wave gratings in the pigeon optic tectum 19: 993.
Spatial frequency and temporal frequency selectivity of single cells in the pigeon optic tectum 19: 1001.
The responses of retinal ganglion cells to stationary and moving visual stimuli 19: 1203.
Responses to wavelength contrast in the afferent visual systems of the cat and the rhesus monkey 19: 1351.
Inhibitory sidebands of complex receptive fields in the cat's striate cortex 20: 369.
Movement detection: performance of a wide-field element in the visual system of the blowfly 20: 467.
Two-dimensional spectral analysis of cortical receptive field profiles 20: 847.
A class of catfish amacrine cells responds preferentially to objects which move vertically 20: 961.
Visual detection and resolution as a function of retinal locus 20: 967.
Some evidence against Fourier analysis as a function of the receptive fields in cat's striate cortex 20: 1023.
Neuronal mechanism of response of cat's striate cortex to flicker light stimulation 21: 225.
Spatial and temporal receptive-field analysis of the cat's geniculocortical pathway 21: 385.
Responses of cat retinal ganglion cells to the random motion of a spot stimulus 21: 435.
Growth-related changes in the receptive field properties of retinal ganglion cells in goldfish 21: 1491.
Growth-related changes in the size of receptive field centers of retinal ganglion cells in goldfish 21: 1497.
Physiological and morphological studies of signal pathways in the carp retina 21: 1519.
Peripheral antagonism in the small field L-horizontal cells (L2-HC) of the turtle retina 21: 1579.
Effect of synaptic transmitter drugs on receptive fields of rabbit retinal ganglion cells 21: 1643.
Involvement of GABA in ganglion cell receptive field organization in the frog retina 21: 1653.
Astigmatic visual deprivation in cat: behavioral, optical and retinophysiological consequences 22: 43.
Tectal processing of visual signals from the caudalmost part of the frog visual field 22: 347.
The orientation and direction selectivity of cells in macaque visual cortex 22: 531.
Spatial frequency selectivity of cells in macaque visual cortex 22: 545.
Receptive field properties of X and Y cells in the cat retina derived from contrast sensitivity measurements 22: 1173.

RECEPTOR POTENTIAL (SEE CONES; ELECTRORETINOGRAM; PHOTORECEPTORS; RODS)

REFRACTION
Development of the optical surfaces of the kitten eye 18: 399.
Chromatic aberration of the fish eye and its effect on refractive state 18: 453.
Retinoscopy of infants at a distance: limits of normal and anomalous reflexes 18: 597.
The artifact of retinoscopy 18: 1091.
The refractive state of the rabbit eye: variation with eccentricity and correction for oblique astigmatism 18: 1351.
Single retinal ganglion cell responses in the dark-reared rat: Grating acuity, contrast sensitivity, and defocusing 18: 1533.
The artefact of retinoscopy in the rat and rabbit eye has its origin at the retina-vitreous interface rather than in longitudinal chromatic aberration 19: 1293.
Astigmatism and orientation preference in human infants 19: 1315.
A photorefractive study of infant accommodation 19: 1319.
Myopia in the eye of developing chicks following monocular and binocular lid closure 20: 137.
Retinoscopy of aquatic eyes 20: 197.
Infant astigmatism: its disappearance with age 20: 891.
Contact lenses change the projection of visual field onto rabbit peripheral retina 21: 955.

A photorefractive study of dark focus and refraction 21: 1761.
Effect of focus on visual acuity of human infants 22: 521.

RETINAL DISEASE (SEE PATHOLOGY)

ROD-CONE INTERACTION (SEE CONES; RODS)

RODS
Local variations in rod receptor orientation 18: 123.
Rod and cone generation of wavelets in the frog electroretinogram 18: 229.
Visual cells, daily rhythms, and vision research 18: 573.
Rod and cone signals in the on-center bipolar cell: their different ionic mechanisms 18: 591.
Rod-cone interaction in human scotopic vision-IV. Cones stimulated by contrast flashes influence rod threshold 18: 801.
Isolation of rod early receptor potential from frog retina 18: 861.
Rod outer segments elongate in constant light: darkness is required for normal shedding 18: 995.
Relation of the e-wave to ganglion cell activity and rod responses in the frog 18: 1181.
The effect of temperature on rapid dark adaptation in bullfrog photoreceptors-a difference between rods and cones 18: 1375.
Rod threshold: influence of neighboring cones 18: 1611.
Large field early light adaptation 18: 1679.
Retinal degeneration in RCS rats raised under ambient light levels 19: 79.
The kinetics of intermediate process in the photolysis of bovine rhodopsin-II. The intermediate decay sequence from lumirhodopsin$_{497}$ to metarhodopsin$_{380}$ II 19: 137.
Photoresponses of isolated frog rod outer segments 19: 159.
The threshold versus pigment relation of Xenopus rods 19: 367.
The control of phosphodiesterase in rod disk membranes: kinetics, possible mechanisms and significance for vision 19: 375.
Local stimulation and local adaptation of single isolated frog rod outer segments 19: 381.
The membrane current of single rod outer segments 19: 385.
Current fluctuations across single rod outer segments 19: 387.
Effects of Ba^{++} upon the dark-adapted intensity-response curve of toad rods 19: 395.
Mixed rod-cone responses in horizontal cells of snapping turtle retina 19: 407.
Rod-cone interaction: reconciliation with Flamant and Stiles 19: 695.
Spatial patterns of rod-cone interaction 19: 775.
Light adaptation in a normal and a rod monochromat: psychophysical and VEP increment threshold comparisons 19: 825.
Orientational changes of the transition dipole moment of retinal chromophore on the disk membrane due to the conversion of rhodopsin to bathorhodopsin and to isorhodopsin 19: 879.
Action spectrum for light-induced retinal degeneration in dystrophic rats 19: 1041.
Rod and cone contributions to change in hue with eccentricity 19: 1121.
Change in hue with rod intrusion during dark-adaptation 19: 1127.
The reactivity of the sulfhydryl groups of rhodopsin in rod outer segment membranes 19: 1143.
The human rod ERG: the dark-adapted a-wave response function 19: 1433.
Cones determine subjective offset of a stimulus but rods determine total persistence 19: 1439.
Critical flicker fusion in normal and binocularly deprived cats 20: 49.
Comparative study of ^{3}H-fucose incorporation into vertebrate photoreceptor outer segments 20: 739.
Increment threshold and detection latency in the rod and cone systems 20: 981.
Tissue culture of rat pigment epithelium on different supporting media 21: 127.
Phagocytosis of rod outer segments by cultured epithelial cells 21: 143.
Segregation of vitamin A_1 and vitamin A_2 cone pigments in the bullfrog retina 21: 825.
Properties of a blue-sensitive rod in the Xenopus retina 21: 875.
Spectral sensitivity of human infants at absolute visual threshold 21: 1005.
Rod-cone interaction on large and small backgrounds 21: 1181.
Guanosine augments rod responses in dark adapted retinae but decreases them in light adapted ones 21: 1505.
The involvement of rod photoreceptors in dark adaptation 21: 1773.

Temporal summation in a rod monochromat 22: 491.
Summation of rod and cone responses at absolute threshold 22: 823.
Rod outer segment birefringence bands record daily disc membrane synthesis 22: 1119.
Interactions between rod and cone channels above threshold: a test of various models 22: 1133.
Receptor interactions and visual persistence 22: 1285.
Saturation and adaptation in the rod system 22: 1299.
The delayed rod afterimage 22: 1313.
Cone lamellae and red and green rod outer segment disks contain a large intrinsic membrane protein on their margins: an ultrastructural immunocytochemical study of frog retinas 22: 1417.
Nucleotide content of isolated bovine rod outer segments 22: 1469.
Calcium modulation of cyclic GMP synthesis in rat visual cells 22: 1481.
Taurine-calcium interactions in frog rod outer segments: taurine effects on an ATP-dependent calcium translocation process 22: 1487.
Local stimulation induces shedding throughout the frog retina 22: 1533.

SACCADES (SEE EYE-MOVEMENTS, SACCADIC)

SACCADIC SUPPRESSION (SEE SUPPRESSION)

SATURATION
Adaptation, afterimages and cone saturation 18: 279.
"Compression" of retinal responsivity: V-log I functions and increment thresholds 18: 587.
Human cone saturation as a function of ambient intensity: a test of models of shifts in the dynamic range 18: 983.
Saturation of intermittent monochromatic lights 18: 1439.
Response saturation of short-wavelength cone pathways controlled by color-opponent mechanisms 19: 1025.
Saturation enhancement in colored Hermann grids varying only in chroma 20: 307.
Cone system saturation: more than one stage of sensitivity loss 21: 319.
Early dark adaptation, the receptor potential and lateral effects on the retina 22: 645.
Saturation and adaptation in the rod system 22: 1299.

SCHEMATIC EYE (SEE OCULAR DIMENSIONS)

SCOTOPIC VISION
On the detective quantum efficiency of the human eye 18: 257.
Rod-cone interaction in human scotopic vision-IV. Cones stimulated by contrast flashes influence rod threshold 18: 801.
Wavelength discrimination by the goldfish near absolute visual threshold 18: 1149.
Scotopic hues of simutaneous contrast 18: 1491.
Scotopic increment thresholds in retinal ganglion cells 19: 425.
Dark adaptation in five-year-old children and adults 21: 811.
Spectral sensitivity of human infants at absolute visual threshold 21: 1005.
High frequency limitations on Mach bands 21: 1165.
Changes of visual sensitivity caused by on- and off-transients 22: 879.

SPATIAL FREQUENCY
Sustained and transient mechanisms in human vision: temporal and spatial properties 18: 69.
Selectivity for spatial frequency and bar width in cat visual cortex 18: 121.
Spatial resolution for the detection of pattern and movement (real and apparent) 18: 237.
On the relationship between pattern and movement perception in strabismic amblyopia 18: 375.
Selective chromatic adaptation at different spatial frequencies 18: 427.
Assessment of visual acuity by evoked potential recording: ambiguity caused by temporal dependence of spatial frequency selectivity 18: 439.
Spatial frequency selectivity of periodic complex cells in the visual cortex of the cat 18: 665.
Linear combinations of stereoscopic depth effects in dichoptic perception of gratings 18: 707.
The range of spatial frequency contingent color aftereffects 18: 917.
Interactions between spatial frequency channels 18: 951.
Space domain properties of a spatial frequency channel in human vision

18: 959.
High-pass spatial frequency letters as clinical optotypes 18: 1063.
Metacontrast as a function of the spatial frequency composition of the target and mask 18: 1117.
Contrast sensitivity during saccadic eye movements 18: 1193.
Grey-out elimination: the roles of spatial waveform, frequency and phase 18: 1305.
Spatial frequency analysis of the visual environment: anisotropy and the carpentered environment hypothesis 18: 1393.
Spatial frequency and orientation specificity of simultaneous and successive inhibition on monocular rivalry 18: 1461.
Modification of spatial frequency processing rates with multiple frequency stimuli 18: 1505.
Reaction time as a measure of suprathreshold grating detection 18: 1579.
A large format optical display for the generation of generalized psychophysical stimuli 19: 99.
Influence of exposure duration on the tuning of spatial channels 19: 195.
Selectivity for spatial frequency and bar width in cat visual cortex: reply to Tyler 19: 349.
Masking independent of both separation and spatial frequency 19: 817.
Depth from spatial frequency difference: an old kind of stereopsis? 19: 859.
Does contrast disparity alone generate stereopsis? 19: 913.
Single-neuron responses to moving sine-wave gratings in the pigeon optic tectum 19: 993.
Spatial frequency and temporal frequency selectivity of single cells in the pigeon optic tectum 19: 1001.
Phase-dependent interaction of widely separated spatial frequencies in pattern discrimination 19: 1089.
Spatial frequency, orientation and color: interocular effects of adaptation on the perceived duration of gratings 19: 1197.
A perceived spatial frequency shift at orientations orthogonal to adapting gratings 19: 1229.
Independent stereoscopic channels for different extents of spatial pooling 19: 1303.
Psychophysical evidence for sustained and transient channels in the monkey visual system 20: 15.
Narrow-band spatial mechanisms in apparent contrast matching 20: 143.
Spatial frequency tuning studies: weighting as a prerequisite for describing psychometric curves by probability summation 20: 253.
Sensitivity to spatial phase 20: 391.
The role of spatial frequency tuned channels in vergence control 20: 727.
A preliminary investigation of neural function and dysfunction in amblyopia-III. Co-operative activity of amblyopic channels 20: 757.
Two-dimensional spectral analysis of cortical receptive field profiles 20: 847.
Phase perception in the high spatial frequency range 20: 933.
A possible confounding between the orthogonal perceived spatial frequency shift and the vertical-horizontal illusion 20: 1021.
Behavioural determination of the contrast sensitivity function of the eagle Aquila audax 21: 263.
Monocular and binocular detection of moving sinusoidal gratings 21: 329.
Velocity after-effects: the effects of adaptation to moving stimuli on the perception of subsequently seen moving stimuli 21: 337.
Superposition of edges and gratings: interaction between central and peripheral regions 21: 373.
Probability summation and regional variation in contrast sensitivity across the visual field 21: 409.
Spatiotemporal variations in the square-sine ratio: evidence of independent channels at low spatial frequencies 21: 423.
Pattern discrimination with flickering stimuli 21: 597.
VEP assessment of visual function 21: 607.
Spatial frequency channels tuned for depth and motion 21: 621.
Human fast retinal potentials and the spatial properties of a visual stimulus 21: 627.
Spatial frequency response and perceived depth in the timecourse of object superiority 21: 631.
Spatio-temporal properties of Panum's fusional area 21: 683.
Spatial frequency uncertainty effects in the detection of sinusoidal gratings 21: 705.
The influence of spatial frequency and contrast on the perception of moving patterns 21: 713.
Single-cell responses to bar width and to sine-wave grating frequency in

the pigeon optic tectum 21: 745.
Reply to Harris and Potts: interocular transfer of color-contingent motion aftereffects can lead to positive aftereffects 21: 751.
Spatial frequency effects in masking by light 21: 861.
The influence of field size upon the spatial frequency response of optokinetic nystagmus 21: 985.
Learning in grating waveform discrimination: specificity for orientation and spatial frequency 21: 1149.
The effect of spatial frequency on colour selectivity in the tilt illusion 21: 1235.
Orientation specificity in the visible persistence for checkerboards 21: 1239.
Two components to visible persistence: effects of orientation and contrast 21: 1241.
The spatial frequency dependence of interocular transfer in amplyopes 21: 1401.
Shifts in perceived periodicity induced by temporal modulation and their influence on the spatial frequency tuning of two aftereffects 21: 1739.
A spatial frequency dependent grating-induction effect 22: 119.
Low spatial-frequency channels in human vision: adaptation and masking 22: 225.
Simultaneous recognition of two spatial-frequency components 22: 365.
Spatial frequency selectivity of cells in macaque visual cortex 22: 545.
Binocular rivalry: suppression depends on orientation and spatial frequency 22: 787.
Temporal sensitivities to square-wave gratings, sawtooth-wave gratings and their fundamentals: more evidence for multiple spatial frequency channels in human vision 22: 1053.

SPATIAL VISION
The effects of screening pigments on the spectral sensitivity of some crustacea with scotopic (superposition) eyes 18: 475.
Acuity for spatial separation as a function of stimulus size 18: 615.
A four mechanism model for threshold spatial vision 19: 19.
Implicit time of pattern evoked potentials in infants: an index of maturation of spatial vision 19: 747.
Spatial patterns of rod-cone interaction 19: 775.
A psychophysical investigation of spatial vision in the normal and reeler mutant mouse 19: 853.
The contrast sensitivity of fly movement-detecting neurons 20: 397.
Spatiotemporal characterization of a transient mechanism in the human visual system 20: 443.
The luminance dependence of spatial vision in the cat 21: 1333.
Flicker masking in spatial vision 21: 1377.
Position discrimination may be better than detection 22: 1079.

SPECTRAL SENSITIVITY
White-adapted photopic spectral sensitivity in human infants 18: 49.
Evaluation of the candidacy of the Pi-mechanisms of Stiles for color-matching fundamentals 18: 317.
The achromatic channel-I. The non-linearity of minimum-border and flicker matches 18: 379.
The effects of screening pigments on the spectral sensitivity of some crustacea with scotopic (superposition) eyes 18: 475.
Spectral sensitivity of long-wavelength-sensitive photoreceptors in dichromats determined by elimination of border percepts 18: 699.
Response properties of peripheral retinula cells within *Drosophila* visual mutants to monochromatic Gaussian white-noise stimuli 18: 809.
On-line computation of photoreceptor spectral sensitivity - a low cost solution with a programmable pocket calculator 18: 879.
Visual pigments and colour vision in a nocturnal bird, *Strix aluco* (tawny owl) 18: 1125.
Light-adapted spectral sensitivity of the goldfish: a reflex measure 18: 1131.
Absolute visual sensitivity of the goldfish 18: 1137.
Macular pigmentation and the spectral sensitivity of retinal ganglion cells of macaques 18: 1273.
Shapes of spectral bands of visual pigments 18: 1417.
Der Violetteffekt, eine neue durch Flimmerlicht induzierte subjektive Farbe 18: 1623.
A theory of the Pi_1 and Pi_3 color mechanisms of Stiles 19: 293.
Adaptation effects in electrical responses recorded from postreceptoral neurones in the isolated fish (roach) retina 19: 413.

Visual pigments of bioluminescent and nonbioluminescent deep-sea fishes 19: 589.
Detection of coloured stimuli by independent linear systems 19: 733.
Short-wavelength input to luminosity-type horizontal cells in the turtle retina 19: 903.
Spectral sensitivity of the endoparietal eye in Limulus polyphemus 19: 1055.
The development of photopic spectral sensitivity in human infants 19: 1133.
Spectral components in the b-wave of the ground squirrel electroretinogram 19: 1243.
Goldfish spectral sensitivity: identification of the three cone mechanisms in heart-rate conditioned fish using colored adapting backgrounds 19: 1295.
The effects of coloured surrounds on colour naming and luminosity 19: 1381.
Spectrally-opponent responses in ground squirrel optic nerve 20: 9.
High-level trichromatic color matching and the pigment-bleaching hypothesis 20: 23.
Electroretinographic and psychophysical measures of cone spectral mechanisms using the two-color threshold technique 20: 205.
Spectral sensitivity of screening-pigment migration in retinula cells of the crayfish Procambarus 20: 385.
Infant color vision: a search for short-wavelength-sensitive mechanisms by means of chromatic adaptation 20: 485.
Visual receptor pigments in the African cichlid fish, Haplochromis burtoni 20: 857.
Temporal modulation sensitivity of the blue mechanism: measurements made without chromatic adaptation 20: 895.
The effect of wavelength on binocular summation 20: 975.
A variant of red-green color defect 21: 311.
Visibility of red and green spatial patterns upon spectrally mixed adapting fields 21: 397.
Chromatic subclasses of frog retinal ganglion cells: studies using black stimuli moving on a monochromatic background 21: 469.
Photopic adaptation in the red-green spectral range 21: 565.
Visual thresholds in dichromats and normals: the importance of post-receptoral processes 21: 573.
Perceived colour under conditions of chromatic adaptation: evidence for gain control by Pi mechanisms 21: 611.
Properties of a blue-sensitive rod in the Xenopus retina 21: 875.
Blue cone input to the photopic electroretinogram of the turtle Pseudemys 21: 893.
Wavelength dependence of the shape of foveal absolute threshold probability of detection functions 21: 995.
Spectral sensitivity of human infants at absolute visual threshold 21: 1005.
Polynomial expressions of pigment nomograms 21: 1427.
Changes in field spectral sensitivities of red-, green- and blue-sensitive colour mechanisms obtained on small background fields 21: 1433.
Opponent-color cells can influence detection of small, brief lights 22: 89.
Sensitivity of the blue-sensitive cones across the central retina 22: 661.
Ratfish retina - intracellular recordings and HRP injections in an isolated, superfused all-rod retina 22: 857.
Discrimination and detection thresholds: the effect of observer criterion on the spatial properties of chromatic and achromatic mechanisms 22: 1057.
Spectral sensitivity of the peripheral retina to large and small stimuli 22: 1293.
The photopic spectral sensitivity of a dichromatic teleost fish (Perca fluviatilis) 22: 1341.

SPHERICAL ABERRATION (SEE ABERRATION)

STABILIZED VISION
Quality of retinal image stabilization during small natural and artificial body rotations in man 19: 675.
Interaction of stabilized retinal patterns with spatial visual noise 19: 713.
Effects of stimulus onset and image motion on contrast sensitivity 19: 767.
The effect of retinal image motion on vision in coloured light 19: 1223.

Voluntary nystagmus, saccadic suppression, and stabilization of the visual world 20: 717.
Perceived direction of motion under retinal image stabilization 21: 1423.
Perception of stabilized retinal stimuli in dichoptic viewing conditions 22: 293.
Stabilized vision through a bleaching window 22: 827.
Assessment of retinal image displacement during head movement using an afterimage method 22: 1379.

STEREOPSIS
Binocular cross-correlation in time and space 18: 101.
Stereopsis and binocular rivalry from dichoptic stereograms 18: 239.
Binocular depth mixture with non-symmetric disparities 18: 251.
Effect of vertical disparity upon stereoscopic depth 18: 351.
Looming detectors in the human visual pathway 18: 415.
Horoptere-Vernier et couleur 18: 445.
Qualitative observations in visual science: "The Farnsworth Shelf". Fusion at the site of the "ghosts" 18: 657.
Linear combinations of stereoscopic depth effects in dichoptic perception of gratings 18: 707.
Stereopsis without binocular correlation 18: 1013.
Stereoscopic contours induce optokinetic nystagmus 18: 1189.
Lateralized cortical potentials evoked in humans by dynamic random-dot stereogram 18: 1265.
Interference with stereoscopic acuity: spatial, temporal, and disparity tuning 18: 1387.
Convergent disparity discriminations in narrow-band-filtered random-dot stereograms 19: 63.
Stereopsis by harmonic analysis 19: 73.
Perception of continuity in stroboscopic motion: a temporal frequency analysis 19: 491.
How does binocular delay give information about depth? 19: 523.
Colour contours and stereopsis 19: 555.
The relationship between the apparent vertical and the vertical horopter 19: 655.
Chromatic input to stereopsis 19: 831.
Depth from spatial frequency difference: an old kind of stereopsis? 19: 859.
Does contrast disparity alone generate stereopsis? 19: 913.
Stereopsis in monkeys using random dot stereograms: the effect of viewing duration 19: 985.
Independent stereoscopic channels for different extents of spatial pooling 19: 1303.
Vertical fusional vergence ranges of the rhesus monkey 20: 83.
A geometrical explanation of the induced size effect 20: 409.
Residual binocular interaction in stereoblind humans 20: 603.
The role of spatial frequency tuned channels in vergence control 20: 727.
A binocular contribution to the production of optokinetic nystagmus in normal and stereoblind subjects 21: 587.
A simple explanation of the induced size effects 21: 755.
The dependence of the induced effect on orientation and a hypothesis concerning disparity computations in general 22: 247.
Similarities between motion parallax and stereopsis in human depth perception 22: 261.
A stereoscopic presentation of the Hermann Grid 22: 485.
Stereoacuity development for crossed and uncrossed disparities in human infants 22: 507.

STILES-CRAWFORD EFFECT (SEE DIRECTIONAL SELECTIVITY)

STRABISMUS (SEE ALSO AMBLYOPIA)
Interocular transfer of the motion aftereffect in strabismus 22: 55.
Binocular vision in strabismic humans with alternating fixation 22: 889.

SUMMATION, BINOCULAR
Binocular summation: a study of contrast sensitivity, visual acuity and recognition 18: 579.
An electrophysiological correlate of perceptual suppression in anisometropia 18: 1617.
Binocular summation and the binocularity of cat visual cortex 19: 813.
A noise masking experiment in grating perception at threshold: the implications on binocular summation 20: 373.
The effect of wavelength on binocular summation 20: 975.

SUMMATION, PROBABILITY
Quantitative prediction of line spread function measurements: implications for channel bandwidths 18: 493.
Space domain properties of a spatial frequency channel in human vision 18: 959.
A four mechanism model for threshold spatial vision 19: 19.
Probability summation over time 19: 515.
Detection of coloured stimuli by independent linear systems 19: 733.
Summation of asynchronous gratings 20: 91.
A preliminary investigation of neural function and dysfunction in amblyopia-II. Activity within an amblyopic "channel" 20: 755.
On the psychometric function for contrast detection 21: 215.
The detection and recognition of two lines 21: 235.
Probability summation and regional variation in contrast sensitivity across the visual field 21: 409.
Temporal impulse and step responses of the human eye obtained psychophysically by means of a drift-correcting perturbation technique 21: 1203.
A single-channel model does not predict visibility of asynchronous gratings 21: 1799.

SUMMATION, SPATIAL
The functional area for summation to threshold for sinusoidal gratings 18: 369.
Implications of spatial summation models for processes of contour perception: a geometric perspective 18: 723.
Visibility of low-frequency sine-wave targets: dependence on number of cycles and surround parameters 18: 891.
Space domain properties of a spatial frequency channel in human vision 18: 959.
Spatial summation in the fovea: asymmetrical effects of longer and shorter dimensions 18: 1023.
Twin-flash response as a function of flash diameter 18: 1111.
A facilitation effect in orientation discrimination 18: 1239.
A quanta coincidence model for absolute threshold vision incorporating deviations from Ricco's law 18: 1685.
Decrement versions of the Broca-Sulzer effect and its spatial analogue 19: 155.
Spatial summation for complex bar patterns 20: 169.
Summation and discrimination of gratings moving in opposite directions 20: 341.
Visual detection and resolution as a function of retinal locus 20: 967.
Propagation of inhibition 21: 1765.
Visual detection and resolution as a function of adaptation and glare 21: 1793.

SUMMATION, TEMPORAL
A facilitation effect in orientation discrimination 18: 1239.
The electrical response of the ocellus of Phalangium opilio 18: 1423.
Integrating time for visual pattern perception and a comparison with the tactile mode 18: 1565.
Iconic persistence and perceptual moment as determinants of temporal integration in vision 18: 1607.
Decrement versions of the Broca-Sulzer effect and its spatial analogue 19: 155.
Changes in critical duration during dark-adaptation 19: 1147.
Summation and discrimination of gratings moving in opposite directions 20: 341.
Phase effects in monoptic and dichoptic temporal integration: flicker and motion detection 21: 365.
Sensation length and equal brightness 21: 603.
Propagation of inhibition 21: 1765.
Temporal summation in a rod monochromat 22: 491.
Temporal sensitivities to square-wave gratings, sawtooth-wave gratings and their fundamentals: more evidence for multiple spatial frequency channels in human vision 22: 1053.
Derivation of the impulse response: comments on the method of Roufs and Blommaert 22: 1335.

SUPERIOR COLLICULUS (SEE OPTIC TECTUM)

SUPPRESSION (SEE ALSO BINOCULAR RIVALRY)
Inhibitory effect of binocular rivalry suppression is independent of

orientation 18: 541.
Saccadic omission: why we do not see a grey-out during a saccadic eye movement 18: 1297.
Grey-out elimination: the roles of spatial waveform, frequency and phase 18: 1305.
An electrophysiological correlate of perceptual suppression in anisometropia 18: 1617.
Metacontrast and paracontrast suppression of a contourless area 18: 1669.
Voluntary nystagmus, saccadic suppression, and stabilization of the visual world 20: 717.
Naso-temporal asymmetries in human amblyopia: consequence of long-term interocular suppression 21: 1055.
Suppression of the blackout due to blinks 21: 1075.
Monocular rivalry occurs without eye movements 22: 203.
Saccadic suppression and the dual mechanism theory of direction constancy 22: 335.
Binocular rivalry: suppression depends on orientation and spatial frequency 22: 787.
Measurements of visual suppression during opening, closing and blinking of the eyes 22: 991.

TECHNIQUES
The preparation of 11-cis-retinal 18: 115.
A stimulus sequence with uniform frequency of ordered pairs 18: 339.
How to make metal-filled microelectrodes in a reproducible way 18: 869.
Purkinje's methods for visualizing the internal retinal circulation: a look at the source 18: 875.
Innervation patterns of single optic nerve fibers in the Limulus brain: a modification of the cobalt staining technique for cut axons 18: 1427.
Digital inverse filtering of evoked responses 18: 1457.
A geometric method for measuring the distance between a point on the surface of the eye and the tip of a needle or instrument within the eye 18: 1697.
Controlling abnormal eye movements 19: 961.
A simple surgical procedure for immobilization of rodent eyes 19: 1281.
Implantation of magnetic search coils for measurement of eye position: an improved method 20: 535.
Safety standards and measurement techniques for high intensity light sources 20: 1133.
Studies of corneas in vivo and in vitro 21: 41.
The use of cultured endothelium in keratoplasty 21: 173.
Computer controlled color mixer with laser primaries 21: 951.
Manipulating the contrast of sine wave gratings and other light distributions using polaroid 21: 1025.
Temporal impulse and step responses of the human eye obtained psychophysically by means of a drift-correcting perturbation technique 21: 1203.
Oblique effects in normally reared monkeys (Macaca nemestrina): meridional variations in contrast sensitivity measured with operant techniques 21: 1253.
A note on the remote oculometer technique for recording eye movements 22: 201.
A new detergent for the study of visual pigments 22: 495.
Do preferential looking techniques underestimate infant visual acuity? 22: 1017.
A simple method of obtaining retinal whole-mounts 22: 1221.
Rhodopsin-phospholipid complexes in apolar solvents: characteristics and mechanism of extraction 22: 1443.

TEMPORAL DISCRIMINATION
Visual temporal discriminations of brief pulse intervals 19: 41.
Discrimination at threshold: labelled detectors in human vision 21: 1115.
Effect of motion sweep duration and number of stations upon interpolation in discontinuous motion 22: 1277.

THRESHOLD (SEE CONTRAST SENSITIVITY: DETECTION THRESHOLD; INCREMENT THRESHOLD)

TISSUE CULTURE
Catalyzed cis-trans isomerization of retinals by crude tissue extracts 18: 423.
Initial studies of cultured embryonic chick lens epithelial cells infected with a temperature-sensitive Rous sarcoma virus 21: 5.

Donor age influences the growth of rabbit lens epithelial cells *in vitro* 21: 11.
Differentiation of rat lens epithelial cells in tissue culture-IV. Some characteristics of the process, including possible *in vitro* models for pathogenic processes in cataractogenesis 21: 25.
Properties of a Na-K ATPase inhibitor in cultured lens epithelial cells 21: 37.
Studies of corneas *in vivo* and *in vitro* 21: 41.
Intracellular potentials of cultured rabbit corneal endothelial cells: response to temperature and ouabain 21: 45.
Isolation and characterization of the proteoglycans and collagens synthesized by cells in culture 21: 49.
Keratin filaments of corneal epithelial cells 21: 55.
Modulation of chondrogenic expression in cell culture by fibronectin 21: 65.
Role of the microtrabecular lattice in axoplasmic transport 21: 71.
Phenotypic expression of embryonic neural retinal cells in cell culture 21: 83.
The role of fibroblast growth factor and the extracellular matrix in the control of proliferation and differentiation of corneal endothelial cells 21: 87.
Identification and characterization of a growth factor secreted by an established cell line of human retinoblastoma maintained in serum-free medium 21: 105.
A tissue culture system for studying lens cell differentiation 21: 113.
The organization of human retinal pigment epithelium *in vitro* 21: 119.
Tissue culture of rat pigment epithelium on different supporting media 21: 127.
Binding of neoglycoproteins by the chick pigment epithelial cell in culture 21: 133.
In vitro culture of human retinal pigment epithelium for biochemical and metabolic study 21: 137.
Phagocytosis of rod outer segments by cultured epithelial cells 21: 143.
The isolation and culturing of retinal pigment epithelium of the rat 21: 147.
Culturing cells with direct clinical importance 21: 151.
Studies on human trabecular cells propagated *in vitro* 21: 155.
In vitro biochemistry of trabecular meshwork 21: 161.
The inhibitory factor in aqueous humor 21: 163.
Studies on retinal capillary cells in tissue culture 21: 165.
Studies using human lenses from a family displaying hereditary congenital cataracts 21: 169.
The use of cultured endothelium in keratoplasty 21: 173.

TRITANOPIA (SEE DICHROMACY)

VELOCITY (SEE MOVEMENT PERCEPTION)

VERNIER ACUITY
Disinhibition in metacontrast masking of vernier acuity targets: sustained channels inhibit transient channels 18: 1401.
Vernier acuity with dot test objects 19: 313.
Acuity for apparent vernier offset 19: 835.
Vernier discrimination with sequentially-flashed lines: roles of eye movements, retinal offsets and short-term memory 21: 647.
Contour curvature analysis: hyperacuities in the discrimination of detailed shape 22: 449.
Hyperacuity for luminance phase angle in the human visual system 22: 863.
Hyperacuity and interpolation by the visual pathways 22: 1219.
Effect of motion sweep duration and number of stations upon interpolation in discontinuous motion 22: 1277.
Do ocular-dominance columns set spatial limits for hyperacuity processing? 22: 1349.

VISUAL DIRECTION
Binocular depth mixture with non-symmetric disparities 18: 251.
Visual fixation points and depth perception 18: 853.
The perceived direction of the binocular image 19: 201.
Oculomotor and perceptual localization during smooth eye movements 19: 609.
Spatial localization during pursuit eye movements 19: 1213.
Direction-specific and position-specific effects upon detection of displacements during saccadic eye movements 21: 255.

Vernier discrimination with sequentially-flashed lines: roles of eye movements, retinal offsets and short-term memory 21: 647.

WAVELENGTH DISCRIMINATION (SEE COLOR DISCRIMINATION)